## Safety data sheet

Page: 1/16

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 30.01.2019 Version: 2.8 Product: **beko ALLCON 10** 

> (ID no. 30519449/SDS\_GEN\_EU/EN) Date of print 20.02.2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

## beko ALLCON 10

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Product for construction chemicals Recommended use: for industrial and professional users

## 1.3. Details of the supplier of the safety data sheet

<u>Company:</u> beko GmbH Rappenfeldstraße 5 DE-86653 Monheim GERMANY

Telephone: +49-9091-90898-0 E-mail address: info@beko-group.com

## 1.4. Emergency telephone number

Emergency Call: Poison Control Center Mainz - 24 hour emergency service – phone: +49 (0) 6131/19240

## **SECTION 2: Hazards Identification**

## 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Skin Corr./Irrit. 2 Eye Dam./Irrit. 2 Resp. Sens. 1 Skin Sens. 1 Carc. 2 STOT SE 3 (irritating to respiratory system) STOT RE 2

Page: 2/16

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 30.01.2019 Version: 2.8 Product: **beko ALLCON 10** 

> (ID no. 30519449/SDS\_GEN\_EU/EN) Date of print 20.02.2019

## H319, H315, H334, H317, H373, H335, H351

For the classifications not written out in full in this section the full text can be found in section 16.

## 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word: Danger

Hazard Statement:	
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs through prolonged or repeated exposure.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
Precautionary Statement	ts (Prevention):
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P260	Do not breathe dust/gas/mist/vapours.
P201	Obtain special instructions before use.
P271	Use only outdoors or in a well-ventilated area.
P202	Do not handle until all safety precautions have been read and understood.
P284	In case of inadequate ventilation wear respiratory protection.
P272	Contaminated work clothing should not be allowed out of the workplace.
P264	Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

Page: 3/16

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 30.01.2019 Version: 2.8 Product: **beko ALLCON 10** 

(ID no. 30519449/SDS\_GEN\_EU/EN)

	Date of print 20.02.2019
P308 + P311	IF exposed or concerned: Call a POISON CENTER or doctor/physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing.
P314	Get medical advice/attention if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of water.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P337 + P313	If eye irritation persists: Get medical advice/attention.
Precautionary Statemer	nts (Storage):
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
Precautionary Statements (Disposal):	
P501	Dispose of contents/container to hazardous or special waste collection
	point.

#### According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: Diphenylmethanediisocyanate, isomeres and homologues, 2,2'-Methylenediphenyl diisocyanate, o-(p-isocyanatobenzyl)phenyl isocyanate

## 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

## **SECTION 3: Composition/Information on Ingredients**

## 3.1. Substances

Not applicable

#### 3.2. Mixtures

Chemical nature

Blend based on: isocyanate

<u>Hazardous ingredients (GHS)</u> according to Regulation (EC) No. 1272/2008

P-MDI

Page: 4/16

(ID no. 30519449/SDS_GEN_EU/EN Date of print 20.02.201
Date of print 20.02.201
Acute Tox. 4 (Inhalation - vapour) Eye Dam./Irrit. 2 Skin Corr./Irrit. 2 STOT SE 3 (irr. to respiratory syst.) Skin Sens. 1 Resp. Sens. 1 Carc. 2 STOT RE 2 (by inhalation) H315, H317, H319, H332, H334, H335, H351, H373 EUH204
Acute Tox. 4 (Inhalation - mist) Skin Corr./Irrit. 2 Eye Dam./Irrit. 2 Resp. Sens. 1 Skin Sens. 1 Carc. 2 STOT SE 3 (irr. to respiratory syst.) STOT RE 2 STOT RE (Respiratory system) 2 (by inhalation) H319, H315, H332, H334, H317, H373, H335, H351, H373
Differing classification according to current knowledge and the criteria given in Annex I of Regulation (EC) No. 1272/2008 Acute Tox. 4 (Inhalation - mist) Skin Corr./Irrit. 2 Eye Dam./Irrit. 2 Resp. Sens. 1 Skin Sens. 1B Carc. 2 STOT SE 3 (irr. to respiratory syst.) STOT RE 2 STOT RE (Respiratory system) 2 (by inhalation) Specific concentration limit: Resp. Sens. 1: >= 0.1 % Skin Corr./Irrit. 2: >= 5 %

o-(p-isocyanatobenzyl)phenyl isocyanate

Page: 5/16

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 30.01.2019 Version: 2.8 Product: **beko ALLCON 10** (ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019 Acute Tox. 4 (Inhalation - mist) Content (W/W): >= 0.3 % - < 3 % CAS Number: 5873-54-1 Skin Corr./Irrit. 2 EC-Number: 227-534-9 Eve Dam./Irrit. 2 **REACH registration number: 01-**Resp. Sens. 1 2119480143-45 Skin Sens. 1 INDEX-Number: 615-005-00-9 Carc. 2 STOT SE 3 (irr. to respiratory syst.) STOT RE 2 H319, H315, H332, H334, H317, H335, H351, H373 Specific concentration limit: Resp. Sens. 1: >= 0.1 % Skin Corr./Irrit. 2: >= 5 % Eye Dam./Irrit. 2: >= 5 %STOT SE 3, irr. to respiratory syst.: >= 5 % 2,2'-Methylenediphenyl diisocyanate Content (W/W): >= 0.1 % - < 1 % Acute Tox. 4 (Inhalation - vapour) Skin Corr./Irrit. 2 CAS Number: 2536-05-2 EC-Number: 219-799-4 Eve Dam./Irrit. 2 INDEX-Number: 615-005-00-9 Resp. Sens. 1 Skin Sens. 1 Carc. 2 STOT SE 3 (irr. to respiratory syst.) STOT RE 2 H319, H315, H332, H334, H317, H335, H351, H373 Specific concentration limit: Resp. Sens. 1: >= 0.1 % Skin Corr./Irrit. 2: >= 5 % Eye Dam./Irrit. 2: >= 5 % STOT SE 3, irr. to respiratory syst.: >= 5 % 4-isocyanatosulphonyltoluene Content (W/W): > 0.1 % - <= 1 % Skin Corr./Irrit. 2 CAS Number: 4083-64-1 Eye Dam./Irrit. 2 EC-Number: 223-810-8 Resp. Sens. 1 INDEX-Number: 615-012-00-7 STOT SE 3 (irr. to respiratory syst.) H319, H315, H334, H335 EUH014 Specific concentration limit: Skin Corr./Irrit. 2: >= 5 % Eye Dam./Irrit. 2: >= 5 %STOT SE 3, irr. to respiratory syst.: >= 5 %

Page: 6/16

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 30.01.2019 Version: 2.8 Product: **beko ALLCON 10** 

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

## **SECTION 4: First-Aid Measures**

#### 4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

#### On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: coughing, Eye irritation, skin irritation, allergic symptoms

Hazards: Respiratory sensitization may result in allergic (asthma-like) signs in the lower respiratory tract including wheezing, shortness of breath and difficulty breathing, the onset of which may be delayed. Repeated inhalation of high concentrations may cause lung damage, including reduced lung function, which may be permanent. Substances eliciting lower respiratory tract irritation may worsen the asthma-like reactions that may be produced by product exposures.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: foam, water spray, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons: water jet

## 5.2. Special hazards arising from the substance or mixture

Page: 7/16

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 30.01.2019 Version: 2.8 Product: **beko ALLCON 10** 

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

Carbon dioxide, carbon monoxide, harmful vapours, nitrogen oxides, fumes/smoke, carbon black

#### 5.3. Advice for fire-fighters

Special protective equipment: Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.

#### **SECTION 6: Accidental Release Measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing dust/fume/gas/mist/vapours/spray. Wear eye/face protection. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.

#### 6.2. Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.

For large amounts: Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

## **SECTION 7: Handling and Storage**

#### 7.1. Precautions for safe handling

Avoid inhalation of dusts/mists/vapours. Avoid skin contact. Ensure adequate ventilation. No special measures necessary provided product is used correctly.

Protection against fire and explosion: Product is not explosive.

#### 7.2. Conditions for safe storage, including any incompatibilities

Observe VCI storage rules.

Suitable materials for containers: High density polyethylene (HDPE) Further information on storage conditions: Keep only in the original container in a cool, wellventilated place. Protect from direct sunlight.

Page: 8/16

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 30.01.2019 Version: 2.8 Product: **beko ALLCON 10** 

> (ID no. 30519449/SDS\_GEN\_EU/EN) Date of print 20.02.2019

Protect from temperatures below: -10 °C Characteristics of the product are irreversibly changed below the limit temperature. Protect from temperatures above: 50 °C The packed product must be protected against exceeding the indicated temperature.

## 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## **SECTION 8: Exposure Controls/Personal Protection**

## 8.1. Control parameters

Components with occupational exposure limits

101-68-8: 4,4'-methylenediphenyl diisocyanate 1317-65-3: Limestone 2536-05-2: 2,2'-Methylenediphenyl diisocyanate 5873-54-1: o-(p-isocyanatobenzyl)phenyl isocyanate 9016-87-9: Isocyanic acid, polymethylenepolyphenylene ester (P-MDI)

## 8.2. Exposure controls

Personal protective equipment

Respiratory protection: Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection: impermeable gloves Synthetic rubber gloves Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection: Body protection must be chosen based on level of activity and exposure.

## General safety and hygiene measures

Do not inhale dust/fumes/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). When using do not eat or drink.

Page: 9/16

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 30.01.2019 Version: 2.8 Product: **beko ALLCON 10** 

> (ID no. 30519449/SDS\_GEN\_EU/EN) Date of print 20.02.2019

## **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on basic physical and chemical properties

Form:	pasty
Colour: Odour:	beige characteristic
Odour: Odour threshold:	characteristic
Odour threshold:	No applicable information available
pH value:	No applicable information available.
·	not applicable
Melting point:	< 0 °C
Boiling point:	> 150 °C
Flash point:	> 180 °C
Evaporation rate:	
	not determined
Flammability:	not determined
Flammability of Aerosol	Products:
-	not applicable, the product does not
	form flammable aerosoles
Lower explosion limit:	
	dropped
Ignition temperature:	> 400 °C
Vapour pressure:	
	The product has not been tested.
Density:	approx. 1.4 g/cm3
	(20 °C)
Relative vapour density	
	not determined
Solubility in water:	not soluble
Partitioning coefficient r	n-octanol/water (log Kow):
	Study does not need to be
	conducted.
Self ignition:	not self-igniting
Thermal decomposition Viscosity, dynamic:	: No decomposition if stored and handled as prescribed/indicated.
viscosity, dynamic.	not determined
Explosion hazard:	not explosive
Fire promoting propertie	
9.2. Other information	n

Bulk density:

not applicable Miscibility with water: immiscible

Page: 10/16

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 30.01.2019 Version: 2.8 Product: **beko ALLCON 10** 

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

Flow time:

91 s (20 °C)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

## **SECTION 10: Stability and Reactivity**

## 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

## 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

## 10.3. Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

## 10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

## 10.5. Incompatible materials

Substances to avoid: strong acids, strong bases, strong oxidizing agents, strong reducing agents

## **10.6. Hazardous decomposition products**

No hazardous decomposition products if stored and handled as prescribed/indicated.

## **SECTION 11: Toxicological Information**

## 11.1. Information on toxicological effects

## Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. Based on available Data, the classification criteria are not met.

Irritation

Assessment of irritating effects: Eye contact causes irritation. Skin contact causes irritation.

Respiratory/Skin sensitization

Assessment of sensitization:

Page: 11/16

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 30.01.2019 Version: 2.8 Product: **beko ALLCON 10** 

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

The substance may cause sensitization of the respiratory tract. Sensitization after skin contact possible.

#### Germ cell mutagenicity

Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Carcinogenicity

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests.

#### Reproductive toxicity

Assessment of reproduction toxicity: The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Developmental toxicity

Assessment of teratogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Specific target organ toxicity (single exposure)

Assessment of STOT single: Causes temporary irritation of the respiratory tract.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: Repeated exposure may affect certain organs.

Aspiration hazard

No aspiration hazard expected.

#### Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

Page: 12/16

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 30.01.2019 Version: 2.8 Product: **beko ALLCON 10** 

> (ID no. 30519449/SDS\_GEN\_EU/EN) Date of print 20.02.2019

## **SECTION 12: Ecological Information**

## 12.1. Toxicity

Assessment of aquatic toxicity:

Based on available Data, the classification criteria are not met. There is a high probability that the product is not acutely harmful to aquatic organisms.

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

## 12.3. Bioaccumulative potential

Assessment bioaccumulation potential: Based on a weight of evidence, the compound will not bioaccumulate.

## 12.4. Mobility in soil

Assessment transport between environmental compartments: Volatility: The substance will not evaporate into the atmosphere from the water surface. Adsorption in soil: Adsorption to solid soil phase is not expected.

## 12.5. Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

## 12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

## 12.7. Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

## **SECTION 13: Disposal Considerations**

## 13.1. Waste treatment methods

Contaminated packaging:

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 30.01.2019 Version: 2.8 Product: beko ALLCON 10

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

## **SECTION 14: Transport Information**

#### Land transport

#### ADR

UN number:	Not classified as a dangerous good under transport regulations Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user	

## RID

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user	

## Inland waterway transport

ADN

user:

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user.	

Transport in inland waterway vessel Not evaluated

#### Sea transport

Page: 14/16

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 30.01.2019 Version: 2.8 Product: **beko ALLCON 10** 

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

#### IMDG

UN number:	Not classified as a dangerous good under transport regulations Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user	

#### Air transport

#### IATA/ICAO

user

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known

#### 14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

#### 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 30.01.2019 Version: 2.8 Product: **beko ALLCON 10** 

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

## **SECTION 15: Regulatory Information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 56, 3

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

#### 15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

## **SECTION 16: Other Information**

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned	
in section 2 or 3:	
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Resp. Sens.	Respiratory sensitization
Skin Sens.	Skin sensitization
Carc.	Carcinogenicity
STOT SE	Specific target organ toxicity — single exposure
STOT RE	Specific target organ toxicity — repeated exposure
Acute Tox.	Acute toxicity
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H373	May cause damage to organs through prolonged or repeated exposure.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H332	Harmful if inhaled.
H373	May cause damage to organs (Respiratory system) through prolonged or
	repeated exposure (inhalation).
H373	May cause damage to organs () through prolonged or repeated exposure.
EUH204	Contains isocyanates. May produce an allergic reaction.
EUH014	Reacts violently with water.

Page: 16/16

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 30.01.2019 Version: 2.8 Product: **beko ALLCON 10** 

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.