Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 10/9/2020 Revision date: 10/8/2020 Supersedes version of: 8/27/2020 Version: 4.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture Product name : beko Fibcon 15

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Intended for general public

Main use category : Industrial use Use of the substance/mixture : Adhesive

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

à^\[ÁÕ{ àP Ü@[]^}~|å•dÊÁ ÖÖEÎÎĴÍHAT[}@:ã TÉIJÁÇEDÁJ€JFÁJ€ÌJÌË€

^Ë; æajkkåj-{Oà^\[Ë;|[ˇ]È&[{ÁÁÁQ,ơ\;}^dxkḸÊà^\[Ë;|[ˇ]È&[{

Emergency telephone number

Emergency number : Poison Control Center Mainz - 24 hour emergency service - phone: +49 (0) 6131/19240

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category H319 Respiratory sensitisation, Category 1 H334 Skin sensitisation, Category 1 H317 Carcinogenicity, Category 2 H351 Specific target organ toxicity — Single H335 exposure, Category 3, Respiratory tract

irritation

Specific target organ toxicity — Repeated H373

exposure, Category 2

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. **Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





Signal word (CLP) : Danger

10/9/2020 EN (English) 1/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazardous ingredients : diphenylmethane diisocyanate; 4-isocyanatosulphonyltoluene, tosyl isocyanate;

dibutyltindilaurate

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 - May cause respiratory irritation. H351 - Suspected of causing cancer.

 $\mbox{H373}$ - \mbox{May} cause damage $\bar{\mbox{to}}$ organs through prolonged or repeated exposure.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P201 - Obtain special instructions before use.

P260 - Do not breathe vapours.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P284 - Wear respiratory protection.

P302+P352 - IF ON SKIN: Wash with plenty of Wash skin with mild soap and water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Extra phrases : Persons suffering from asthma, eczema or skin problems should avoid contact, including

dermal contact, with this product

Persons already sensitised to diisocyanates may develop allergic reactions when using this product

This product should not be used under conditions of poor ventilation unless a protective mask

with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used

Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

Substances

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
diphenylmethane diisocyanate	(CAS-No.) 26447-40-5 (EC-No.) 247-714-0 (EC Index-No.) 615-005-00-9 (REACH-no) 01-2119457015-45	25 – 45	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373
4-isocyanatosulphonyltoluene, tosyl isocyanate	(CAS-No.) 4083-64-1 (EC-No.) 223-810-8 (EC Index-No.) 615-012-00-7 (REACH-no) 01-2119980050-47	< 0.3	Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315 Resp. Sens. 1, H334
dibutyltindilaurate	(CAS-No.) 77-58-7 (EC-No.) 201-039-8 (EC Index-No.) 050-030-00-3	< 0.25	Muta. 2, H341 Repr. 1B, H360FD Skin Sens. 1, H317 STOT SE 1, H370 STOT RE 1, H372 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
ethyl acetate substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB)	(CAS-No.) 141-78-6 (EC-No.) 205-500-4 (EC Index-No.) 607-022-00-5 (REACH-no) 01-2119475103-46	< 0.1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Specific concentration limits:

opcomo conocinitation ininto.		
Name	Product identifier	Specific concentration limits
diphenylmethane diisocyanate	(CAS-No.) 26447-40-5 (EC-No.) 247-714-0 (EC Index-No.) 615-005-00-9 (REACH-no) 01-2119457015-45	(0.1 ≤C < 100) Resp. Sens. 1, H334 (5 ≤C < 100) Eye Irrit. 2, H319 (5 ≤C < 100) Skin Irrit. 2, H315 (5 ≤C < 100) STOT SE 3, H335
4-isocyanatosulphonyltoluene, tosyl isocyanate	(CAS-No.) 4083-64-1 (EC-No.) 223-810-8 (EC Index-No.) 615-012-00-7 (REACH-no) 01-2119980050-47	(5 ≤C < 100) Skin Irrit. 2, H315 (5 ≤C < 100) STOT SE 3, H335 (5 ≤C < 100) Eye Irrit. 2, H319

10/9/2020 EN (English) 2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : In all cases of doubt, or when symptoms persist, seek medical attention.

First-aid measures after inhalation : Take victim to fresh air, in a quiet place and if necessary take medical advice.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately

with plenty of water and soap. Do not use: solvent. Thinner.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion : If accidentally swallowed obtain immediate medical attention. Keep at rest. Do NOT induce

vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Carbon dioxide. Dry powder. Water spray.

Unsuitable extinguishing media : Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard : In case of fire, product decomposes in. carbon oxides (CO and CO2). Nitrogen oxides.

Hydrogen cyanide.

5.3. Advice for firefighters

Precautionary measures fire : Self-contained breathing apparatus when in close proximity to fire. Wear fire/flame

resistant/retardant clothing.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Prevent fire fighting water from entering the environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation. Wear proper protective equipment.

6.1.1. For non-emergency personnel

Protective equipment : No special measures required.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

6.2. Environmental precautions

Prevent spreading in sewers.

6.3. Methods and material for containment and cleaning up

For containment : Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Shovel

into suitable and closed container for disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not allow into drains or water courses. Ensure good ventilation of the work station. Keep

container tightly closed.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with

mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Store in dry protected location to prevent any moisture contact.

Protect from moisture.

Incompatible products : Oxidizing agent.

Information on mixed storage : Keep away from strong acids, strong bases and oxidizing agents. Water, humidity.

10/9/2020 EN (English) 3/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage area : Store in a dry area.

Special rules on packaging : Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

diphenylmethane diisocyanate (26447-40-5)		
United Kingdom	WEL TWA (mg/m³)	0.02 mg/m³
United Kingdom	WEL STEL (mg/m³)	0.07 mg/m³
ethyl acetate (141-78-6)		
EU	Local name	Ethyl Acetate
EU	IOELV TWA (mg/m³)	734 mg/m³
EU	IOELV TWA (ppm)	200 ppm
EU	IOELV STEL (mg/m³)	1468 mg/m³
EU	IOELV STEL (ppm)	400 ppm
EU	Notes	SCOEL Recommendations (2008)
EU	Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL [ppm]	400 ppm
dibutyltindilaurate (77-58-7)		
United Kingdom	WEL TWA (mg/m³)	0.1 mg/m³
United Kingdom	WEL STEL (mg/m³)	0.2 mg/m³

8.2. Exposure controls

Appropriate engineering controls:

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment:

Safety glasses. Gloves.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):





Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : light yellow. Odour characteristic. Odour threshold : No data available рΗ : Not applicable. Relative evaporation rate (butylacetate=1) : No data available : No data available Melting point Freezing point : No data available Boiling point : No data available : > 200 °C Flash point : > 480 °C Auto-ignition temperature

10/9/2020 EN (English) 4/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available

Relative density : ≈ 1.25

Solubility : Water: Hydrolyses

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : ≈ 3900 mPa⋅s

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with water (moisture).

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

If contaminated by moisture, may form C02 gas pressure in containers.

10.5. Incompatible materials

amines.

10.6. Hazardous decomposition products

No additional information available

Skin corrosion/irritation

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

diphenylmethane diisocyanate (26447-40-5)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 9400 mg/kg
LC50 Inhalation - Rat	0.49 mg/l air
LC50 Inhalation - Rat (Dust/Mist)	0.49 mg/l/4h

ethyl acetate (141-78-6)	
LD50 oral rat	4934 mg/kg
LD50 oral	4934 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Animal sex: male
LC50 Inhalation - Rat	≈ 1600 mg/l/4h

4-isocyanatosulphonyltoluene, tosyl isocyanate (4083-64-1)	
LD50 oral rat	2330 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2080 - 2600
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))

dibutyltindilaurate (77-58-7)	
LD50 oral rat	2071 mg/kg bodyweight (Rat; equivalent or similar to the OECD guideline 401; Experimental value)
LD50 dermal rat	> 2000 mg/kg bodyweight (Rat; equivalent or similar to the OECD guideline 402; Experimental value)

: Causes skin irritation.

pH: Not applicable.

10/9/2020 EN (English) 5/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Serious eye damage/irritation : Causes serious eye irritation.

pH: Not applicable.

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an

allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Not classified

dibutyltindilaurate (77-58-7)	
NOAEL (animal/male, F0/P)	1.9 – 2.3 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)
NOAEL (animal/female, F0/P)	1.7 – 2.4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

ethyl acetate (141-78-6)	
LOAEL (oral, rat, 90 days)	3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)
NOAEL (oral, rat, 90 days)	900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)

Aspiration hazard : Not classified

Potential adverse human health effects and

symptoms

: No data available.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May be dangerous for the environment. Prevent entry to sewers and public waters.

Ecology - water : May cause long-term adverse effects in the aquatic environment.

Hazardous to the aquatic environment, short-

term (acute)

: Not classified

Hazardous to the aquatic environment, long-

term (chronic)

: Not classified

diphenylmethane diisocyanate (26447-40-5)		
LC50 fish 1	> 1000 mg/l 96 h - Danio rerio (zebra fish)	
EC50 Daphnia 1	> 1000 mg/l 24 h - Daphnia Magna (water flea)	
EC50 72h algae (1)	> 1640 mg/l Scenedesmus subspicatus	
NOEC (chronic)	> 10 mg/l 21 d - Daphnia Magna (water flea)	
ethyl acetate (141-78-6)		
LC50 fish 1	230 mg/l Pimephales promelas	
NOEC (chronic)	2.4 mg/l Daphnia magna Duration: '21 d'	
4-isocyanatosulphonyltoluene, tosyl isocyanate (4083-64-1)		
LC50 fish 1	> 45 mg/l Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 Daphnia 1	> 100 mg/l Daphnia magna	
EC50 72h algae (1)	30 mg/l Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 72h algae (2)	25 mg/l Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
dibutyltindilaurate (77-58-7)		
LC50 fish 1	2 mg/l (48 h; Pisces)	
EC50 Daphnia 1	0.66 mg/l (24 h; Daphnia magna)	
EC50 Daphnia 2	0.66 mg/l (48 h; Daphnia magna)	
EC50 72h algae (1)	> 1 mg/l (OECD 201: Algae, Growth Inhibition Test, Scenedesmus subspicatus, Static System, Freshwater (Unsalted), Experimental Value)	
ErC50 (algae)	> 1 mg/l (OECD 201: Algae, growth inhibition test, 72 h, Desmodesmus subspicatus, Static system, Fresh (unsalted) water, Experimental value, Tin)	
Threshold limit algae 1	> 1 mg/l (72 h; Scenedesmus subspicatus; Growth Rate)	

10/9/2020 EN (English) 6/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability		
Fibcon 15		
Persistence and degradability	No information available.	
diphenylmethane diisocyanate (26447-40-5)		
Persistence and degradability	Not readily biodegradable.	
dibutyltindilaurate (77-58-7)		
Persistence and degradability	Not readily biodegradable.	
12.3. Bioaccumulative potential		
Fibcon 15		
Bioaccumulative potential	No available data.	
diphenylmethane diisocyanate (26447-40-5)		
BCF fish 1	92 (OCDE 305, 28 jour(s), Cyprinus carpio, Système à courant, Eau douce (non salée), Readacross, GLP)	
Partition coefficient n-octanol/water (Log Pow)	4.51 (Valeur expérimentale, OCDE 117 : Coefficient de partage (n-octanol/eau), méthode CLHP, 22 °C)	
dibutyltindilaurate (77-58-7)		

31 - 813 (7 days; Carassius carassius)

octanol / water): shake-flask, 20.8 ° C)

Bioaccumulative potential ($4 \ge \text{Log Kow} \le 5$).

4.05 (QSAR, 3.12; Test Data; 4.44; Experimental value, OECD 107: Partition coefficient (n-

Bioaccumulative potential 12.4. Mobility in soil

BCF fish 1

No additional information available

12.5. Results of PBT and vPvB assessment

Partition coefficient n-octanol/water (Log Pow)

Component	
dibutyltindilaurate (77-58-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Other adverse effects : Reacts on contact with water releasing carbon dioxide (CO2).

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Do not discharge into drains or the environment.

Product/Packaging disposal recommendations : Dispose of in accordance with relevant local regulations.

SECTION 14: Transport information

In accordance with ADR

ADR		
14.1. UN number		
Not regulated		
14.2. UN proper shipping name		
Not regulated		
14.3. Transport hazard class(es)		
Not regulated		
14.4. Packing group		
Not regulated		
14.5. Environmental hazards		
Not regulated		
No supplementary information available		

14.6. Special precautions for user

- Overland transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

10/9/2020 EN (English) 7/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list ≥ 0,1 % / SCL

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

A suta Tay 4 (Inhalation)	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H360FD	May damage fertility. May damage the unborn child.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

10/9/2020 EN (English) 8/8