This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

beko Fugen- und Flächenfüller Supercedes Date: 31-Jan-2020 Revision date 31-Jan-2020 Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product Identifier

Product Name Pure substance/mixture beko Fugen- und Flächenfüller Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Sealant. Filler.
Uses advised against	None known

#### 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

beko GmbH Rappenfeldstr. 5 DE-86653 Monheim Tel. +49 (0) 9091 90898-0 www.beko-group.com

#### E-mail address

info@beko-group.com

#### 1.4. Emergency telephone number

Germany

Poison Control Center Mainz - 24 hour emergency service - phone: +49 (0) 6131/19240

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not classified

#### 2.2. Label Elements

Not classified

Signal word None

Hazard statements Not classified

## EU Specific Hazard Statements

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction EUH210 - Safety data sheet available on request

#### 2.3. Other Hazards

No information available

#### PBT and vPvB assessment

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

## 3.2. Mixtures

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Silica, amorphous	231-545-4	7631-86-9	0.1 - <1	No data available		01-2119379499- 16-XXXX
1,2-benzisothiazol-3(2H) -one [BIT]	220-120-9	2634-33-5	0.01 - <0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Acute Tox. 2 (H330) Aquatic Chronic 2 (H411) (M Factor Acute =1)	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]	611-341-5	55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M Factor Acute = 100 M Factor Chronic = 100	Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1B :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015%	01-2120764691- 48-XXXX

#### Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

beko Fugen- und Flächenfüller Supercedes Date: 31-Jan-2020

## SECTION 4: First aid measures

4.1. Description of first aid measures			
General advice	If medical advice is needed, have product container or label at hand. Show this safety data sheet to the doctor in attendance.		
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.		
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.		
Ingestion	Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.		
4.2. Most important symptoms and	d effects, both acute and delayed		
Symptoms	No information available.		
4.3. Indication of any immediate m	edical attention and special treatment needed		
Note to doctors	Treat symptomatically.		
SECTION 5: Firefighting me	261106		
5.1. Extinguishing media	asures		
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Unsuitable extinguishing media	Full water jet. Do not scatter spilled material with high pressure water streams.		
5.2. Special hazards arising from t	he substance or mixture		
Specific hazards arising from the chemical	Thermal decomposition can lead to release of toxic and corrosive gases/vapours.		
5.3. Advice for firefighters			
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		
SECTION 6: Accidental relea	ase measures		
6.1. Personal precautions, protective equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation. Avoid contact with skin, eyes or clothing.		
Other information	Ventilate the area. Prevent further leakage or spillage if safe to do so.		
For emergency responders	Use personal protection recommended in Section 8.		
6.2. Environmental precautions			
-			
Environmental precautions	Do not flush into surface water or sanitary sewer system. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information		

soil/subsoil. See Section 12 for additional Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

beko Fugen- und Flächenfüller Supercedes Date: 31-Jan-2020	Revision date 31-Jan-2020 Revision Number 1
Methods for containment	Do not scatter spilled material with high pressure water streams.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
6.4. Reference to other sections	_
Reference to other sections	See section 8 for more information. See section 13 for more information.

# SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Advice on safe handling	Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Take off all contaminated clothing and wash it before reuse.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep from freezing.	
7.3. Specific end use(s)		
<b>Specific Use(s)</b> Sealant. Filler.		
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.	
Other information	Observe technical data sheet.	

# SECTION 8: Exposure controls/Personal protection

## 8.1. Control parameters

#### **Exposure Limits**

#### Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)		
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)		
Туре	worker Long term Systemic health effects	
Exposure route	Inhalation	
Derived No Effect Level (DNEL)	6.81 mg/m³	
Туре	worker Long term Systemic health effects	

Туре	worker Long term Systemic health effects
Exposure route	Dermal
Derived No Effect Level (DNEL)	0.966 mg/kg bw/d

Derived No Effect Level (DNEL)		
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)		
Туре	Consumer Long term Systemic health effects	
Exposure route	Inhalation	
Derived No Effect Level (DNEL)	1.2 mg/m <sup>3</sup>	

#### beko Fugen- und Flächenfüller

Туре	Consumer Long term Systemic health effects
Exposure route	Dermal
Derived No Effect Level (DNEL)	0.345 mg/kg bw/d

# **Predicted No Effect Concentration** No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)		
1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	4.03 μg/l	
Marine water	0.403 µg/l	
Sewage treatment plant	1.03 mg/l	
Freshwater sediment	49.9 µg/l	
Marine sediment	4.99 µg/l	
Soil	3 mg/kg dry weight	

# reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas.

#### **Personal Protective Equipment**

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Suitable protective clothing.

Environmental exposure controls No information available.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state Appearance Colour Odour Odour threshold	Solid Paste Multiple Colours Characteristic No information available
<u>Property</u>	Values
pH	Not applicable 9
Melting point / freezing point	= 0 °C
Boiling point / boiling range	= 100 °C
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	Not applicable for liquids .
Flammability Limit in Air	
Upper flammability or explosive limits	No data available
Lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Water solubility	Miscible in water
Solubility(ies)	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	> 21 mm²/s
Dynamic viscosity	No data available

Remarks • Method

beko Fugen- und Flächenfüller Supercedes Date: 31-Jan-2020 Revision date 31-Jan-2020 Revision Number 1

Explosive properties Oxidising properties	No data available No data available	
9.2. Other information Solid content (%) Softening Point Molecular weight VOC Content (%) Density Bulk density	No information available No information available No information available No information available 0.60 No information available	
SECTION 10: Stability and re	eactivity	
10.1. Reactivity		
Reactivity	No information available.	
10.2. Chemical stability		
Stability	Stable under normal conditions.	
Explosion Data Sensitivity to mechanical impact	None.	
Sensitivity to static discharge	None.	
10.3. Possibility of hazardous reac	tions	
Possibility of hazardous reactions	None under normal processing.	
10.4. Conditions to avoid		
Conditions to avoid	Keep from freezing.	
10.5. Incompatible materials		
Incompatible materials	None known based on information supplied.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.	
SECTION 11: Toxicological	information	

# 11.1. Information on toxicological effects

## Information on likely routes of exposure

Product Information

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

.

beko Fugen- und Flächenfüller Supercedes Date: 31-Jan-2020

Symptoms

No information available.

Numerical measures of toxicity

**Acute Toxicity** 

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Silica, amorphous 7631-86-9	=7900 mg/kg(Rattus)	> 5000 mg/kg (Oryctolagus cuniculus)	>2.2 mg/L (Rattus) 1 h
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	=670 mg/kg(Rattus)	LD50 > 2000 mg/kg (Rattus)	
reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	=53 mg/kg (Rattus)	LD50 = 87.12 mg/kg (Oryctolagus cuniculus)	

Delayed and	d immediate effe	ts as well as	chronic effects	from shor	t and long-	term exposure
					-	

Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

.

#### 12.1. Toxicity

#### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Micro-organisms	Crustacea	M-Factor	M-Factor (long-term)
Silica, amorphous	EC50:	LC50:	-	EC50:		
7631-86-9	=440mg/L (72h,	=5000mg/L		=7600mg/L		
	Pseudokirchneri	(96h,		(48h,		

#### beko Fugen- und Flächenfüller Supercedes Date: 31-Jan-2020

#### Revision date 31-Jan-2020 Revision Number 1

	ella subcapitata)	Brachydanio rerio)		Ceriodaphnia dubia)		
1,2-benzisothiazol-3(2 H)-one [BIT] 2634-33-5	EC50 3Hr 13mg/l (activated sludge) (OECD 209)	-	-	-	1	
reaction mass of 5-chloro-2-methyl-2H-is othiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1) [C(M)IT/MIT] 55965-84-9	(Pseudokirchner	EC50 (96h) = 0.22 mg/L (Oncorhynchus mykiss) (OECD 211)	-	EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)	100	100

#### 12.2. Persistence and degradability

#### Persistence and degradability No information available.

<b>Component Information</b>			
Silica, amorphous (7631-86-9)			
Method	Exposure time	Value	Results
			The methods for determining biodegradability are not applicable to inorganic substances

#### 12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

#### **Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	0.7	6.95
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	-	3.6

## 12.4. Mobility in soil

Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Silica, amorphous	The substance is not PBT / vPvB
7631-86-9	PBT assessment does not apply
1,2-benzisothiazol-3(2H)-one [BIT] 2634-33-5	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] 55965-84-9	The substance is not PBT / vPvB

#### 12.6. Other adverse effects

beko Fugen- und Flächenfüller Supercedes Date: 31-Jan-2020

Other adverse effects

No information available.

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Do not reuse empty containers. Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

## **SECTION 14: Transport information**

Note:	Keep from freezing.
Land transport (ADR/RID) 14.1 UN Number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing Group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated Not applicable None
IMDG 14.1 UN number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine Pollutant 14.6 Special Provisions 14.7 Transport in bulk according	Not regulated Not regulated Not regulated Not regulated Np None <b>to Annex II of MARPOL 73/78 and the IBC Code</b> Not applicable

# Air transport (ICAO-TI / IATA-DGR)14.1 UN numberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing groupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

## Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

## beko Fugen- und Flächenfüller

Supercedes Date: 31-Jan-2020

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

# Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### National Regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

- H301 Toxic if swallowed
- H302 Harmful if swallowed
- H310 Fatal in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend	SECTION 8: Exposure controls/personal protection	
TWA	TWA (time-weighted average)	STEL
Ceiling	Maximum limit value	*
PBT Per	sistent, Bioaccumulative, and Toxic (PBT) Chemicals	

STEL (Short Term Exposure Limit) Skin designation

#### beko Fugen- und Flächenfüller Supercedes Date: 31-Jan-2020

Revision date 31-Jan-2020 Revision Number 1

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure EWC: European Waste Catalogue

#### Key literature references and sources for data

No information available

Prepared By	Product Safety & Regulatory Affairs		
Revision date	31-Jan-2020		
Indication of changes			
Revision note	Not applicable.		
Training Advice	No information available		
Further information	No information available		

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet