

Koranol Imprägnierlasur

Version number: GHS 2.0
 Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Koranol Imprägnierlasur
Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Wood preservation product

1.3 Details of the supplier of the safety data sheet

Kurt Obermeier GmbH & Co. KG
 Berghäuser Str. 70
 57319 Bad Berleburg
 Germany

Telephone: +49 2751 5240
 Telefax: +49 2751 5041
 e-mail: info@obermeier.de
 Website: http://www.obermeier.de/

e-mail (competent person) sdb@obermeier.de

1.4 Emergency telephone number

| Name | Telephone |
|------|---------------------------|
| 24h | +49 (0) 70024112112 (KOR) |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Category | Hazard class and category | Hazard statement |
|---------|---|----------|---------------------------|------------------|
| 3.10 | aspiration hazard | 1 | Asp. Tox. 1 | H304 |
| 4.1C | hazardous to the aquatic environment - chronic hazard | 3 | Aquatic Chronic 3 | H412 |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger

- Pictograms

GHS08



- Hazard statements

H304

May be fatal if swallowed and enters airways.

H412

Harmful to aquatic life with long lasting effects.

Koranol Imprägnierlasur

Version number: GHS 2.0
 Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

- Precautionary statements

| | |
|-----------|---|
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P273 | Avoid release to the environment. |
| P301+P310 | IF SWALLOWED: Immediately call a POISON CENTER/doctor. |
| P331 | Do NOT induce vomiting. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |

- Supplemental hazard information

| | |
|--------|--|
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| EUH208 | Contains 3-iodo-2-propynyl butylcarbamate. May produce an allergic reaction. |
| EUH211 | Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. |

- Hazardous ingredients for labelling

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics,
 < 2% aromatics

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Specific Conc. Limits | M-Factors |
|---|--|-----------|------------------------------|-----------------------|-----------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics | EC No 918-481-9 REACH Reg. No 01-2119457273-39-xxxx | 50 – < 75 | Asp. Tox. 1 / H304 EUH066 | | |
| Titanium dioxide | CAS No 13463-67-7 EC No 236-675-5 REACH Reg. No 01-2119489379-17-xxxx | 1 – < 5 | Carc. 2 / H351 | | |
| Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %) | CAS No 1174522-18-9 EC No 920-360-0 REACH Reg. No 01-2119448343-41-xxxx | 1 – < 5 | Asp. Tox. 1 / H304 EUH066 | | |

Koranol Imprägnierlasur

Version number: GHS 2.0
 Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Specific Conc. Limits | M-Factors |
|---|--|----------|--|-----------------------|-----------------------------|
| 3-iodo-2-propynyl butylcarbamate | CAS No 55406-53-6 EC No 259-627-5 Index No 616-212-00-7 REACH Reg. No 01-2120762115-60-xxxx | < 1 | Acute Tox. 4 / H302 Acute Tox. 3 / H331 Eye Dam. 1 / H318 Skin Sens. 1 / H317 STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 | | M-factor (acute) = 10.0 |
| Alcohols, C16-18 and C18-unsatd., ethoxylated (8 EO) | CAS No 68920-66-1 EC No 500-236-9 | < 0,25 | Skin Irrit. 2 / H315 Aquatic Acute 1 / H400 Aquatic Chronic 3 / H412 | | |
| Imidazolium compounds, 2-C17-unsatd.-alkyl-1-(2-C18-unsatd. amidoethyl)-4,5-dihydro-N-methyl, Me sulfates | EC No 931-745-8 REACH Reg. No 01-2119582803-32-xxxx | < 0,25 | Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 | | |
| Amines, N-tallow alkyltrimethylenedi-, oleates | CAS No 61791-53-5 EC No 263-186-4 | < 0,0015 | Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Aquatic Acute 1 / H400 | | M-factor (acute) = 100.0 |

Additional information

IPBC (CAS:55406-53-6): STOT RE 1 (Larynx/ Inhalation).

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. Remove victim out of the danger area. Do not leave affected person unattended. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of accident or if you feel unwell, seek medical advice immediately (show the label or safety data sheet where possible). Provide fresh air.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. In case of skin reactions, consult a physician.

Following eye contact

Rinse immediately carefully and thoroughly with eye shower or water. If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

Koranol Imprägnierlasur

Version number: GHS 2.0
Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways. May produce an allergic reaction.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂), Alcohol resistant foam, Water spray, Water mist, BC-powder, Sand

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire toxic gases may be formed. In case of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Collect contaminated firefighting water separately.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Use personal protection equipment. Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Prevent spread over a wide area (e.g. by containment or oil barriers). Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Take up mechanically, Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10.

Koranol Imprägnierlasur

Version number: GHS 2.0
 Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation
- Use only in well-ventilated areas. Do not breathe gas/fumes/vapour/spray.

Advice on general occupational hygiene

Avoid contact with skin and eyes. Wash hands after use. Keep away from food, drink and animal feedingstuffs. Never place chemicals in containers that are normally used for food or drink.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, well-ventilated place. Keep only in original container.

Storage class (LGK) TRGS 510

LGK 10 (combustible liquids)

7.3 Specific end use(s)

Industry or sector specific available guidance(s)
 GISCODE: HSL10 Holzschutzmittel, lösemittelbasiert, aromatenfrei.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

| Occupational exposure limit values (Workplace Exposure Limits) | | | | | | | | | | | |
|--|---|------------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|------------------|----------|
| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
| DE | Hydrocarbon mixtures, use as solvent, additive-free Fraction: C9-C14 aliphatics | | AGW | | 300 | | 600 | | | | TRGS 900 |
| DE | hydrocarbon mixture (RCP method) | | AGW | | 300 | | 600 | | | | TRGS 900 |
| DE | dimethyl glutarate | 1119-40-0 | AGW | 1,2 | 8 | 2,4 | 16 | | | va, Y | TRGS 900 |
| DE | titanium dioxide | 13463-67-7 | MAK | | 0,3 | | 2,4 | | | r, multi-density | DFG |
| DE | 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | MAK | 0,005 | 0,058 | 0,01 | 0,116 | | | va | DFG |
| DE | 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | AGW | 0,005 | 0,058 | 0,01 | 0,116 | | | va, Sh, Y | TRGS 900 |

Notation

- Ceiling-C ceiling value is a limit value above which exposure should not occur
- multi-density multiplied by the material density
- r respirable fraction
- Sh skin-sensitising substances
- STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
- TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours
- va time-weighted average (unless otherwise specified)
- as vapours and aerosols

Koranol Imprägnierlasur

Version number: GHS 2.0
 Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

Notation

Y a risk of developmental toxicity does not need to be expected if the occupational exposure limit value and the biological limit value (BGW) are adhered to

Relevant DNELs of components of the mixture

| Relevant DNELs of components of the mixture | | | | | | |
|---|------------|----------|-------------------------|------------------------------------|-------------------|----------------------------|
| Name of substance | CAS No | Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | DNEL | 0,023 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | DNEL | 0,07 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | DNEL | 1,16 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | DNEL | 1,16 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |
| 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | DNEL | 2 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Imidazolium compounds, 2-C17-unsatd.-alkyl-1-(2-C18-unsatd. amidoethyl)-4,5-dihydro-N-methyl, Me sulfates | | DNEL | 44 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Imidazolium compounds, 2-C17-unsatd.-alkyl-1-(2-C18-unsatd. amidoethyl)-4,5-dihydro-N-methyl, Me sulfates | | DNEL | 132 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| Imidazolium compounds, 2-C17-unsatd.-alkyl-1-(2-C18-unsatd. amidoethyl)-4,5-dihydro-N-methyl, Me sulfates | | DNEL | 12,5 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |

Relevant PNECs of components of the mixture

| Relevant PNECs of components of the mixture | | | | | | |
|---|------------|----------|-----------------|-------------------|------------------------------|------------------------------|
| Name of substance | CAS No | Endpoint | Threshold level | Organism | Environmental compartment | Exposure time |
| 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | PNEC | 0,001 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | PNEC | 0 mg/l | aquatic organisms | marine water | short-term (single instance) |
| 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | PNEC | 0,44 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | PNEC | 0,017 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |

Koranol Imprägnierlasur

Version number: GHS 2.0
 Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

| Relevant PNECs of components of the mixture | | | | | | |
|---|------------|----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance | CAS No | Endpoint | Threshold level | Organism | Environmental compartment | Exposure time |
| 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | PNEC | 0,002 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | PNEC | 0,005 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| Imidazolium compounds, 2-C17-unsatd.-alkyl-1-(2-C18-unsatd. amidoethyl)-4,5-dihydro-N-methyl, Me sulfates | | PNEC | 10 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| Imidazolium compounds, 2-C17-unsatd.-alkyl-1-(2-C18-unsatd. amidoethyl)-4,5-dihydro-N-methyl, Me sulfates | | PNEC | 0,2 µg/l | aquatic organisms | marine water | short-term (single instance) |
| Imidazolium compounds, 2-C17-unsatd.-alkyl-1-(2-C18-unsatd. amidoethyl)-4,5-dihydro-N-methyl, Me sulfates | | PNEC | 5,64 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Imidazolium compounds, 2-C17-unsatd.-alkyl-1-(2-C18-unsatd. amidoethyl)-4,5-dihydro-N-methyl, Me sulfates | | PNEC | 503 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Imidazolium compounds, 2-C17-unsatd.-alkyl-1-(2-C18-unsatd. amidoethyl)-4,5-dihydro-N-methyl, Me sulfates | | PNEC | 10,1 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Imidazolium compounds, 2-C17-unsatd.-alkyl-1-(2-C18-unsatd. amidoethyl)-4,5-dihydro-N-methyl, Me sulfates | | PNEC | 101 mg/kg | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. Personal protective equipment shall be used when the risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

Appropriate engineering controls

Open windows, door, to allow sufficient ventilation. If this is not possible employ a fan to increase air exchange.

Individual protection measures (personal protective equipment)

Eye/face protection

Use safety goggle with side protection.

Koranol Imprägnierlasur

Version number: GHS 2.0
 Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned together with the supplier of these gloves.

- Type of material

IIR: isobutene-isoprene (butyl) rubber, NBR: acrylonitrile-butadiene rubber

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Chemikalienschutzhandschuhe dürfen nur in Ausnahmefällen länger als 4 Stunden getragen werden. Bereits regelmäßiges Schutzhandschuhtragen > 2 Stunden (sog. Feuchtarbeit) verpflichtet den Arbeitgeber, ein Angebot arbeitsmedizinischer Vorsorgeuntersuchungen an den Arbeitnehmer zu richten. DGUV Information 212-007 (Chemikalienschutzhandschuhe): <http://publikationen.dguv.de/dguv/pdf/10002/i-868.pdf>. Hautschutzplan z.B. für Schädlingsbekämpfer der Berufsgenossenschaft für Gesundheit und Wohlfahrtspflege (bgw): https://www.bgw-online.de/DE/Medien-Service/Medien-Center/Medientypen/BGW-Broschueren/Hautschutzplaene/BGW06-13-150_Hautschutzplan-Schaedlingsbekaempfung.html.

Respiratory protection

Usually no personal respirative protection necessary

Respiratory protection necessary at: aerosol or mist formation, during spraying wear suitable respiratory equipment, particulate filter device (EN 143)

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|---|
| Physical state | liquid |
| Colour | various |
| Odour | like Hydrocarbons, aliphatic. |
| Melting point/freezing point | not determined |
| Boiling point or initial boiling point and boiling range | not determined |
| Flammability | this material is combustible, but will not ignite readily |
| Lower and upper explosion limit | not determined |
| Flash point | >61 °C |
| Auto-ignition temperature | not determined |
| Decomposition temperature | not relevant |
| pH (value) | not applicable |
| Solubility(ies) | not determined |

Koranol Imprägnierlasur

Version number: GHS 2.0
Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

Partition coefficient

| | |
|---|----------------|
| Partition coefficient n-octanol/water (log value) | not determined |
|---|----------------|

| | |
|-----------------|----------------|
| Vapour pressure | not determined |
|-----------------|----------------|

Density and/or relative density

| | |
|---------|-------------------------------------|
| Density | ca. 0,86 g/cm ³ at 25 °C |
|---------|-------------------------------------|

| | |
|--------------------------|-------------------|
| Particle characteristics | no data available |
|--------------------------|-------------------|

9.2 Other information

| | |
|---|---|
| Information with regard to physical hazard classes | hazard classes acc. to GHS (physical hazards): not relevant |
| Other safety characteristics | there is no additional information |

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

The classification criteria for these hazard classes are not met.

Koranol Imprägnierlasur

Version number: GHS 2.0
 Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

| Acute toxicity estimate (ATE) of components of the mixture | | | |
|--|------------|-----------------------|-------------|
| Name of substance | CAS No | Exposure route | ATE |
| 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | oral | 1.795 mg/kg |
| 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | inhalation: dust/mist | 0,5 mg/l/4h |

Skin corrosion/irritation

The classification criteria for this hazard class are not met.

Serious eye damage/eye irritation

The classification criteria for this hazard class are not met.

Respiratory or skin sensitisation

Contains 3-iodo-2-propynyl butylcarbamate. May produce an allergic reaction.

Germ cell mutagenicity

The classification criteria for this hazard class are not met.

Carcinogenicity

The classification criteria for this hazard class are not met.

Reproductive toxicity

The classification criteria for this hazard class are not met.

Specific target organ toxicity - single exposure

The classification criteria for this hazard class are not met.

Specific target organ toxicity - repeated exposure

The classification criteria for this hazard class are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Other information

Repeated exposure may cause skin dryness or cracking.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Acc. to 1272/2008/EC: Harmful to aquatic life with long lasting effects.

| Aquatic toxicity (chronic) of components of the mixture | | | | | |
|---|--------------|----------|-------------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %) | 1174522-18-9 | LL50 | >5.000 mg/l | fish | 21 d |
| Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %) | 1174522-18-9 | EL50 | >5.000 mg/l | aquatic invertebrates | 21 d |

Koranol Imprägnierlasur

Version number: GHS 2.0
 Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

| Aquatic toxicity (chronic) of components of the mixture | | | | | |
|---|------------|----------|-----------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| 3-iodo-2-propynyl butyl-carbamate | 55406-53-6 | ErC50 | 0,1 mg/l | algae | 120 h |
| 3-iodo-2-propynyl butyl-carbamate | 55406-53-6 | EC50 | 44 mg/l | microorganisms | 3 h |
| Imidazolium compounds, 2-C17-unsatd.-alkyl-1-(2-C18-unsatd. amidoethyl)-4,5-dihydro-N-methyl, Me sulfates | | EC50 | >145 µg/l | aquatic invertebrates | 21 d |
| Imidazolium compounds, 2-C17-unsatd.-alkyl-1-(2-C18-unsatd. amidoethyl)-4,5-dihydro-N-methyl, Me sulfates | | LC50 | >145 µg/l | aquatic invertebrates | 21 d |

12.2 Persistence and degradability

| Degradability of components of the mixture | | | | | | |
|---|--------------|---------------------------|------------------|------|--------|--------|
| Name of substance | CAS No | Process | Degradation rate | Time | Method | Source |
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics | | oxygen depletion | 10 % | 5 d | | ECHA |
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics | | carbon dioxide generation | 0 % | 3 d | | ECHA |
| Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %) | 1174522-18-9 | oxygen depletion | 15,4 % | 4 d | | ECHA |
| 3-iodo-2-propynyl butyl-carbamate | 55406-53-6 | carbon dioxide generation | 4 % | 1 d | | ECHA |

12.3 Bioaccumulative potential

The product has not been tested.

Koranol Imprägnierlasur

Version number: GHS 2.0
 Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

| Bioaccumulative potential of components of the mixture | | | | |
|---|------------|-------|---------------------------|----------|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
| 3-iodo-2-propynyl butylcarbamate | 55406-53-6 | | 2,81 (25 °C) | |
| Imidazolium compounds, 2-C17-unsatd.-alkyl-1-(2-C18-unsatd. amidoethyl)-4,5-dihydro-N-methyl, Me sulfates | | 1 | >5,7 (pH value: 7, 22 °C) | |
| Alcohols, C16-18 and C18-unsatd., ethoxylated (8 EO) | 68920-66-1 | 387,5 | | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Consult the appropriate local waste disposal expert about waste disposal.

Waste treatment-relevant information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

| | |
|--|---|
| 14.1 UN number or ID number | not subject to transport regulations |
| 14.2 UN proper shipping name | not assigned |
| 14.3 Transport hazard class(es) | none |
| 14.4 Packing group | not assigned |
| 14.5 Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |

Koranol Imprägnierlasur

Version number: GHS 2.0
Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

not assigned

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) | | | |
|--|--|--------|----|
| Name of substance | Name acc. to inventory | CAS No | No |
| Koranol Imprägnierlasur | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | | 3 |

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Seveso Directive

| 2012/18/EU (Seveso III) | | | |
|-------------------------|---------------------------------------|---|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| | not assigned | | |

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Water Framework Directive (WFD)

Koranol Imprägnierlasur

Version number: GHS 2.0
 Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

| List of pollutants (WFD) | | | |
|--------------------------|--------|-----------|---------|
| Name of substance | CAS No | Listed in | Remarks |
| Titanium dioxide | | A) | |
| Titanium dioxide | | A) | |

Legend

A) Indicative list of the main pollutants

Regulation 98/2013/EU on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

none of the ingredients are listed

National regulations (Germany)

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK (water 3 highly hazardous to water hazard class)

Technical instructions on air quality control (Germany)

| Number | Group of substances | Class | Conc. | Mass flow | Mass concentration | Notation |
|--------|---------------------|---------|-------------|-----------|----------------------|----------|
| 5.2.5 | organic substances | class I | 1 - < 5 wt% | 0,1 kg/h | 20 mg/m ³ | 3) |
| 5.2.5 | organic substances | | ≥ 25 wt% | 0,5 kg/h | 50 mg/m ³ | 3) |

Notation

3) a total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)

Industry or sector specific available guidance(s)

BP 1081 (Vorbeugender Holzschutz: Grundmaßnahmen)
 BP 1082 (Bekämpfender Holzschutz: Grundmaßnahmen) nur bei bekämpfenden Holzschutzmitteln
 BP 2081 (Holzschutzmittel: Streichen, Rollen, Spachteln und Wischen)
 BP 2082 (Holzschutzmittel: Bekämpfender Holzschutz in Sprühanwendungen)
 BP 2083 (Anwendung von Holzschutzmitteln in offenen Anlagen)
 BP 2084 (Anwendung von Holzschutzmitteln in geschlossenen Anlagen)
<https://www.baua.de/DE/Themen/Arbeitsgestaltung-im-Betrieb/Gefahrstoffe/EMKG/EMKG-Schutzleitfaeden.html>
 DGUV Information 209-043 (Holzschutzmittel Handhabung und sicheres Arbeiten)
 TRGS 401: Gefährdung durch Hautkontakt, Ermittlung - Beurteilung - Maßnahmen) ist zu beachten
 TRGS 553 (Holzstaub): Bei der Weiterverarbeitung von behandeltem Holz (z.B. Zuschneiden, Schleifen) ist der Holzstaubgrenzwert von 2 mg/m³ gemäß TRGS 553 einzuhalten.

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Koranol Imprägnierlasur

Version number: GHS 2.0
 Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Indication of changes (revised safety data sheet) | | |
|---|---|---|
| Section | Former entry (text/value) | Actual entry (text/value) |
| 2.2 | | - Supplemental hazard information: change in the listing (table) |
| 3.2 | | Description of the mixture: change in the listing (table) |
| 8.1 | | Occupational exposure limit values (Workplace Exposure Limits) |
| 8.1 | | Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table) |
| 8.1 | | Relevant DNELs of components of the mixture |
| 8.1 | | Relevant PNECs of components of the mixture |
| 8.2 | Respiratory protection: Usually no personal respirative protection necessary | Respiratory protection: Usually no personal respirative protection necessary Respiratory protection necessary at: aerosol or mist formation, during spraying wear suitable respiratory equipment, particulate filter device (EN 143) |
| 15.1 | Water Framework Directive (WFD): none of the ingredients are listed | Water Framework Directive (WFD) |
| 15.1 | | List of pollutants (WFD): change in the listing (table) |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|---|
| Acute Tox. | Acute toxicity |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) |
| AGW | Workplace exposure limit |
| Aquatic Acute | Hazardous to the aquatic environment - acute hazard |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| Asp. Tox. | Aspiration hazard |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| Carc. | Carcinogenicity |

Koranol Imprägnierlasur

Version number: GHS 2.0
 Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

| Abbr. | Descriptions of used abbreviations |
|------------|--|
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| COD | Chemical oxygen demand |
| DFG | Deutsche Forschungsgemeinschaft MAK-und BAT-Werte-Liste, Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH, Weinheim |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| EL50 | Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms |
| ELINCS | European List of Notified Chemical Substances |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LGK | Lagerklasse (storage class according to TRGS 510, Germany) |
| LL50 | Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality |
| log KOW | n-Octanol/water |
| M-factor | Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |

Koranol Imprägnierlasur

Version number: GHS 2.0
 Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

| Abbr. | Descriptions of used abbreviations |
|-------------|---|
| ppm | Parts per million |
| RCP | Reciprocal calculation procedure |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| Skin Sens. | Skin sensitisation |
| STEL | Short-term exposure limit |
| STOT RE | Specific target organ toxicity - repeated exposure |
| SVHC | Substance of Very High Concern |
| TRGS | Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany) |
| TRGS 900 | Arbeitsplatzgrenzwerte (TRGS 900) |
| TWA | Time-weighted average |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|---|
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H351 | Suspected of causing cancer. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |



Koranol Imprägnierlasur

Version number: GHS 2.0
Replaces version of: 19.01.2021 (GHS 1)

Revision: 15.03.2021

| Code | Text |
|------|---|
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Internal code

OBERMEIERIMP 4301270-00