

Version	Revision Date:	Print Date	Date of last issue: -
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Malacryl-Aqua Top
1.2	Relevant identified uses of the	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	
	Recommended restrictions on use	:	within adequate application - none
1.3	Details of the supplier of the safe	etv	data sheet
-	Company		Alligator Farbwerke GmbH Markstraße 203 32130 Enger
	Telephone	:	+4952249300
	Telefax		+4952247881
	E-mail address Responsi- ble/issuing person	:	produktsicherheit@alligator.de
1.4	Emergency telephone		
	Emergency telephone 1	:	+49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary Statements	:	P101 If medical advice is needed, have product container or label at hand.
		P102 Keep out of reach of children.

Additional Labeling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.



Version	Revision Date:	Print Date	Date of last issue: -	
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021	

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

.

Chemical nature

: Emulsion paint, aqueous

Components

mponents			
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 20 - < 30
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	55965-84-9 613-167-00-5 01-2120764691-48	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315	>= 0,0002 - < 0,0015



Version	Revision Date:	Print Date	Date of last issue: -	
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021	
			0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.
4.2 Most important symptoms	s and e	effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.



Vers 1.0	sion	Revision Date: 06.09.2021		int Date .09.2021	Date of last issue: - Date of first issue: 06.09.2021
				5 5	measures that are appropriate to local cir- he surrounding environment.
	Unsuita media	able extinguishing	:	None known.	
5.2	Special	hazards arising from	the	e substance or mix	kture
	Specific fighting	c hazards during fire	:	produced such as	ardous decomposition products may be : , carbon dioxide and unburned hydrocar-
5.3	Advice	for firefighters			
	•	protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-
	Further	information	:	Standard procedu The product itself	re for chemical fires. does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	ctive	e equipment and emergency procedures
Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions		
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for con	ntair	nment and cleaning up
Methods for cleaning up	:	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. ,For personal protection see section 8.,For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling



Vers 1.0	sion	Revision Date: 06.09.2021		int Date 5.09.2021	Date of last issue: - Date of first issue: 06.09.2021
Advice on safe handling		:	No special techni	ection see section 8. cal protective measures required.	
					nrent technical information for this product on www.alligator.de/en must be observed.
	Hygien	e measures	:		re eating, drinking, or smoking. Do not eat, nen using this product.
7.2 (Conditi	ons for safe storage,	inc	luding any incom	patibilities
		ements for storage and containers	:	in heat or direct s original container	en. To maintain product quality, do not store unlight. Store at room temperature in the . Containers which are opened must be care- l kept upright to prevent leakage.
	Advice	on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline
	Storage	e class (TRGS 510)	:	12, Non Combus	tible Liquids
7.3 \$	Specific	: end use(s)			
	Specifi	c use(s)	:	This information i	s not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
titanium dioxide	13463-67-7	AGW (Inhalable	10 mg/m3	DE TRGS			
		fraction)	(Titanium dioxide)	900			
	Peak-limit cat	Peak-limit category: 2;(II)					
		AGW (Alveolate	1,25 mg/m3	DE TRGS			
		fraction)	(Titanium dioxide)	900			
	Peak-limit category: 2;(II)						

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Kaolin, calcined	Workers	Inhalation	Acute systemic ef- fects	3,00 mg/m3



3,00 mg/m3

Malacryl-Aqua Top

Version 1.0	Revision Date: 06.09.2021	Print Date 15.09.2027		Date of last issue: - Date of first issue: 06.09.2021		
		Workers	Inhalation	Acute local effects	3,00 mg/m3	
		Workers	Inhalation	Long-term systemic effects	3,00 mg/m3	

Workers

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Inhalation

Long-term local ef-

Substance name	Environmental Compartment	Value
titanium dioxide	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l
Kaolin, calcined	Intermittent use/release	25 mg/l
	Fresh water	4,1 mg/l
	Sea water	0,41 mg/l
	Sewage treatment plant	1400 mg/l

8.2 Exposure controls

Personal protective equipment				
Eye protection	:	German trade association rules - BGR 192 Eye protection		
		Goggles		
Hand protection Material Glove thickness Protective index		Nitrile rubber 0,2 mm Class 3		
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. German trade association leaflet: Carry gloves (ZH 1/706)		
Skin and body protection	:	Safety shoes Long sleeved clothing		
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.		
		Skin should be washed after contact.		
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.		



1.0 06.09.2021 15.09.2021 Date of first issue: 06.09.2021	Version 1.0	Revision Date: 06.09.2021	Print Date 15.09.2021	Date of last issue: - Date of first issue: 06.09.2021	
---	----------------	---------------------------	--------------------------	--	--

German trade association rules - BGR 190 Breathing protection

During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	Not relevant
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	4,8 Concentration: 100 %
Viscosity Viscosity, dynamic	:	No data available
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n- octanol/water	:	not determined
Vapor pressure	:	not determined



Versi 1.0	on	Revision Date: 06.09.2021		rint Date 5.09.2021	Date of last issue: - Date of first issue: 06.09.2021
F	Relativ	e density	:	not determined	
[Density	/		1,4800 g/cm3	
F	Relativ	e vapor density	:	not determined	
9.2 O)ther ir	nformation			
E	Explosi	ives	:	Not applicable	
(Oxidizi	ng properties	:	Not applicable	
F	Flamm	ability (liquids)	:	The product is n	ot flammable.
E	Evapor	ration rate	:	Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Protect from frost, heat and sunlight.
---------------------	---	--

10.5 Incompatible materials

Materials to avoid : Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity



rsion)	Revision Date: 06.09.2021	Print Date 15.09.2021	Date of last issue: - Date of first issue: 06.09.2021
		are not	met.
Acute	inhalation toxicity	: Remark are not	s: Based on available data, the classification criteria met.
Acute dermal toxicity		: Remark are not	s: Based on available data, the classification criteria met.
<u>Comp</u>	onents:		
reactie (3:1):	on mass of 5-chloro	-2-methyl-2H-i	sothiazol-3-one and 2-methyl-2H-isothiazol-3-one
• •	oral toxicity		at): 66 mg/kg OECD Test Guideline 401
Acute	inhalation toxicity	Exposu Test atn	eat): 0,17 mg/l re time: 4 h nosphere: dust/mist OECD Test Guideline 403
Acute dermal toxicity			at): > 141 mg/kg OECD Test Guideline 402
Skin o	corrosion/irritation		
Produ	<u>ict:</u>		
Rema	rks		ng to the classification criteria of the European Union, luct is not considered as being a skin irritant.
Seriou	us eye damage/eye i	rritation	
<u>Produ</u>	<u>ict:</u>		
Rema	rks		ng to the classification criteria of the European Union, luct is not considered as being an eye irritant.
Respi	ratory or skin sensit	ization	
<u>Produ</u>	<u>ict:</u>		
Rema			ed contact may cause allergic reactions in very sus- persons.



Version	Revision Date:	Print Date	Date of last issue: -
	06.09.2021	15.09.2021	Date of first issue: 06.09.2021
1.0	06.09.2021	15.09.2021	Date of first issue. 06.09.2021

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available

Components:

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n-	:	log Pow: <= 0,71
octanol/water		Method: OECD Test Guideline 117

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	:	This substance/mixture contains no components considered
		to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of
		0.1% or higher.

12.6 Endocrine disrupting properties

No data available



Malacr	yl-Aqua Top				
Version 1.0	Revision Date: 06.09.2021	Print Date 15.09.2021	Date of last issue: - Date of first issue: 06.09.2021		
12.7 Othe	r adverse effects				
Product:Additional ecological infor- mation:An environmental hazard cannot be excluded in the unprofessional handling or disposal.					
SECTION 13: Disposal considerations					
13.1 Wast Produ	te treatment methods	: .			
		Waste shou	ld not be disposed of via wastewater.		

Contaminated packaging	: Only completely emptied containers should be given for r cling.	recy-
Waste Code	 used product 080112, waste paint and varnish other than those mentio in 08 01 11* 	ned

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



VersionRevision Date:Print DateDate of las1.006.09.202115.09.2021Date of first	st issue: - st issue: 06.09.2021
--	-------------------------------------

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix- ture							
the market and us	ions on the manufactur e of certain dangerous articles (Annex XVII)		Not applicable				
	ate List of Substances c prization (Article 59).	f Very High :	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.				
REACH - List of s (Annex XIV)	REACH - List of substances subject to authorisation : None (Annex XIV)						
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.							
Water hazard clas ny)	ss (Germa- : 1 Classit	slightly water enda	angering o AwSV, Annex 1 (5.2)				
Product code for I paints / Giscode	aquers and : M-DF0	2 Water-based pair	nts				
	: BSW2	0 Coating materials	, water-based				
Volatile organic co	ompounds : Directi < 1 % < 10 g	ve 2004/42/EC /I					

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.
H310	:	Fatal in contact with skin.
H314	:	Causes severe skin burns and eye damage.



Version 1.0	Revision Date: 06.09.2021		nt Date .09.2021	Date of last issue: - Date of first issue: 06.09.2021
H317 H318 H330 H351 H400 H410 EUH07	1	:	 May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Suspected of causing cancer if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract. 	
Full text of other abbreviations				
Carc. Eye Da Skin Co Skin Se DE TR	Acute Chronic m. prr.	:	Acute toxicity Short-term (acute) Long-term (chroni Carcinogenicity Serious eye dama Skin corrosion Skin sensitization Germany. TRGS S Time Weighted Av	c) aquatic hazard age 900 - Occupational exposure limit values.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with % response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Cave for the Prevention to 50% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals; OPETS - Office of Chemical Saf

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet: ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities



Version	Revision Date:	Print Date	Date of last issue: -
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021

SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments. Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon

as new information is available our safety data sheets will be amended accordingly.

DE / EN