

Version	Revision Date:	Print Date	Date of last issue: -
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	Phönix Matt LEF		
1.2 Relevant identified uses of	the s	ubstance or mixture and uses advised against		
Use of the Sub- stance/Mixture	:	Water-borne coatings		
Recommended restrictions on use	:	within adequate application - none		
1.3 Details of the supplier of the s	afety	data sheet		
Company		Alligator Farbwerke GmbH Markstraße 203 32130 Enger		
Telephone	:	+4952249300		
Telefax	:	+4952247881		
E-mail address Responsi- ble/issuing person	:	produktsicherheit@alligator.de		
1.4 Emergency telephone				
Emergency telephone 1	:	+49613284463 GBK GmbH		
SECTION 2: Hazards identifi	catio	n .		

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)Skin sensitization, Category 1H317: May cause an allergic skin reaction.

#### 2.2 Label elements

#### Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal Word	:	Warnir	ng
Hazard Statements	:	H317	May cause an allergic skin reaction.



Version 1.0	Revision Date: 06.09.2021	Print Date 15.09.2021	Date of last issue: - Date of first issue: 06.09.2021		
Precau	tionary Statements	i label at hand. P102 Keep ou	al advice is needed, have product container or It of reach of children. Irefully and follow all instructions.		
Prevention:					
			jet in eyes, on skin, or on clothing. otective gloves/ eye protection.		
		Response:			
		P302 + P352 water.	IF ON SKIN: Wash with plenty of soap and		

#### Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

#### **Additional Labeling**

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Emulsion paint, emission-free and solvent-free

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		. ,
	Registration number		



rsion )	Revision Date: 06.09.2021	Print Date 15.09.2021	Date of last issue: - Date of first issue: 06.09.202	1
titaniur	m dioxide	13463-67-7 236-675-5 022-006-00-2 01-21194893		>= 10 - < 2
Alcoho	ols, C16-18, ethoxylated		Acute Tox. 4; H302 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 0,1 - < 0
1,2-be	nzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-0 01-21207615	Acute Tox. 4; H302 Skin Irrit. 2; H315 6 Eye Dam. 1; H318	>= 0,0025 - 0,025
2-meth	nylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-21207646		>= 0,0025 - 0,025



rsion	Revision Date: 06.09.2021			e of last issue: - e of first issue: 06.09.2021	
				specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
methy	on mass of 5-chloro-2- /l-2H-isothiazol-3-one ( /l-2H-isothiazol-3-one ( south a workplace	3:1)	55965-84-9 613-167-00-5 01-2120764691-48	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	>= 0,0002 - 0,0015
	n dioxide		7631-86-9 231-545-4 01-2119379499-16, 01-2120105300-82		>= 1 - < 1
Kiese	lguhr, soda ash flux-cal	cined	68855-54-9 272-489-0 21-2119488518-22		>= 1 - < 1
alumi	nium oxide		1344-28-1 215-691-6 01-2119529248-35, 01-2119817795-27		>= 1 - < 1



Version	Revision Date:	Print Date	Date of last issue: -
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

General advice :	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled :	Move to fresh air.
In case of skin contact :	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact :	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed :	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed : No information available.

Treatment

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media				
Suitable extinguishing medi	ia :	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.		
Unsuitable extinguishing media	:	None known.		

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire : In case of fire hazardous decomposition products may be



Versi 1.0	ion	Revision Date: 06.09.2021		int Date 5.09.2021	Date of last issue: - Date of first issue: 06.09.2021
fighting			produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).		
5.3 Advice for firefighters Special protective equipment for fire-fighters		:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-	
Further information :		:	Standard procedure for chemical fires. The product itself does not burn.		

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	<ul> <li>Use protective shoes or boots with rough rubber sole.</li> <li>Material can create slippery conditions.</li> <li>Do not get in eyes, on skin, or on clothing.</li> </ul>
6.2 Environmental precautions	

Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

## Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

#### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. ,For personal protection see section 8.,For disposal considerations see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
		In addition, the current technical information for this product and its application on www.alligator.de/en must be observed.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product.



Version	Revision Date:	Print Date	Date of last issue: -
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12, Non Combustible Liquids
7.3 Specific end use(s) Specific use(s)	:	This information is not available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

	1						
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
titanium dioxide	13463-67-7	AGW (Inhalable	10 mg/m3	DE TRGS			
		fraction)	(Titanium dioxide)	900			
	Peak-limit cat	egory: 2;(II)					
		AGW (Alveolate	1,25 mg/m3	DE TRGS			
		fraction)	(Titanium dioxide)	900			
	Peak-limit cat	egory: 2;(II)					
silicon dioxide	7631-86-9	TWA (Respirable	0,1 mg/m3	2004/37/EC			
		dust)					
	Further information: Carcinogens or mutagens						
		AGW (Inhalable	4 mg/m3	DE TRGS			
		fraction)	(Silica)	900			
	Further information: When there is compliance with the OEL and biological						
		tolerance values, there is no risk of harming the unborn child, Colloidal amor-					
			ilica and in wet processes m				
			., Senate commission for the				
			us for the health (MAK-comr	/			
Kieselguhr, soda	68855-54-9	AGW (Alveolate	0,3 mg/m3	DE TRGS			
ash flux-calcined		fraction)		900			
			s compliance with the OEL a				
			of harming the unborn child, I				
	earth can, depending on its origin, contain quartz. The calcining of silica leads						
	to a higher content of cristobalite, activated silica can contain up to 60 vol.% cristobalite. In examining the exposure to (calcined) silica both the amorphous						
	part (limit value for diatomeous earth resp. calcined silica) and the total of						



Versio 1.0	on Revision Da 06.09.2021		2010 20	ate of last issue: - ate of first issue: 06.09.2021			
a	luminium oxide	be established		rcinogenic according to TRG on for the review of compoun AK-commission). 10 mg/m3			
			fraction)	- 3	900		
		Peak-limit cat					
	work place of dangerous s occupationa have informa		ngerous for the heal bstances, General d exposure limit value ion regarding unspe rmal values.	hission for the review of comp th (MAK-commission)., Comi lust value. For this substance is established, since the AGS cific action on the respiratory	mission for no specific 6 does not yet organs in ex-		
			AGW (Alveolate	1,25 mg/m3	DE TRGS		
			fraction)		900		
			Peak-limit category: 2;(II)				
		Further information: Senate commission for the review of compounds a work place dangerous for the health (MAK-commission)., Commission a dangerous substances, General dust value. For this substance no spectoccupational exposure limit value is established, since the AGS does not have information regarding unspecific action on the respiratory organs is cess of the normal values.					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Kaolin, calcined	Workers	Inhalation	Acute systemic ef- fects	3,00 mg/m3
	Workers	Inhalation	Acute local effects	3,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	3,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	3,00 mg/m3
calcium carbonate	Consumers	Ingestion	Long-term systemic effects	6,10 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Acute systemic ef- fects	6,10 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
Kieselguhr, soda ash flux-calcined	Consumers	Ingestion	Long-term systemic effects	18,70 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,05 mg/m3
	Workers	Inhalation	Long-term systemic	0,05 mg/m3



Version 1.0	Revision Date: 06.09.2021		Date 9.2021			
				effects		
alumi	nium oxide	Consumer	s Ingestior	h Long-term systemic effects	c 6,58 mg/kg bw/day	
		Consumer	s Ingestior	h Long-term systemic effects	c 3,29 mg/kg bw/day	
		Workers	Inhalatio	n Long-term systemic effects	c 15,63 mg/m3	
		Workers	Inhalatio	n Long-term local ef- fects	15,63 mg/m3	
		Workers	Inhalatio	n Long-term local ef- fects	15,63 mg/m3	
Predi	icted No Effect Co	oncentratio	n (PNEC) acco	rding to Regulation (EC) No	. 1907/2006:	
Subs	tance name		Environmental	Value		

Substance name	Environmental Compartment Value		
titanium dioxide	Sewage treatment plant	100 mg/l	
	Fresh water	0,184 mg/l	
	Soil	100 mg/kg dry weight (d.w.)	
	Sea water	0,0184 mg/l	
	Fresh water sediment	1000 mg/kg dry weight (d.w.)	
	Sea sediment	100 mg/kg dry weight (d.w.)	
	Intermittent use/release	0,193 mg/l	
Kaolin, calcined	Intermittent use/release	25 mg/l	
	Fresh water	4,1 mg/l	
	Sea water	0,41 mg/l	
	Sewage treatment plant	1400 mg/l	
calcium carbonate	Sewage treatment plant	100 mg/l	
Kieselguhr, soda ash flux- calcined	Sewage treatment plant	100 mg/l	
aluminium oxide	Sewage treatment plant	20 mg/l	
	Fresh water	74,9 µg/l	

#### 8.2 Exposure controls

Personal protective equipment					
Eye protection	:	German trade association rules - BGR 192 Eye protection			
		Goggles			
Hand protection					
Material	:	Nitrile rubber			
Glove thickness	:	0,2 mm			
Protective index	:	Class 3			
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374.			



Version 1.0	Revision Date: 06.09.2021	Print Date 15.09.2021	Date of last issue: - Date of first issue: 06.09.2021
		German tra	de association leaflet: Carry gloves (ZH 1/706)
Skin a	Skin and body protection		ed clothing
			dy protection according to the amount and con- f the dangerous substance at the work place.
		Skin should	be washed after contact.
			d wash contaminated clothing before re-use. y application: impervious clothing
Respiratory protection		: No persona quired.	I respiratory protective equipment normally re-
		German tra tion	de association rules - BGR 190 Breathing protec-
			y application: Do not breathe spray dust. Use pination filter for paint spraying.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	Not relevant
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable



Versio 1.0	on	Revision Date: 06.09.2021		nt Date .09.2021	Date of last issue: - Date of first issue: 06.09.2021
F	ρH		:	8,3 Concentratio	n: 100 %
١	Viscosi Visc	ity cosity, dynamic	:	No data avail	lable
S		ity(ies) ter solubility	:	completely m	iscible
		n coefficient: n- I/water	:	not determine	ed
١	Vapor	pressure	:	not determine	ed
F	Relativ	e density	:	not determine	ed
[	Density	ý	:	1,4400 g/cm3	3
F	Relativ	e vapor density	:	not determine	ed
9.2 O	ther in	nformation			
E	Explos	ives	:	Not applicabl	е
C	Oxidizi	ng properties	:	Not applicabl	e
F	Flamm	ability (liquids)	:	The product i	is not flammable.
E	Evapor	ration rate	:	Not applicabl	e

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

#### 10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

#### 10.5 Incompatible materials



Version	Revision Date:	Print Date	Date of last issue: -
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021
Materi	als to avoid	•	with acids and bases. with oxidizing agents.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute	toxicity

## Product

Product:		
Acute oral toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	Remarks: Based on available data, the classification criteria are not met.

#### Components:

Alcohols, C16-18, ethoxylate	ed:	
Acute oral toxicity	:	LD50 (Rat): 2.000 mg/kg

#### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	: LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist

## Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

#### 2-methylisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 120 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist

## reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity	:	LD50 (Rat): 66 mg/kg
---------------------	---	----------------------



Version 1.0	Revision Date: 06.09.2021	Print Date 15.09.2021	Date of last issue: - Date of first issue: 06.09.2021
		Method: 0	DECD Test Guideline 401
Acute	e inhalation toxicity		
Acute	e dermal toxicity		t): > 141 mg/kg DECD Test Guideline 402
	on dioxide: e oral toxicity	: LD50 Ora	l (Rat): 10.000 mg/kg
Skin	corrosion/irritation		
<mark>Prod</mark> Rema			to the classification criteria of the European Union, ct is not considered as being a skin irritant.
Serio	ous eye damage/eye ir	ritation	
<u>Prod</u> Rema			to the classification criteria of the European Union, ct is not considered as being an eye irritant.
Resp	iratory or skin sensiti	zation	
<u>Prod</u> Rema		: Causes s	ensitization.
11.2 Infor	mation on other haza	rds	
Endo	ocrine disrupting prop	erties	
Prod		<b>_</b>	
Asse	ssment	ered to ha REACH A (EU) 2017	ance/mixture does not contain components consid- ave endocrine disrupting properties according to rticle 57(f) or Commission Delegated regulation 7/2100 or Commission Regulation (EU) 2018/605 at 0.1% or higher.



Version	Revision Date:	Print Date	Date of last issue: -	
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021	

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Components:		
1,2-benzisothiazol-3(2H)-one	<b>:</b>	
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1
2-methylisothiazol-3(2H)-one	e:	
M-Factor (Acute aquatic tox- icity)		10
M-Factor (Chronic aquatic toxicity)	:	1
reaction mass of 5-chloro-2- (3:1):	·me	ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
	:	100
M-Factor (Chronic aquatic toxicity)	:	100



VersionRevision Date:Print Date1.006.09.202115.09.2021	Date of last issue: - Date of first issue: 06.09.2021
--	--

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

#### Components:

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n-	:	log Pow: <= 0,71
octanol/water		Method: OECD Test Guideline 117

## 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

Product:
----------

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
		5

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
		5

#### 12.7 Other adverse effects

### Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

#### **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Product	:		
		Waste should not be disposed of via wastewater.	
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.	



Version 1.0	Revision Date: 06.09.2021	Print Date 15.09.2021	Date of last issue: - Date of first issue: 06.09.2021
Wast	e Code	: used produc 080112, wa in 08 01 11*	ste paint and varnish other than those mentioned
SECTION	N 14: Transport info	ormation	
-	umber or ID number egulated as a dangerc		
•	roper shipping name		
	sport hazard class(e egulated as a dangero	•	
	<b>ing group</b> egulated as a dangerc	us good	
-	ronmental hazards egulated as a dangerc	us good	
14.6 Spec	ial precautions for u	ser	
Rema	arks	: Not classifie lations.	d as dangerous in the meaning of transport regu-
	time transport in bull pplicable for product a		) instruments

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable



Version 1.0	Revision Date: 06.09.2021	Print Date 15.09.2021	Date of last issue: - Date of first issue: 06.09.2021	
•	ılation (EU) 2019/1021 d (recast)	on persistent organ	ic pollu- : Not applicable	
	CH - List of substances ex XIV)	subject to authoris	ation : None	
pean contr	so III: Directive 2012/18 Parliament and of the C ol of major-accident haz erous substances.	Council on the	Not applicable	
Wate ny)	er hazard class (Germa-		tly water endangering according to AwSV, Annex 1 (5.2)	
	uct code for laquers and s / Giscode	d : M-DF01 Wat	er-based paints, solvent-free	
		: BSW20 Coat	ing materials, water-based	
Volat	ile organic compounds	: Directive 200 < 0.1 % < 1 g/l	)4/42/EC	

#### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

## **SECTION 16: Other information**

#### Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H319 :	Causes serious eye irritation.
H330 :	Fatal if inhaled.



Version 1.0	Revision Date: 06.09.2021		int Date .09.2021	Date of last issue: - Date of first issue: 06.09.2021
H351 H400 H410 H411 H412 EUH0	71	:	Very toxic to aqua Very toxic to aqua Toxic to aquatic li	tic life with long lasting effects. e with long lasting effects. tife with long lasting effects.
Full te	ext of other abbrevia	ations		
	c Acute c Chronic am. it. corr. rit. ens.	-	<ul> <li>Acute toxicity</li> <li>Short-term (acute) aquatic hazard</li> <li>Long-term (chronic) aquatic hazard</li> <li>Carcinogenicity</li> <li>Serious eye damage</li> <li>Eye irritation</li> <li>Skin corrosion</li> <li>Skin irritation</li> <li>Skin sensitization</li> <li>Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutage</li> </ul>	
2004/3	2GS 900 37/EC / TWA 2GS 900 / AGW	:	at work Germany. TRGS Long term exposu Time Weighted Av	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ECX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Maritime Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISH -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Dose to 50% of a test population; LDSO - Lethal Dose to 50% of a test population; LDSO - Long Doserved (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Concentration; NO(A)els - No Observed (Adverse) E

#### **Further information**

#### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

#### Sources of key data used to compile the Material Safety Data Sheet: ECHA WebSite



Version	Revision Date:	Print Date	Date of last issue: -
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

#### Classification procedure:

Skin Sens. 1 H317

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN