

Version	Revision Date:	Print Date	Date of last issue: -
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Presto Weiß LEF
1.2 Relevant identified uses of	the s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	safetv	data sheet
Company		Alligator Farbwerke GmbH Markstraße 203 32130 Enger
Telephone	:	+4952249300
Telefax		+4952247881
E-mail address Responsi- ble/issuing person	:	produktsicherheit@alligator.de
1.4 Emergency telephone		
Emergency telephone 1	:	+49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary Statements		P101 If medical advice is needed, have product container or
Frecautionary Statements	· labe	label at hand.
		P102 Keep out of reach of children.

Additional Labeling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.



Version	Revision Date:	Print Date	Date of last issue: -	
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021	

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2Hisothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

			-
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 10 - < 20
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,025 - < 0,05
		specific concentration	



rsion)	Revision Date: 06.09.2021			Date of last issue: - Date of first issue: 06.09.2021
reacti	06.09.2021 on mass of 5-chloro-2 yl-2H-isothiazol-3-one yl-2H-isothiazol-3-one	2- and 2-	9.2021 55965-84-9 613-167-00-5 01-2120764691-4	limit Skin Sens. 1; H317 >= 0,05 % Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310
				M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100
				specific concentration limit Skin Corr. 1C; H314 >= $0,6\%$ Skin Irrit. 2; H315 0,06 - < 0,6% Eye Irrit. 2; H319 0,06 - < 0,6% Skin Sens. 1A; H317 >= $0,0015\%$ Eye Dam. 1; H318
	ances with a workpla	ce expo		>= 0,6 %
Talc (Mg3H2(SiO3)4)		14807-96-6 238-877-9 01-2120140278-5	i8

For explanation of abbreviations see section 16.

:

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where



Version 1.0	Revision Date: 06.09.2021		int Date 5.09.2021	Date of last issue: - Date of first issue: 06.09.2021
			possible). Move out of dang First aider needs	erous area. to protect himself.
lf inha	lled	:	Move to fresh air.	
In cas	e of skin contact	:	Do NOT use solve In case of contact of water.	ents or thinners. , immediately flush skin with soap and plenty
In cas	e of eye contact	:	IF IN EYES: Rins	rsists: Get medical advice/ attention. e cautiously with water for several minutes. enses, if present and easy to do. Continue
lf swa	llowed	:		vice. water and drink afterwards plenty of water. NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1	Extinguishing media	
	Suitable extinguishing media :	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
	Unsuitable extinguishing : media	None known.
5.2	Special hazards arising from the	e substance or mixture
	Specific hazards during fire : fighting	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3	Advice for firefighters	
	Special protective equipment : for fire-fighters	Wear self-contained breathing apparatus for firefighting if nec- essary.



Version	Revision Date:	Print Date	Date of last issue: -
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021
Furthe	r information	•	cedure for chemical fires. self does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions Environmental precautions	 Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. ,For personal protection see section 8.,For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
		In addition, the current technical information for this product and its application on www.alligator.de/en must be observed.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	•	Keep away from oxidizing agents and strongly acid or alkaline



Version 1.0	Revision Date: 06.09.2021	Print Date 15.09.2021	Date of last issue: - Date of first issue: 06.09.2021	
		materials.		
Stora	ge class (TRGS 510)	: 12, Non Com	bustible Liquids	
7.3 Specific end use(s) Specific use(s)		: This informat	ion is not available.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900
	Peak-limit cat	Peak-limit category: 2;(II)		
		AGW (Alveolate fraction)	1,25 mg/m3 (Titanium dioxide)	DE TRGS 900
	Peak-limit cat	egory: 2;(II)		<u> </u>
Talc (Mg3H2(SiO3)4)	14807-96-6	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900
	Peak-limit category: 2;(II)			
	Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values.			
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900
	Peak-limit category: 2;(II)			
	Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values.			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
titanium dioxide	Consumers	Ingestion	Long-term systemic	700,00 mg/kg
			effects	bw/day
	Workers	Inhalation	Long-term local ef-	10,00 mg/m3
			fects	
calcium carbonate	Consumers	Ingestion	Long-term systemic	6,10 mg/kg



Version 1.0	Revision Date: 06.09.2021	Print Date 15.09.202		Date of last issue: - Date of first issue: 06.09.2021	
				effects	bw/day
		Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
		Consumers	Ingestion	Acute systemic ef- fects	6,10 mg/kg bw/day
		Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
Kaoli	n, calcined	Workers	Inhalation	Acute systemic ef- fects	3,00 mg/m3
		Workers	Inhalation	Acute local effects	3,00 mg/m3
		Workers	Inhalation	Long-term systemic effects	3,00 mg/m3
		Workers	Inhalation	Long-term local ef- fects	3,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l
calcium carbonate	Sewage treatment plant	100 mg/l
Kaolin, calcined	Intermittent use/release	25 mg/l
	Fresh water	4,1 mg/l
	Sea water	0,41 mg/l
	Sewage treatment plant	1400 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection	German trade association rules - BGR 192 Eye protection
	Goggles
Hand protection Material Glove thickness Protective index	Nitrile rubber 0,2 mm Class 3
Remarks	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. German trade association leaflet: Carry gloves (ZH 1/706)



Version 1.0	Revision Date: 06.09.2021	Print Date 15.09.2021	Date of last issue: - Date of first issue: 06.09.2021
Skina	and body protection	: Safety shoes Long sleeved	clothing
		•	protection according to the amount and con- the dangerous substance at the work place.
		Skin should b	e washed after contact.
Resp	iratory protection	: No personal i quired.	espiratory protective equipment normally re-
		German trade	e association rules - BGR 190 Breathing protec-
			application: Do not breathe spray dust. Use nation filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	Not relevant
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 - 9 Concentration: 100 %

Viscosity



Versio 1.0	on Revision Date: 06.09.2021	Print DateDate of last issue: -15.09.2021Date of first issue: 06.09.2021	
	Viscosity, dynamic	: No data available	
S	Solubility(ies) Water solubility	: completely miscible	
	Partition coefficient: n- octanol/water	: not determined	
V	/apor pressure	: not determined	
F	Relative density	: not determined	
C	Density	: 1,5000 g/cm3	
F	Relative vapor density	: not determined	
9.2 O	ther information		
E	xplosives	: Not applicable	
C	Dxidizing properties	: Not applicable	
F	lammability (liquids)	: The product is not flammable.	
E	vaporation rate	: Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity	
No decomposition if stored and ap	oplied as directed.
10.2 Chemical stability	
No decomposition if stored and ap	oplied as directed.
10.3 Possibility of hazardous reaction	ons
Hazardous reactions :	No decomposition if stored and applied as directed.
10.4 Conditions to avoid	
Conditions to avoid :	Protect from frost, heat and sunlight.
10.5 Incompatible materials	
Materials to avoid :	Incompatible with acids and bases. Incompatible with oxidizing agents.



Version	Revision Date:	Print Date	Date of last issue: -
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Components:		
1,2-benzisothiazol-3(2H)-one	e:	
Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg
reaction mass of 5-chloro-2- (3:1):	-me	ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
Acute oral toxicity	:	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402
Skin corrosion/irritation		
<u>Product:</u> Remarks	:	According to the classification criteria of the European Union,



/ersion .0	Revision Date: 06.09.2021	Print Date 15.09.2021	Date of last issue: - Date of first issue: 06.09.2021
.0	00.00.2021		s not considered as being a skin irritant.
Serio	ous eye damage/eye	irritation	
<u>Prode</u> Rema			the classification criteria of the European Unior s not considered as being an eye irritant.
Resp	iratory or skin sensi	tization	
<u>Prode</u> Rema		: Repeated co ceptible pers	ntact may cause allergic reactions in very sus- ons.
1.2 Infor	mation on other haz	ards	
Endo	crine disrupting pro	perties	
<u>Prodi</u> Asses	<u>uct:</u> ssment	ered to have REACH Artic	ce/mixture does not contain components consid endocrine disrupting properties according to ele 57(f) or Commission Delegated regulation 100 or Commission Regulation (EU) 2018/605 a % or higher.

12.1 Toxicity

Product: Toxicity to fish :	Remarks: No data available
	Remains. No data avaliable
Toxicity to daphnia and other : aquatic invertebrates	Remarks: No data available
Components:	
1,2-benzisothiazol-3(2H)-one:	
Toxicity to fish :	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202



Version 1.0	Revision Date: 06.09.2021		int Date .09.2021	Date of last issue: - Date of first issue: 06.09.2021
Toxic plants	ity to algae/aquatic	:	Exposure tin	astrum capricornutum (green algae)): 0,11 mg/l ne: 72 h CD Test Guideline 201
M-Fa icity)	ctor (Acute aquatic tox-	:	1	
M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
react (3:1):		?-m€	ethyl-2H-isoth	iazol-3-one and 2-methyl-2H-isothiazol-3-one
M-Fa icity)	ctor (Acute aquatic tox-	:	100	
M-Fa toxici	ctor (Chronic aquatic ty)	:	100	
No da	istence and degradabi ata available	lity		
	ccumulative potential			
		2-me	thvl-2H-isoth	iazol-3-one and 2-methyl-2H-isothiazol-3-one
(3:1):			-	
	ion coefficient: n- ol/water	:	log Pow: <= Method: OE	0,71 CD Test Guideline 117
	lity in soil ata available			
12.5 Resu	llts of PBT and vPvB a	sse	ssment	
Prod	uct:			
Asse	ssment	:	to be either p	ace/mixture contains no components considered persistent, bioaccumulative and toxic (PBT), or ent and very bioaccumulative (vPvB) at levels of er.
12.6 Endo	ocrine disrupting prope	ertie	S	
Prod	uct:			
Asse	ssment	:	ered to have REACH Artic	ce/mixture does not contain components consid- endocrine disrupting properties according to cle 57(f) or Commission Delegated regulation 100 or Commission Regulation (EU) 2018/605 at



Version	Revision Date:	Print Date	Date of last issue: -	
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021	

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



VersionRevision Date:Print DateDate of last issue: -1.006.09.202115.09.2021Date of first issue: 06.09.2021	2021
--	------

SECTION 15: Regulatory information

15.1 ture	- ·	ntal	regu	lations/legi	slatior	n :	specific for the substance or mix-
	REACH - Restrictions on the mathematic market and use of certain date preparations and articles (Annex	ange	erous			Not applicable	
	REACH - Candidate List of Subs Concern for Authorization (Articl			f Very High	:		This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
	Regulation (EC) No 1005/2009 of plete the ozone layer	on s	substa	nces that de	ə- :		Not applicable
	Regulation (EU) 2019/1021 on p tants (recast)	oers	istent	organic pol	lu- :		Not applicable
	REACH - List of substances sub (Annex XIV)	oject	t to au	thorisation	:		None
	Seveso III: Directive 2012/18/EU pean Parliament and of the Cou control of major-accident hazarc dangerous substances.	ıncil	on the	e	No	ot	applicable
	Water hazard class (Germa- : ny)	: 1 C		slightly wa			ngering AwSV, Annex 1 (5.2)
		: В	SW20) Coating m	aterials	s,	water-based
	Volatile organic compounds	<	Directiv : 0.1 % : 1 g/l	/e 2004/42/ %	EC		

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.



VersionRevision Date:Print Date1.006.09.202115.09.2021	Date of last issue: - Date of first issue: 06.09.2021
--	--

SECTION 16: Other information

Full text of H-Statements		
H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H310	÷	Fatal in contact with skin.
H314		Causes severe skin burns and eye damage.
H315	÷	Causes skin irritation.
H317		May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H351		Suspected of causing cancer if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
EUH071	:	Corrosive to the respiratory tract.
Full text of other abbreviati	ons	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Carc.	:	Carcinogenicity
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitization
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
DE TRGS 900 / AGW	:	Time Weighted Average
		5 5

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with % response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Code for the Constructration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population for Standardization; KECI - Korea Existing Chemicals Inventory; IC50 - Lethal Concenritation to 50 % of a test population; ICDC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; OECD - No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Londons; NEAC - New Jeala SAD -

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered



Version	Revision Date:	Print Date	Date of last issue: -
1.0	06.09.2021	15.09.2021	Date of first issue: 06.09.2021

substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet: ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN