

Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
3.1	14.09.2021	23.09.2021	Date of first issue: 14.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier Trade name	:	DisboXID 472 AS Comp. A RAL7032
Relevant identified uses of th	ie s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Epoxide-resin-based coating material, totally solid
Recommended restrictions on use	:	within adequate application - none
Details of the supplier of the sa	fetv	data sheet
Company	-	Disbon GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone	:	+496154710
Telefax		+4961547170222
E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
Emergency telephone		
Emergency telephone 1	:	+49613284463 GBK GmbH
	Relevant identified uses of the Use of the Sub- stance/Mixture Recommended restrictions on use Details of the supplier of the sa Company Telephone Telefax E-mail address Responsi- ble/issuing person Emergency telephone	Trade name : Relevant identified uses of the s Use of the Sub- : stance/Mixture Recommended restrictions : on use : Details of the supplier of the safety Company : Telephone : Telefax : E-mail address Responsible/issuing person Emergency telephone

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Eye irritation, Category 2	H319: Causes serious eye irritation.				
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.				
Germ cell mutagenicity, Category 2	H341: Suspected of causing genetic defects.				
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.				

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)



Hazard pi Signal Wo	ictograms	:		
Signal Wo			\mathbf{v}	
	ord	:	Warnin	g
Hazard St	tatements		H315 H317 H319 H341 H411	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing genetic defects. Toxic to aquatic life with long lasting effects.
Precaution	nary Statements	•	P262 P264 P273 P280	tion: Obtain special instructions before use. Do not handle until all safety precautions have been ad understood. Do not get in eyes, on skin, or on clothing. Wash hands thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protec- ce protection.

bis-[4-(2,3-epoxipropoxi)phenyl]propane bisphenol-F epoxy resin MW <700 2,3-epoxypropyl neodecanoate oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Additional Labeling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	: Epoxide-resin-based coating material, totally solid
-----------------	---

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)



rsion			e of last issue: 25.11.2020 e of first issue: 14.09.2021	
bis-[4- epoxip	-(2,3- propoxi)phenyl]propane	Index-No. Registration number 1675-54-3 216-823-5 603-073-00-2 01-2119456619-26	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411 specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 %	>= 25 - < 30
bisphe	enol-F epoxy resin MW <700	9003-36-5 500-006-8 01-2119454392-40	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 10 - < 20
titaniu	m dioxide	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 1 - < 10
2,3-ер	ooxypropyl neodecanoate	26761-45-5 247-979-2 01-2119431597-33	Skin Sens. 1; H317 Aquatic Chronic 2; H411 Muta. 2; H341	>= 2,5 - < 10
alkylo	e, mono[(C12-14- xy)methyl] derivs.	68609-97-2 271-846-8 603-103-00-4 01-2119485289-22	Skin Irrit. 2; H315 Skin Sens. 1; H317	>= 0,1 - < 1
	ances with a workplace expo n sulfate	osure limit : 7727-43-7 231-784-4 01-2119491274-35		>= 20 - < 30

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General	advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	ł	:	Move to fresh air.

: Move to fresh air.



Version 3.1	Revision Date: 14.09.2021	Print Date 23.09.2021	Date of last issue: 25.11.2020 Date of first issue: 14.09.2021
In ca	se of skin contact	In case of c of water.	e solvents or thinners. ontact, immediately flush skin with soap and plenty contaminated clothing immediately.
In case of eye contact		Remove co	Rinse cautiously with water for several minutes. Nact lenses, if present and easy to do. Continue Nediately call a POISON CENTER or doctor/ phy-
lf swa	allowed		cian. h with water and drink afterwards plenty of water. l, DO NOT induce vomiting.

- **4.2 Most important symptoms and effects, both acute and delayed** None known.
- 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

SECTION 5: Firefighting measures

SECTION 5. Threnghang measures				
5.1 Extinguishing media Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Foam Carbon dioxide (CO2)		
Unsuitable extinguishing media	:	None known.		
5.2 Special hazards arising from the substance or mixture				
Specific hazards during fire fighting	:	Cool closed containers exposed to fire with water spray. Hazardous decomposition products formed under fire condi- tions.		
5.3 Advice for firefighters				
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.		
Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires. In the event of fire and/or explosion do not breathe fumes.		



Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
3.1	14.09.2021	23.09.2021	Date of first issue: 14.09.2021

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	tive equipment and emergency procedures
Personal precautions	 Do not get in eyes, on skin, or on clothing. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure adequate ventilation. Remove all sources of ignition.
6.2 Environmental precautions	
Environmental precautions	 Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for con	tainment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. ,For personal protection see section 8.,For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Provide sufficient air exchange and/or exhaust in work rooms.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Advice on protection against fire and explosion	:	The product is flammable but not readily ignited.
Hygiene measures	:	Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Store in original container. Store between 41 and 77 °F in a
areas and containers		dry, well ventilated place away from sources of heat, ignition



Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
3.1	14.09.2021	23.09.2021	Date of first issue: 14.09.2021

and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Specific use(s)

: This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
barium sulfate	7727-43-7	TWA (inhalable dust)	10 mg/m3	GB EH40			
	figure three tir contain compo- should be com borne materia fore available mates to the f Fuller definition dustrial dusts sition and fate system, and th the particle. H termed 'inhala hazardous to in air equal to mg.m-3 8-hou ject to COSHI have been as the appropriat inhalable dust when samplin MDHS14/4 G	hation: Where no spe- mes the long-term ex- onents that have the nplied with., Inhalabl al that enters the nos- for deposition in the fraction that penetrate ons and explanatory is contain particles of a e of any particular pa he body response the ISE distinguishes two able' and 'respirable'. health includes dust or greater than 10 m ar TWA of respirable H if people are expos- signed specific WEL te limits., For the pur- t are those fractions and inhalable aerosol	, Where dusts relevant limits action of air- g and is there- dust approxi- on of the lung. 4/4., Most in- ehaviour, depo- an respiratory ture and size of g purposes substance a concentration ble dust or 4 ust will be sub- s. Some dusts at comply with ble dust and collected described in				
		TWA (Respirable 4 mg/m3 dust)					
	Further information: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction of the lung.						



VersionRevision Date:Print Date3.114.09.202123.09.2021	Date of last issue: 25.11.2020 Date of first issue: 14.09.2021
--	---

	dustrial dusts sition and fate system, and the the particle. H termed 'inhala hazardous to in air equal to mg.m-3 8-hou ject to COSHF have been ass the appropriat inhalable dust when samplin MDHS14/4 Ge	contain particles of a of any particular pa he body response th SE distinguishes two ble' and 'respirable'. health includes dust or greater than 10 m in TWA of respirable H if people are exposisioned specific WEL e limits., For the pur are those fractions g is undertaken in ac	material are given in MDHS1 a wide range of sizes. The be rticle after entry into the hum at it elicits, depend on the na o size fractions for limit-settin , The COSHH definition of a of any kind when present at ng.m-3 8-hour TWA of inhala dust. This means that any du sed to dust above these level s and exposure to these mus poses of these limits, respira of airborne dust which will be ccordance with the methods ampling and gravimetric ana ls.	haviour, depo- an respiratory ture and size of g purposes substance a concentration ble dust or 4 ust will be sub- s. Some dusts at comply with ble dust and collected described in
titanium dioxide	13463-67-7	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWÁ (Respirable dust)	4 mg/m3	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
barium sulfate	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	13000,00 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
bisphenol-F epoxy resin MW <700	Consumers	Skin contact	Long-term systemic effects	62,50 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	6,25 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,70 mg/m3
	Workers	Skin contact	Acute local effects	8,30 µg/cm2
	Workers	Skin contact	Long-term systemic effects	104,15 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	29,39 mg/m3
titanium dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
2,3-epoxypropyl ne- odecanoate	Consumers	Skin contact	Long-term systemic effects	1,15 mg/kg bw/day



ersion 1	Revision Date: 14.09.2021		t Date 9.202				
1		Consumer	ſS	Inhalation Long-term system		ic 1,60 mg/m3	
			-		effects	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		Workers		Inhalation	Acute systemic ef	- 2,70 mg/m3	
		Workers		Inhalation	Long-term system effects	ic 2,70 mg/m3	
		Workers		Skin contact	Long-term system effects	ic 1,90 mg/kg bw/day	
Predi	cted No Effect Co	oncentratio	on (PN	EC) according t	o Regulation (EC) No		
Subst	ance name		Envir	onmental Compa	artment	Value	
	n sulfate			n water		115 µg/l	
				n water sediment		600,4 mg/kg dry weight (d.w.)	
			Soil			207,7 mg/kg dry weight (d.w.)	
				age treatment pla	62,2 mg/l		
bisphe <700	bisphenol-F epoxy resin MW <700		Fresł	n water	0,003 mg/l		
			Fresh	n water sediment	0,294 mg/kg dry weight (d.w.)		
			Interr	nittent use/releas	se	0,0254 mg/l	
			Seas	sediment	0,0294 mg/kg d weight (d.w.)		
			Seav	water		0,0003 mg/l	
			Sewa	age treatment pla	10 mg/l		
			Soil			0,237 mg/kg dry weight (d.w.)	
titaniu	ım dioxide		Sewa	age treatment pla	100 mg/l		
				n water	0,184 mg/l		
			Soil			100 mg/kg dry weight (d.w.)	
			Seav	water		0,0184 mg/l	
			Fresh	n water sediment		1000 mg/kg dry weight (d.w.)	
			Seas	sediment		100 mg/kg dry weight (d.w.)	
			Interr	nittent use/releas	se	0,193 mg/l	
2,3-ep	ooxypropyl neodeo	canoate	Interr	nittent use/releas	se	12 µg/l	
			Sewa	age treatment pla	nt	50 mg/l	
			Sea	water		0,12 µg/l	
			Fresh	n water		0,0012 mg/l	

8.2 Exposure controls

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection



Version 3.1	Revision Date: 14.09.2021		nt Date .09.2021	Date of last issue: 25.11.2020 Date of first issue: 14.09.2021
G	laterial ilove thickness rotective index /earing time	:	Nitrile rubber 0,2 mm Class 3 30 min	
R	emarks	:	cation of degrada	discarded and replaced if there is any indi- tion or chemical breakthrough. Before re- ean them with soap and water. Wear suita- to EN374.
Skin and body protection		:	contaminated clot Additional body g task being perform	arments should be used based upon the ned (e.g., sleevelets, apron, gauntlets, dis- avoid exposed skin surfaces.
				tection according to the amount and con- dangerous substance at the work place.
			Skin should be wa	ashed after contact.
Resp	piratory protection	:		lication: Do not breathe spray dust. Use on filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	Not relevant
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	76,5 °C



Vers 3.1	ion	Revision Date: 14.09.2021		nt Date .09.2021	Date of last issue: 25.11.2020 Date of first issue: 14.09.2021
	Autoig	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	6,95 Concentration: 1	0 %
	Viscos Vis	ity cosity, dynamic	:	No data availabl	e
		lity(ies) ter solubility	:	insoluble	
		on coefficient: n- I/water	:	not determined	
	Vapor	pressure	:	not determined	
	Relativ	ve density	:	not determined	
	Densit	у	:	1,7200 g/cm3	
	Relativ	ve vapor density	:	not determined	
9.2 (Other i	nformation			
	Explos	ives	:	Not applicable	
	Oxidiz	ing properties	:	Not applicable	
	Flamm	ability (liquids)	:	Sustains combu	stion
	Evapo	ration rate	:	Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions

: Vapors may form explosive mixture with air.

Hazardous decomposition products formed under fire conditions.



VersionRevision Date:Print DateDate of last issue: 25.11.20203.114.09.202123.09.2021Date of first issue: 14.09.2021	Version 3.1	Revision Date: 14.09.2021	Print Date 23.09.2021	Date of last issue: 25.11.2020 Date of first issue: 14.09.2021	
---	----------------	---------------------------	-----------------------	---	--

10.4 Conditions to avoid

Conditions to avoid	:	Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid

: Incompatible with acids. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity				
Product:				
Acute oral toxicity	:	Remarks: Based on available data, the classification criteria are not met.		
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.		
Acute dermal toxicity	:	Remarks: Based on available data, the classification criteria are not met.		
Skin corrosion/irritation				
Product:				
Remarks	:	May cause skin irritation and/or dermatitis.		
Serious eye damage/eye irritation				
Product:				
Remarks	:	Vapors may cause irritation to the eyes, respiratory system and the skin.		
Respiratory or skin sensitization				
Product:				
Remarks	:	Causes sensitization.		



Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
3.1	14.09.2021	23.09.2021	Date of first issue: 14.09.2021

11.2 Information on other hazards

Further information	
Product:	
Remarks	: Although the product only contains epoxy resins with high molecular weight, follow good industrial hygiene practice and avoid prolonged skin contact.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Flouuci.		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Components:		
barium sulfate:		
Toxicity to fish	:	Remarks: No toxicity at the limit of solubility.
	:	Remarks: No toxicity at the limit of solubility.
aquatic invertebrates		
Toxicity to algae/aquatic	:	Remarks: No toxicity at the limit of solubility.
plants		
Towieity to fish (Chronic toy		Demostres Ne toxicity of the limit of colubility
	•	Remarks: No toxicity at the limit of solubility.
icity)		
Toxicity to daphpia and other		Remarks: No toxicity at the limit of solubility.
aquatic invertebrates (Chron-	·	Remains. No toxicity at the limit of solubility.
•		
ic toxicity)		

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.:

Partition coefficient: n-
octanol/water:log Pow: 3,77Method: OECD Test Guideline 107



Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
3.1	14.09.2021	23.09.2021	Date of first issue: 14.09.2021

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological infor-	:	Toxic to aquatic organisms, may cause long-term adverse
mation		effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities.
		Uncured product residues and unpurified packaging should be disposed of as hazardous waste. Material residues: Allow the basic substance to harden with hardener and dispose of as paint waste. Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080111*, waste paint and varnish containing organic solvents or other dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 3082
RID	:	UN 3082



Versi 3.1	ion	Revision Date: 14.09.2021		nt Date .09.2021	Date of last issue: 25.11.2020 Date of first issue: 14.09.2021	
I	IMDG		:	UN 3082		
		:	UN 3082			
		oper shipping name	•	511 0002		
ADR		•	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.			
I	RID		:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.		
I	IMDG		:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.		
l	ΙΑΤΑ		:	Environmentally h	nazardous substance, liquid, n.o.s.	
14.3	Transp	oort hazard class(es)				
	ADR		:	9		
i	RID		:	9		
i	IMDG		:	9		
l	ΙΑΤΑ		:	9		
14.4	14.4 Packing group					
	Classifi Hazard Labels Tunnel RID	g group ication Code I Identification Number restriction code g group	:	III M6 90 9 (-) III		
(Classifi	l Identification Number	:	M6 90 9		
l I	IMDG	g group ode	:	III 9 F-A, S-F		
 	IATA ((Packing aircraft) Packing	Cargo) g instruction (cargo	:	964 Y964 III Miscellaneous		
I		Passenger) g instruction (passen- craft)	:	964		



Versio 3.1	on Revision Date: 14.09.2021	Print Date 23.09.2021	Date of last issue: 25.11.2020 Date of first issue: 14.09.2021
F	Packing instruction (LQ) Packing group Labels	: Y964 : III : Miscellaneous	
14.5 Environmental hazards			
	ADR Environmentally hazardous	: yes	
-	RID Environmentally hazardous	: yes	
	MDG /larine pollutant	: yes	
	ATA (Passenger) Environmentally hazardous	: yes	
L	ATA (Cargo)		

Environmentally hazardous : 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

: yes

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).

- : Conditions of restriction for the following entries should be considered: Number on list 3
- : Conditions of restriction for the following entries should be considered: Number on list 3
- : This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be generated.



Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
3.1	14.09.2021	23.09.2021	Date of first issue: 14.09.2021

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS

Volatile organic compounds

: Directive 2004/42/EC < 3 % < 40 g/l

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H315 H317 H319 H341 H351 H411	 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing cancer if inhaled. Toxic to aquatic life with long lasting effect 	cte
H411	: Toxic to aquatic life with long lasting effe	cts.

Full text of other abbreviations

Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Carc.	:	Carcinogenicity
Eye Irrit.	:	Eye irritation
Muta.	:	Germ cell mutagenicity
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitization
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Maritime Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50% of a test population; (MAC) - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemica



Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
3.1	14.09.2021	23.09.2021	Date of first issue: 14.09.2021

Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Muta. 2	H341	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
3.1	14.09.2021	23.09.2021	Date of first issue: 14.09.2021

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

GB / EN