

Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
2.2	14.09.2021	23.09.2021	Date of first issue: 15.11.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	DisboPOX W 5022 WHG Comp. A
1.2 Relevant identified uses of	the s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Epoxide-resin-based coating material, totally solid
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	safety	data sheet
Company		Disbon GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone	:	+496154710
Telefax	:	+4961547170222
E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
1.4 Emergency telephone		
Emergency telephone 1	:	+49613284463 GBK GmbH

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Eye irritation, Category 2	H319: Causes serious eye irritation.				
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.				
Long-term (chronic) aquatic hazard, Cat- egory 2	H411: Toxic to aquatic life with long lasting effects.				

#### 2.2 Label elements

#### Labeling (REGULATION (EC) No 1272/2008)



Version 2.2	Revision Date: 14.09.2021	•	Print Date 3.09.2021	Date of last issue: 25.11.2020 Date of first issue: 15.11.2019
Haza	rd pictograms	:		₩2
Signa	ll Word	:	Warning	
Haza	rd Statements	:	H317 Ma H319 Ca	uses skin irritation. y cause an allergic skin reaction. uses serious eye irritation. kic to aquatic life with long lasting effects.
Preca	autionary Statements	:	P264 Wa P273 Avo	<b>1:</b> not get in eyes, on skin, or on clothing. ish hands thoroughly after handling. bid release to the environment. ear protective gloves/ eye protection.
			Response: P332 + P3 <sup>2</sup> attention. P337 + P3 <sup>2</sup> attention.	13 If skin irritation occurs: Get medical advice/

#### Hazardous ingredients which must be listed on the label:

bis-[4-(2,3-epoxipropoxi)phenyl]propane bisphenol-F epoxy resin MW <700 p-tert-butylphenyl 1-(2,3-epoxy)propyl ether oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components CAS-No. Chemical name Classification Concentration EC-No. (% w/w) Index-No. Registration number >= 50 - < 70 bis-[4-(2,3-1675-54-3 Skin Irrit. 2; H315 epoxipropoxi)phenyl]propane 216-823-5 Eye Irrit. 2; H319 603-073-00-2 Skin Sens. 1; H317 01-2119456619-26 Aquatic Chronic 2;



Version 2.2			Date of last issue: 25.11.2020 Date of first issue: 15.11.2019			
			H411 specific concentration limit Eye Irrit. 2; H319 >= 5 % Skin Irrit. 2; H315 >= 5 %			
bisp	ohenol-F epoxy resin MW <	700 9003-36-5 500-006-8 01-2119454	Eye Irrit. 2; H319	20 - < 25		
	ert-butylphenyl 1-(2,3- xy)propyl ether	3101-60-8 221-453-2 01-2119959	Skin Sens. 1; H317 >= Aquatic Chronic 2;	2,5 - < 10		
	ane, mono[(C12-14- /loxy)methyl] derivs.	68609-97-2 271-846-8 603-103-00 01-2119485	-4	= 1 - < 10		

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water. Take off all contaminated clothing immediately.
In case of eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ phy- sician.
If swallowed	:	Call a physician. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.



Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
2.2	14.09.2021	23.09.2021	Date of first issue: 15.11.2019

# 4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

	Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Foam Carbon dioxide (CO2)
	Unsuitable extinguishing media	:	None known.
2 Special hazards arising from the substance or mixture			

#### 5.2 Specific hazards during fire : Cool closed containers exposed to fire with water spray.

fighting	•	Hazardous decomposition products formed under fire condi- tions.
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Standard procedure for chemical fires.

In the event of fire and/or explosion do not breathe fumes.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protectiv	e equipment and emergency procedures
Personal precautions :	Do not get in eyes, on skin, or on clothing. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure adequate ventilation. Remove all sources of ignition.
6.2 Environmental precautions	

: Prevent further leakage or spillage if safe to do so. Environmental precautions



Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
2.2	14.09.2021	23.09.2021	Date of first issue: 15.11.2019

If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up		Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

#### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. ,For personal protection see section 8.,For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

		0	
	Advice on safe handling	:	For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Provide sufficient air exchange and/or exhaust in work rooms.
			-
			In addition, the current technical information for this product and its application on www.caparol.com must be observed.
	Advice on protection against fire and explosion	:	The product is flammable but not readily ignited.
	Hygiene measures	:	Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product.
7 2	Conditions for safe storage,	inc	luding any incompatibilities
1.2	conditions for sale storage,	me	idding any incompatibilities
	Requirements for storage areas and containers	:	Store in original container. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
	<b>-</b>		
7.3	Specific end use(s)		
	Specific use(s)	:	This information is not available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.



Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
2.2	14.09.2021	23.09.2021	Date of first issue: 15.11.2019

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
bisphenol-F epoxy resin MW <700	Consumers	Skin contact	Long-term systemic effects	62,50 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	6,25 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,70 mg/m3
	Workers	Skin contact	Acute local effects	8,30 µg/cm2
	Workers	Skin contact	Long-term systemic effects	104,15 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	29,39 mg/m3
p-tert-butylphenyl 1- (2,3-epoxy)propyl ether	Consumers	Skin contact	Acute local effects	0,95 µg/cm2
	Consumers	Inhalation	Long-term local ef- fects	11,70 mg/m3
	Consumers	Skin contact	Long-term systemic effects	3,30 mg/kg bw/day
	Consumers	Skin contact	Long-term local ef- fects	0,95 µg/cm2
	Consumers	Skin contact	Acute systemic ef- fects	3,30 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	11,70 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	19,60 mg/m3
	Workers	Inhalation	Acute local effects	19,60 mg/m3
	Workers	Inhalation	Long-term systemic effects	19,60 mg/m3
	Workers	Inhalation	Long-term local ef- fects	19,60 mg/m3
	Workers	Skin contact	Acute systemic ef- fects	5,60 mg/kg bw/day
	Workers	Skin contact	Acute local effects	1,60 µg/cm2
	Workers	Skin contact	Long-term systemic effects	5,60 mg/kg bw/day
	Workers	Skin contact	Long-term local ef- fects	1,60 µg/cm2

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Environmental Compartment	Value
Fresh water	0,003 mg/l
	-
Fresh water sediment	0,294 mg/kg dry
	weight (d.w.)
Intermittent use/release	0,0254 mg/l
	Fresh water Fresh water sediment



Version 2.2	Revision Date: 14.09.2021	Print Date 23.09.2021		Date of last issue: 25.11.2020 Date of first issue: 15.11.2019	
		Sea sedime	nt	0,0294 mg/kg dry weight (d.w.)	
		Sea water		0,0003 mg/l	
		Sewage trea	atment plant	10 mg/l	
		Soil		0,237 mg/kg dry weight (d.w.)	
	-butylphenyl 1-(2,3- y)propyl ether	Fresh water		7,5 µg/l	
		Soil		11,4 mg/kg dry weight (d.w.)	
		Fresh water	sediment	33,54 mg/kg dry weight (d.w.)	
		Sewage trea	atment plant	100 mg/l	
		Sea water	•	0,75 µg/l	
		Sea sedime	nt	3,354 mg/kg dry weight (d.w.)	
		Intermittent	use/release	75 µg/l	

#### 8.2 Exposure controls

Personal protective equipment				
Eye protection	ghtly fitting safety goggles			
Hand protection Material Glove thickness Protective index	trile rubber 2 mm ass 3			
Remarks	oves should be discarded and re tion of degradation or chemical b oving gloves clean them with soa e gloves tested to EN374.	breakthrough. Before re-		
Skin and body protection	afety shoes se appropriate degowning techni intaminated clothing. Iditional body garments should b sk being performed (e.g., sleevel isable suits) to avoid exposed sk ing sleeved clothing	e used based upon the ets, apron, gauntlets, dis-		
	noose body protection according Intration of the dangerous substa			
	kin should be washed after conta	ct.		
Respiratory protection	uring spray application: Do not bu 2/P2 combination filter for paint s			



Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
2.2	14.09.2021	23.09.2021	Date of first issue: 15.11.2019

### **SECTION 9: Physical and chemical properties**

<b>9.1 Information on basic physical</b> Physical state	l an :	d chemical properties liquid
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	Not relevant
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	201 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	135 °C
Autoignition temperature	:	420 °C
Decomposition temperature	:	Not applicable
рН	:	6,95 Concentration: 10 %
Viscosity Viscosity, dynamic	:	No data available
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	not determined
Vapor pressure	:	0,1 hPa (20 °C)
Relative density	:	not determined
Density	:	1,13 g/cm3
Relative vapor density	:	not determined



Version 2.2	Revision Date: 14.09.2021	Print Date 23.09.2021	Date of last issue: 25.11.2020 Date of first issue: 15.11.2019	
<b>9.2 Other</b> Explo	<b>information</b> sives	: Not applica	ble	
Oxidizing properties		: Not applica	ble	
Flammability (liquids)		: The produc	t is not flammable.	
Evapo	pration rate	: Not applica	ble	

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Hazardous decomposition products formed under fire condi- tions.
10.4 Conditions to avoid		
Conditions to avoid	:	Protect from frost, heat and sunlight.
10.5 Incompatible materials		
Materials to avoid	:	Incompatible with acids. Incompatible with oxidizing agents.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product:					
Acute oral toxicity	:	Remarks: Based on available data, the classification criteria are not met.			
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.			
Acute dermal toxicity	:	Remarks: Based on available data, the classification criteria are not met.			



DisboPOX W 5022 WHG Comp. A							
Version 2.2		Revision Date: 14.09.2021		nt Date 09.2021	Date of last issue: 25.11.2020 Date of first issue: 15.11.2019		
	Skin co	orrosion/irritation					
	<b>Produc</b> Remark		:	May cause skin irritation and/or dermatitis.			
	Seriou	s eye damage/eye irri	tatio	on			
	Produc Remark		:	Vapors may cause and the skin.	e irritation to the eyes, respiratory system		
	Respira	atory or skin sensitiza	atio	n			
	<u>Produc</u> Remark		:	Causes sensitizati	on.		
11.2	Inform	ation on other hazard	s				
	Furthe	rinformation					
	Produc Remark				follow good industrial hygiene practice and		
SEC		12: Ecological infor	mat	tion			
12.1	Toxicit	у					
			:	Remarks: No data Remarks: No data			
	Toxicity Toxicity	to fish to daphnia and other					

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

#### Components:

#### oxirane, mono[(C12-14-alkyloxy)methyl] derivs.:

Partition coefficient: n-	:	log Pow: 3,77
octanol/water		Method: OECD Test Guideline 107



Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
2.2	14.09.2021	23.09.2021	Date of first issue: 15.11.2019

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

Product:
----------

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor- mation	:	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
--	---	---

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product	:	Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities.
		Uncured product residues and unpurified packaging should be disposed of as hazardous waste. Material residues: Allow the basic substance to harden with hardener and dispose of as paint waste. Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080111*, waste paint and varnish containing organic solvents or other dangerous substances

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	UN 3082
RID	:	UN 3082



#### DisboPOX W 5022 WHG Comp. A Version **Revision Date:** Print Date Date of last issue: 25.11.2020 2.2 14.09.2021 23.09.2021 Date of first issue: 15.11.2019 IMDG UN 3082 • ΙΑΤΑ 1 UN 3082 14.2 UN proper shipping name ADR 2 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epoxy resin MW <700) RID ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, ÷ N.O.S. (bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epoxy resin MW <700) IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, : N.O.S. (bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epoxy resin MW <700) IATA Environmentally hazardous substance, liquid, n.o.s. : (bis-[4-(2,3-epoxipropoxi)phenyl]propane, bisphenol-F epoxy resin MW <700) 14.3 Transport hazard class(es) ADR 2 9 RID 9 ÷ IMDG 9 ÷ ΙΑΤΑ 9 ÷ 14.4 Packing group ADR Packing group Ш ÷ Classification Code M6 t Hazard Identification Number 90 1 Labels 9 Tunnel restriction code (-) ÷ RID Ш Packing group 2 **Classification Code** M6 ÷ Hazard Identification Number : 90 Labels 9 2 IMDG Packing group : Ш Labels 2 9 F-A, S-F EmS Code 1

IATA (Cargo)



Vers 2.2	sion	Revision Date: 14.09.2021		int Date .09.2021	Date of last issue: 25.11.2020 Date of first issue: 15.11.2019
	aircraft		:		
		g instruction (LQ) g group	:	Y964 III	
	Labels	9 9 0 0 P	:	Miscellaneous	
		Passenger) g instruction (passen- craft)	:	964	
	Packin	g instruction (LQ)	:	Y964	
		g group	:		
	Labels		-	Miscellaneous	
14.5	5 Enviro	nmental hazards			
	<b>ADR</b> Enviror	nmentally hazardous	:	yes	
	<b>RID</b> Enviror	nmentally hazardous	:	yes	
	<b>IMDG</b> Marine	pollutant	:	yes	
		Passenger) nmentally hazardous	:	yes	
	<b>IATA (</b> Enviror	Cargo) Imentally hazardous	:	yes	

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

preparations and articles (Annex XVII)

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered:

Number on list 3



DisboPOX W 5022 WHG Comp. A						
Version 2.2	Revision Date: 14.09.2021	Print Date 23.09.2021	Date of last issue: 25.11.2020 Date of first issue: 15.11.2019			
	REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemica safety assessment has to be gener ated.					
pean contro	Seveso III: Directive 2012/18/EU of the Euro- E2 ENVIRONMENTAL HAZARDS pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.					
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS						
Volati	le organic compounds	: < 1 g/l				
		Directive 2004/42 < 0.1 % < 1 g/l	/EC			
15.2 Chemical Safety Assessment						

A Chemical Safety Assessment is not required for this mixture.

#### **SECTION 16: Other information**

Full text of H-Statements		
H315 H317 H319 H411	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.
<b>Full text of other abbreviatio</b> Aquatic Chronic		Long-term (chronic) aquatic hazard
Eye Irrit. Skin Irrit. Skin Sens.	:	Eye irritation Skin irritation Skin sensitization

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Coid for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Anitime Organization; ISHL -



Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
2.2	14.09.2021	23.09.2021	Date of first issue: 15.11.2019

Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; and Chemical Substance; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substances; IUCSI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; SCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

#### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

#### Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

<b>Classification of the</b>	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Version	Revision Date:	Print Date	Date of last issue: 25.11.2020
2.2	14.09.2021	23.09.2021	Date of first issue: 15.11.2019

#### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

GB / EN