

Version	Revision Date:	Print Date	Date of last issue: 17.04.2020
1.1	02.12.2020	24.09.2021	Date of first issue: 17.04.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	: Akkordspachtel SXL			
1.2 Relevant identified uses of th	e substance or mixture and uses advised against			
Use of the Sub- stance/Mixture	: Water-borne coatings			
Recommended restrictions on use	: within adequate application - none			
1.3 Details of the supplier of the	safety data sheet			
Company	: Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt			
Telephone	: +496154710			
Telefax	: +4961547170222			
E-mail address Responsi- ble/issuing person	: msds@dr-rmi.com			
1.4 Emergency telephone number	r			
Emergency telephone num- ber 1	: +49613284463 GBK GmbH			
SECTION 2: Hazards identification 2.1 Classification of the substance or mixture				
Classification (REGULATION Skin sensitisation, Category 1				
2.2 Label elements				
Labelling (REGULATION (EC	1) No 1272/2008)			
Hazard pictograms	, NO 1212/2000)			
Tiazaru piciograms				
Signal word :	Warning			
Hazard statements :	H317 May cause an allergic skin reaction.			
	1 / 14			



Version	Revision Date:	Print Date 24.09.2021	Date of last issue: 17.04.2020
1.1	02.12.2020		Date of first issue: 17.04.2020
Preca	utionary statements	. P101 If medi	cal advice is needed, have product container or

label at hand. P102 Keep out of reach of children.

#### **Prevention:**

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/ eye protection.

#### **Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

#### Hazardous components which must be listed on the label:

1,2-benzisothiazol-3(2H)-one

2-methylisothiazol-3(2H)-one

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

.

#### Components

Components			
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,0025 - < 0,025
2-methylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314	>= 0,0025 - < 0,025



Version	Revision Date:	Print Date	Date of last issue: 17.04.2020	
1.1	02.12.2020	24.09.2021	Date of first issue: 17.04.2020	
			Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

# 4.2 Most important symptoms and effects, both acute and delayed

None known.

## **4.3 Indication of any immediate medical attention and special treatment needed** Treatment : No information available.



VersionRevision Date:Print DateDate of last issue: 17.04.20201.102.12.202024.09.2021Date of first issue: 17.04.2020					
---------------------------------------------------------------------------------------------------------------------	--	--	--	--	--

## **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir-
		cumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	In case of fire hazardous decomposition products may be produced such as:
		Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires.

The product itself does not burn.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	<ul> <li>Use protective shoes or boots with rough rubber sole.</li> <li>Material can create slippery conditions.</li> <li>Do not get in eyes, on skin, or on clothing.</li> </ul>
6.2 Environmental precautions	

Environmental precautions	<ul> <li>Prevent further leakage or spillage if saf If the product contaminates rivers and la</li> </ul>	
	respective authorities. Do not flush into surface water or sanita	ry sewer system.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).



Version	Revision Date:	Print Date	Date of last issue: 17.04.2020
1.1	02.12.2020	24.09.2021	Date of first issue: 17.04.2020

## 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. ,For personal protection see section 8.,For disposal considerations see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

:	For personal protection see section 8. No special technical protective measures required.	
	In addition, the current technical information for this product and its application on www.caparol.com must be observed.	
:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product.	
ncl	uding any incompatibilities	
:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care fully resealed and kept upright to prevent leakage.	
1	: cl	

Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.

## Storage class (TRGS 510) : 12, Non Combustible Liquids

#### 7.3 Specific end use(s)

7.2

Specific use(s) : This information is not available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

Personal protective equip	ment	
Eye protection	:	German trade association rules - BGR 192 Eye protection
		Goggles
Hand protection		
Material	:	Nitrile rubber
Glove thickness	:	0,2 mm
Protective index	:	Class 3



#### **Akkordspachtel SXL** Date of last issue: 17.04.2020 Version **Revision Date:** Print Date 1.1 Date of first issue: 17.04.2020 02.12.2020 24.09.2021 Remarks Before removing gloves clean them with soap and water. 2 Wear suitable gloves tested to EN374. German trade association leaflet: Carry gloves (ZH 1/706) Skin and body protection 2 Safety shoes Long sleeved clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. Skin should be washed after contact. Remove and wash contaminated clothing before re-use. During spray application: impervious clothing Respiratory protection No personal respiratory protective equipment normally ret quired. German trade association rules - BGR 190 Breathing protection During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	Not relevant
рН	:	8 - 9 Concentration: 100 %
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Flash point	:	Not applicable
Evaporation rate	:	Not applicable



Ver 1.1	sion	Revision Date: 02.12.2020		nt Date 09.2021	Date of last issue: 17.04.2020 Date of first issue: 17.04.2020
		explosion limit / Upper ability limit	:	not determined	
		explosion limit / Lower ability limit	:	not determined	
	Vapou	r pressure	:	not determined	
	Relativ	e vapour density	:	not determined	
	Relativ	e density	:	not determined	
	Density	ý	:	1,8 g/cm3	
	Solubil Wa	ity(ies) ter solubility	:	completely misci	ble
	Partitio octano	n coefficient: n- I/water	:	not determined	
	Auto-ig	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	Viscos Visc	ity cosity, dynamic	:	No data available	9
	Explos	ive properties	:	Not applicable	
	Oxidizi	ng properties	:	Not applicable	
9.2		nformation ability (liquids)	:	The product is no	ot flammable.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

#### 10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.



	e of last issue: 17.04.2020 e of first issue: 17.04.2020
--	-------------------------------------------------------------

#### 10.5 Incompatible materials

Materials to avoid

: Incompatible with acids and bases. Incompatible with oxidizing agents.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Product:	
	Remarks: Based on available data, the classification criteria are not met.
Acute inhalation toxicity :	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity :	Remarks: Based on available data, the classification criteria are not met.
Components:	
1,2-benzisothiazol-3(2H)-one:	
Acute oral toxicity :	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity :	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity :	LD50 (Rat): > 2.000 mg/kg
2-methylisothiazol-3(2H)-one:	
Acute oral toxicity :	LD50 (Rat): 120 mg/kg
Acute inhalation toxicity :	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Skin corrosion/irritation	
Product:	

Remarks

: According to the classification criteria of the European Union,



	-			
/ersion I.1	Revision Date: 02.12.2020		int Date .09.2021	Date of last issue: 17.04.2020 Date of first issue: 17.04.2020
			the product is	not considered as being a skin irritant.
Seriou	s eye damage/eye irri	tati	on	
Produc	<u>ct:</u>			
Remar	ks	:		he classification criteria of the European Union, not considered as being an eye irritant.
Respir	atory or skin sensitis	atic	on	
<u>Produ</u>	<u>ct:</u>			
Remar	ks	:	Causes sensit	tisation.
SECTION	12: Ecological infor	ma	tion	
2.1 Toxici	tv			
	-			
Produc Toxicity	y to fish	:	Remarks: No	data available
Toxicity	y to daphnia and other invertebrates	:	Remarks: No	data available
Compo	onents:			
1,2-bei	nzisothiazol-3(2H)-on	e:		
	y to fish	:	Exposure time	nynchus mykiss (rainbow trout)): 2,2 mg/l e: 96 h D Test Guideline 203
	y to daphnia and other invertebrates	:	Exposure time	ia (water flea)): 3,27 mg/l e: 48 h D Test Guideline 202
Toxicit <u>y</u> plants	y to algae/aquatic	:	Exposure time	astrum capricornutum (green algae)): 0,11 mg/l e: 72 h D Test Guideline 201
M-Fact icity)	or (Acute aquatic tox-	:	1	
M-Fact toxicity	or (Chronic aquatic )	:	1	
2-meth	ylisothiazol-3(2H)-on	e:		



#### **Akkordspachtel SXL** Version **Revision Date:** Print Date Date of last issue: 17.04.2020 Date of first issue: 17.04.2020 1.1 02.12.2020 24.09.2021 icity) M-Factor (Chronic aquatic : 1 toxicity) 12.2 Persistence and degradability No data available 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment Product: This substance/mixture contains no components considered Assessment : to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.. 12.6 Other adverse effects Product: Additional ecological infor-An environmental hazard cannot be excluded in the event of : mation unprofessional handling or disposal. **SECTION 13: Disposal considerations 13.1 Waste treatment methods** Product : . Waste should not be disposed of via wastewater. Contaminated packaging Only completely emptied containers should be given for recy-: cling.

Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

## **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good



Version	Revision Date:	Print Date	Date of last issue: 17.04.2020
1.1	02.12.2020	24.09.2021	Date of first issue: 17.04.2020

## 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

# 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
REACH - List of substances subject to authorisation (Annex XIV)	: None
Seveso III: Directive 2012/18/EU of the European Parlian major-accident hazards involving dangerous substances. Not applicable	
Water contaminating class : 1 slightly water e (Germany) Classification accordin	endangering g to AwSV, Annex 1 (5.2)
Product code for laquers and : M-DF01 Water-based paints / Giscode	paints, solvent-free



Version 1.1	Revision Date: 02.12.2020	Print Date 24.09.2021	Date of last issue: 17.04.2020 Date of first issue: 17.04.2020
		: BSW20 Coating	materials, water-based
Volati	ile organic compounds	: Directive 2004/4 < 0.1 % < 1 g/l	2/EC

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

## **SECTION 16: Other information**

#### Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H311	: Toxic in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. :	Acute toxicity
	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Eye Dam. :	Serious eye damage
Skin Corr. :	Skin corrosion
Skin Irrit. :	Skin irritation
Skin Sens. :	Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - International Maritime Dangerous Goods; IMO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Cuceting and Deventory of Chemicals Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; (IQSA - Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous



Version	Revision Date:	Print Date	Date of last issue: 17.04.2020
1.1	02.12.2020	24.09.2021	Date of first issue: 17.04.2020

Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB -Very Persistent and Very Bioaccumulative

#### Further information

#### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

#### Sources of key data used to compile the Safety Data Sheet:

H317

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

#### **Classification of the mixture:**

Skin Sens. 1

**Classification procedure:** 

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.



1.1         02.12.2020         24.09.2021         Date of first issue: 17.04.2020	Version 1.1	Revision Date: 02.12.2020	Print Date 24.09.2021	Date of last issue: 17.04.2020 Date of first issue: 17.04.2020	
-----------------------------------------------------------------------------------	----------------	------------------------------	-----------------------	-------------------------------------------------------------------	--

DE / EN