Page 1/9

DÖRKEN

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2022

1.1 Product identifier

Trade name: CWS WERTLACK® Satidur AquaPU

Version number 04-01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Revision: 04.03.2022

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Coating agent Uses advised against This product is not suitable for uses other than those specified in the "Use of the substance/mixture". If your particular manner of use is not listed, please contact the creator of this safety data sheet. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Dörken Coatings GmbH & Co. KG Wetterstr. 58 58313 Herdecke Germany www.doerkencoatings.de Phone: +49 2330 63 243 Fax: +49 2330 63 100 243 Further information obtainable from: msds.coatings@doerken.de 1.4 Emergency telephone number: Australia: 61-290372994 United Kingdom: 44-870-8200418 and 44-2038073798 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void **Precautionary statements** P280 Wear protective gloves. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Additional information: EUH208 Contains mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one, 2,4,7,9-tetramethyldec-5-yne-4,7-diol, 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. (Contd. on page 2) - DE/EN



according to 1907/2006/EC, Article 31

Printing date 04.03.2022

Version number 04-01

Revision: 04.03.2022

(Contd. of page 1)

Trade name: CWS WERTLACK® Satidur AquaPU

2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

- J		
CAS: 13463-67-7	Titanium dioxide	10-25%
EINECS: 236-675-5	Carc. 2, H351	
Reg.nr.: 01-2119489379-17-xxxx		
CAS: 34590-94-8	Dipropylene glycol monomethyl ether	<2.5%
EINECS: 252-104-2	substance with a Community workplace exposure limit	
Reg.nr.: 01-2119450011-60-xxxx		
Additional information: For the	wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In all cases of doubt, or when symptoms persist, seek medical advice.

Soiled, soaked clothes immediately take off.

Never give anything by mouth to an unconscious person.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash with plenty of soap and water.

In case of skin reactions consult a physician. Do not scratch.

After eye contact:

Remove contact lenses. Keep eye lids open and rinse plentifully for at least 10 minutes with clean running water. Subsequently consult an ophthalmologist.

In case of troubles or persistent symptoms, consult an opthalmologist.

After swallowing:

Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

(Contd. on page 3)

DE/EN

according to 1907/2006/EC, Article 31

Printing date 04.03.2022

Version number 04-01

Revision: 04.03.2022

(Contd. of page 2)

DÖRKEN

Trade name: CWS WERTLACK® Satidur AquaPU

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

Extinguishing powder, foam, carbon dioxide.

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Fire will produce dangerous decomposition products like dense, black smoke, carbon dioxide (CO₂), carbon monoxide (CO) and nitrogen oxides (NOx). Inhalation may cause serious health damage. Under certain fire conditions, traces of other toxic gases cannot be excluded.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Avoid contact with skin and eyes.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Keep contaminated washing water and dispose of appropriately.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid prolonged, intensive skin contact and contact with the eyes.

Avoid the handling of incompatible substances and mixtures. Incompatible substances: see section 10.5

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 04.03.2022

Version number 04-01

Revision: 04.03.2022

DÖRKEN

Trade name: CWS WERTLACK® Satidur AquaPU

		(Contd. of page 3)			
7.2 Conditions	for safe storage, including any incompatibilities				
Storage:					
-	o be met by storerooms and receptacles:				
	can be contained, e.g. in sump pallets. st, heat and direct sunlight. Keep tightly closed, cool and dry.				
	but storage in one common storage facility:				
	r common storage in accordance with TRGS 510 - "Storage of hazardous su	bstances in			
transportable co					
Store away from					
	ation about storage conditions: None.				
Storage class:	12				
7.3 Specific en	d use(s) No further relevant information available.				
SECTION 8:	Exposure controls/personal protection				
8.1 Control par					
	mation about design of technical facilities:				
v	entilation. This can be achieved by local exhaustion or general exhaust air.				
-	h limit values that require monitoring at the workplace:				
57-55-6 Propyle					
· · · · · · · · · · · · · · · · · · ·	als Dampf und Aerosol;vgl.Abschn.Ilb und Xc				
34590-94-8 Dipropylene glycol monomethyl ether					
AGW (Germany) Long-term value: 310 mg/m³, 50 ppm 1(I);DFG, EU, 11				
IOELV (EU)	Long-term value: 308 mg/m³, 50 ppm Skin				
Regulatory info					
AGW (Germany					
	IOELV (EU): (EU) 2019/1831				
	Additional information: The lists valid during the making were used as basis.				
-	ontrols Provide good ventilation and/or an exhaust system in the work area.				
	tive and hygienic measures:				
	fore breaks and at the end of work.				
	th the eyes and skin.				
	ove all soiled and contaminated clothing				
	, smoke or sniff while working.				
Use skin protect	ion cream for skin protection.				
Respiratory pro					
	thing protection with splashing medium.				
Use combination	n filter type A(-P2) according to EN 141.	(Contd. on page 5)			

according to 1907/2006/EC, Article 31

Printing date 04.03.2022

Version number 04-01

Revision: 04.03.2022

DÖRKEN

Trade name: CWS WERTLACK® Satidur AquaPU

(Contd. of page 4)

Protection of hands: Not required.

Material of gloves

Nitrile rubber

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Wear protective goggles to protect against splashing. Professional Cooperative Rules - BGR 192 Use of eye and face protection

Body protection: Impervious protective clothing

General Information	and chemical properties	
Appearance:		
Form:	Fluid	
Colour:	Different according to colouring	
Odour:	Weak after glycol ethers	
Odour threshold:	For mixtures not applicable.	
pH-value at 20 °C:	7.5-9	
Change in condition Melting point/Freezing point: Initial boiling point and boiling ra	Not security-related. ange: 100 °C (H₂O)	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	Not applicable.	
Decomposition temperature:	For mixtures not applicable.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:	Not determined.	

DE/EN -



according to 1907/2006/EC, Article 31

Printing date 04.03.2022

Version number 04-01

Revision: 04.03.2022

Trade name: CWS WERTLACK® Satidur AquaPU

	(Contd. of page
Upper:	Not determined.
Oxidising properties	In its condition as supplied, the product is neither flammable nor oxidising.
Vapour pressure at 20 °C:	23 hPa (H₂O)
Density at 20 °C:	1.02-1.29 g/cm ³
Vapour density	Not applicable.
Evaporation rate	For mixtures not applicable.
Solubility in / Miscibility with	
water:	Miscible / waterdilutable.
polar solvents:	Partly miscible.
non-polar solvents:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	For mixtures not applicable.
Viscosity:	Not security-related.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions are known.

No further relevant information available.

10.2 Chemical stability Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known.

No dangerous reactions are known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products:

In case of fire arise: smoke and carbon oxides. Under certain fire conditions tracks of other toxic products can not be excluded.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

The quoted data are literature values and/or manufacturer/supplier data.

Specific symptoms in biological assay:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 04.03.2022

Version number 04-01

Revision: 04.03.2022

DÖRKEN

Trade name: CWS WERTLACK® Satidur AquaPU

(Contd. of page 6)

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

The product is not classified as carcinogenic, mutagenic or toxic to reproduction (CMR properties). Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard

The mixture contains no or only small amounts of materials which are classified as an aspiration hazard. It can therefore be assumed that the mixture is not an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: There are no statements/information available of the preparation.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

This product does not contain relevant substances that have been assessed as persistent, bioaccumulative and toxic (PBT) or as very persistent and very bioaccumulative (vPvB). **PBT:** Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

(Contd. on page 8)

- DE/EN -

Page 8/9



according to 1907/2006/EC, Article 31

Printing date 04.03.2022

Version number 04-01

Revision: 04.03.2022

(Contd. of page 7)

DÖRKEN

Trade name: CWS WERTLACK® Satidur AquaPU

HP7 Carcinogenic

SECTION 14: Transport information				
14.1 UN-Number				
ADR, ADN, IMDG, IATA	Void			
14.2 UN proper shipping name				
ADR, ADN, IMDG, IATA	Void			
14.3 Transport hazard class(es)				
ADR, ADN, IMDG, IATA				
Class	Void			
14.4 Packing group				
ADR, IMDG, IATA	Void			
14.5 Environmental hazards:	Not applicable.			
14.6 Special precautions for user	Not applicable.			
14.7 Transport in bulk according to Ann	ex II of			
Marpol and the IBC Code	Not applicable.			
UN "Model Regulation":	Void			

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

(Contd. on page 9)

according to 1907/2006/EC, Article 31

Printing date 04.03.2022

Version number 04-01

Revision: 04.03.2022

(Contd. of page 8)

DÖRKEN

Trade name: CWS WERTLACK® Satidur AquaPU

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Observe employment restrictions concerning young persons.

Observe employment restrictions for expectant or nursing mothers.

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Labelling according to Regulation (EC) No 2004/42

VOC limit according to 2004/42/EC for category d (WB) and maximum VOC content: see lid.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The given conditions of work of the user extract themselves from our knowledge and control. The product/the preparation may be used without written permission for no other use, than the mentioned intended purpose. The user is responsible for the observance of all necessary legal instructions.

This Safety Data Sheet replaces all previous versions. With the newest version in each case, the preceding Safety Data Sheets are set out of strength.

For further information please consult the "Technical Data Sheet". Misuse may cause damage to health and environment.

Labelling according to regulation (EC) No 528/2012 Additional information:

Contains protective agent for products in storage.

Contains mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one, 2,4,7,9-tetramethyldec-5-yne-4,7-diol, 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Safety data sheet available on request.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Relevant phrases

H351 Suspected of causing cancer.

Abbreviations and acronyms:

Carc. 2: Carcinogenicity – Category 2

* Data compared to the previous version altered.

DE/EN -