This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: ContiPur Satin Klarlack

Article number: 024640360000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product categories [PC]: PC9 - Coatings and paints, fillers, putties, thinners

Sector of uses [SU]: SU19 - Building and construction work

1.3. Details of the supplier of the safety data sheet

Supplier: conti coatings GmbH

Feldstrasse 55

D - 46149 Oberhausen Telefon: +49 208/ 9948-0 Telefax: +49 208/ 650625 www.conticoatings.com

E-mail address sds.ob@kluthe.com

1.4. Emergency telephone number

Emergency Telephone: +49 177 / 214 4737 (24 h)

Emergency Telephone - §45 - (EC)1272/2008					
Europe	112				
Austria	+43 1 406 43 43 (Giftinformationszentrale)				

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Hazard statements:

EUH208 - Contains 1,2-Benzisothiazol-3(2H)-one, 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone May produce an allergic reaction.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

3.2 Mixtures

Chemical name	CAS No	EC No	REACH registration number	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Weight-%
Diethylene glycol monomethyl ether	111-77-3	203-906-6	01-2119475100-52	Repr. 2 (H361d)	1 - < 3
1,2-Benzisothiazol-3(2H)-one	2634-33-5	220-120-9	01-2120761540-60	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Eye Dam. 1 (H318) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	0.01 - < 0.05
Zinc pyrithione	13463-41-7	236-671-3	01-2119511196-46	Acute Tox. 3 (H301) Eye Dam. 1 (H318) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	0.005 - < 0.01
5-Chloro-2-methyl-3(2H)-isothi azolone, mixture with 2-methyl-3(2H)-isothiazolone	55965-84-9	-	01-2120764691-48	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Skin Corr. 1B (H314) Skin Sens. 1A (H317) Eye Dam. 1 (H318) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	0.001 - < 0.005

Chemical name	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
1,2-Benzisothiazol-3(2H)-one 2634-33-5	Skin Sens. 1 :: C>=0.05%			
Zinc pyrithione 13463-41-7		100	10	
5-Chloro-2-methyl-3(2H)-isothiazolon e, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1A :: C>=0.0015%	100	100	

Acute Toxicity Estimate:

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50	Dermal LD50		Inhalation LC50 - 4 hour - vapor - mg/L	
Diethylene glycol monomethyl	4088	9404	No data available	No data available	No data available

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

ether 111-77-3					
1,2-Benzisothiazol-3(2H)-one 2634-33-5	490	No data available	0.0501	0.501	No data available
Zinc pyrithione 13463-41-7	177	100	0.0501	3	No data available
5-Chloro-2-methyl-3(2H)-isothi azolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	457	660	0.0501	0.501	No data available

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Remove to fresh air.

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a physician.

Skin contact: Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

Ingestion: Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians: Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire: CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media: Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical:

No information available.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters:

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Ensure adequate ventilation.

For emergency responders: Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions: See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards: Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections: See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Advice on safe handling: Ensure adequate ventilation.

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions: Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Other information: No information available.

SECTION 8: Exposure controls/personal protection

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

8.1. Control parameters

Exposure Limits:

Chemical name	European Union	Germany	Netherlands	Spain	United Kingdom	Hungary
Diethylene glycol monomethyl ether 111-77-3	TWA: 10 ppm TWA: 50.1 mg/m³ *	TWA: 10 ppm TWA: 50 mg/m³ H*	TWA: 45 mg/m³ H*	TWA: 10 ppm TWA: 50.1 mg/m³ vía dérmica*		TWA: 50.1 mg/m ³

Chemical name	France	Italy	Portugal	Finland	Denmark	Czech Republic
Diethylene glycol	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	TWA: 50 mg/m ³
monomethyl ether	TWA: 50.1 mg/m ³	TWA: 50.1 mg/m ³	TWA: 50.1 mg/m ³	TWA: 50 mg/m ³	TWA: 50 mg/m ³	Ceiling: 100
111-77-3	*	pelle*	P*	iho*	H*	mg/m³
						D*

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
Diethylene glycol monomethyl ether 111-77-3	TWA: 10 ppm TWA: 50.1 mg/m³ H*		TWA: 50 mg/m ³	TWA: 10 ppm TWA: 50 mg/m³ STEL: 15 ppm STEL: 75 mg/m³ H*	TWA: 10 ppm TWA: 50.1 mg/m³ STEL: 30 ppm STEL: 150.3 mg/m³ Sk*	
5-Chloro-2-methyl-3(2H)-i sothiazolone, mixture with 2-methyl-3(2H)-isothiazolo ne 55965-84-9	ŭ					

Biological occupational exposure limits:

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL):

component information:

Worker - inhalative:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Diethylene glycol monomethyl ether	50.1 mg/m³			
1,2-Benzisothiazol-3(2H)-one	6.81 mg/m ³			
5-Chloro-2-methyl-3(2H)-isoth iazolone, mixture with 2-methyl-3(2H)-isothiazolone	0.02 mg/m ³		0.02 mg/m ³	0.04 mg/m³

Worker - dermal:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Diethylene glycol monomethyl	2.22 mg/kg			
ether				
1,2-Benzisothiazol-3(2H)-one	966 mg/kg bw/day			
Zinc pyrithione	0.01 mg/kg bw/day			

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

Consumer - inhalative:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Diethylene glycol monomethyl	30.1 mg/m ³			
ether	-			
1,2-Benzisothiazol-3(2H)-one	1.2 mg/m ³			
5-Chloro-2-methyl-3(2H)-isoth			0.02 mg/m ³	0.04 mg/m ³
iazolone, mixture with			_	_
2-methyl-3(2H)-isothiazolone				

Consumer - dermal:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Diethylene glycol monomethyl	1.33 mg/kg			
ether				
1,2-Benzisothiazol-3(2H)-one	345 mg/kg bw/day			

consumer - oral:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Diethylene glycol monomethyl	7.5 mg/kg			
ether				
5-Chloro-2-methyl-3(2H)-isoth	0.09 mg/kg bw/day	0.11 mg/kg bw/day		
iazolone, mixture with				
2-methyl-3(2H)-isothiazolone				

Predicted No Effect Concentration (PNEC):

component information:

Chemical name	Diethylene glycol monomethyl ether		
Freshwater	12 mg/L		
Marine water	1.2 mg/L		
Intermittent release	12 mg/L		
Impact on Sewage Treatment	10 g/L		
Freshwater sediment	44.4 mg/kg		
Marine sediment	0.44 mg/kg		
Soil	2.1 mg/kg		

Chemical name	1,2-Benzisothiazol-3(2H)-one
Freshwater	4.03 μg/L
Marine water	0.403 μg/L
Intermittent release	1.1 μg/L
Freshwater sediment	0.0499 mg/kg dry weight
Marine sediment	0.00499 mg/kg dry weight
Soil	0.0471 mg/kg

Chemical name	Zinc pyrithione
Freshwater	0.09 μg/L
Marine water	0.09 μg/L
Freshwater sediment	0.095 mg/kg dry weight

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

Marine sediment	0.095 mg/kg dry weight
Soil	1.02 mg/kg dry weight

Chemical name	5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone
Freshwater	0.00339 mg/L
Marine water	3.39 µg/L
Intermittent release	3.39 µg/L
Freshwater sediment	0.027 mg/kg dry weight
Marine sediment	0.027 mg/kg dry weight
Soil	0.01 mg/kg dry weight

8.2. Exposure controls

Engineering controls: None under normal use conditions.

Personal protective equipment:



Eye/face protection: No special protective equipment required.

PPE - Glove material	Glove thickness	Break through time
NBR (Nitrile rubber)	0.4 mm	>=480 min.

Skin and body protection: No special protective equipment required.

Respiratory protection: No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Recommended Filter Type: Filtering device (full mask or mouthpiec

Environmental exposure controls: No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance dispersion

Color colorless

Odor characteristic

Conditions Method Remarks

Melting point / melting range Not established

Boiling point / boiling range > 107 °C

Flammability Not established

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

Decomposition temperature not relevant

Flash point None known

Autoignition temperature None known

Lower explosive limit not relevant

Upper explosion limit not relevant

Vapor pressure Not established

Density ~ 1.0533 g/cm³ 20 °C

Water solubility Miscible

pH 8 - 8.5 20 °C

pH (as aqueous solution)

Not established

Partition coefficient Not established

Kinematic viscosity

None known

Odor threshold Not established

Relative density

Not established

Evaporation rate Not established

Relative vapor density no data available Particle Size no data available Particle Size Distribution no data available

9.2. Other information

Bulk density:no data availableSoftening pointNo information availableMolecular weightNo information available

9.2.1. Information with regard to physical hazard classes:

Explosive properties No data available Oxidizing properties No data available

9.2.2. Other safety characteristics: No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity: No information available.

10.2. Chemical stability

Stability: Stable under normal conditions.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

Explosion data:

Sensitivity to mechanical impact: None. Sensitivity to static discharge: None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: None under normal processing.

10.4. Conditions to avoid

Conditions to avoid: None known based on information supplied.

10.5. Incompatible materials

Incompatible materials: None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products: None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure:

Product Information: The product has not been tested

Inhalation: Specific test data for the substance or mixture is not available.

Eye contact: Specific test data for the substance or mixture is not available.

Skin contact: Specific test data for the substance or mixture is not available.

Ingestion: Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics:

Symptoms: No information available.

Numerical measures of toxicity:

Acute toxicity: No information available

Component Information:

Chemical name	Parameter	Species	effektive Dosis	Method
Diethylene glycol monomethyl ether 111-77-3	Oral LD50	Rat	4 mL/kg	
1,2-Benzisothiazol-3(2H)-one 2634-33-5	Oral LD50	Rat	490 mg/kg	
Zinc pyrithione 13463-41-7	Oral LD50	Rat	177 mg/kg	

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

Chemical name	Parameter	Species	effektive Dosis	Method
5-Chloro-2-methyl-3(2H)-isothiazolon e, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	Oral LD50	Rat	457 mg/kg	

Chemical name	Parameters	Species	Effective dose	Method
Diethylene glycol monomethyl ether 111-77-3	Dermal LD50	Rabbit	9404 mg/kg	
Zinc pyrithione 13463-41-7	Dermal LD50	Rabbit	100 mg/kg	
5-Chloro-2-methyl-3(2H)-isothiazolon e, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	Dermal LD50	Rabbit	660 mg/kg	

Chemical name	Parameters	Species	Effective dose	Exposure time	Method
Diethylene glycol monomethyl	Inhalation LC0	Rat	> 1.2 mg/L	6 h	
ether					
111-77-3					
Zinc pyrithione	Inhalation LC50	Rat	0.05 - 0.5 mg/L	4 h	
13463-41-7			140 mg/m ³		
5-Chloro-2-methyl-3(2H)-isothi	Inhalation LC50	Rat	171 - 2360 mg/m ³	4 h	
azolone, mixture with					
2-methyl-3(2H)-isothiazolone					
55965-84-9					

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Skin corrosion/irritation:

No information available.

Serious eye damage/eye irritation:

No information available.

Respiratory or skin sensitization: No information available.

Germ cell mutagenicity: No information available.

Carcinogenicity: No information available.

Reproductive toxicity:

No information available.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Diethylene glycol monomethyl ether	Repr. 2

STOT - single exposure: No information available.

STOT - repeated exposure: No information available.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

Aspiration hazard: No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No information available.

11.2.2. Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity: The environmental impact of this product has not been fully investigated.

fish toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Diethylene glycol monomethyl ether	LC50	Pimephales promelas	5741 mg/L	96 h	OECD 203
1,2-Benzisothiazol-3(2H)-one	LC50		2.15 mg/L	96 h	
2634-33-5 5-Chloro-2-methyl-3(2H)-isothi azolone, mixture with	LC50	Oncorhynchus mykiss	0.22 mg/L	96 h	OECD 203
2-methyl-3(2H)-isothiazolone 55965-84-9					

toxicity to crustacea:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Diethylene glycol monomethyl	EC50	Daphnia magna	> 500 mg/L	48 h	OECD 202
ether					
111-77-3					
1,2-Benzisothiazol-3(2H)-one	EC50		2.9 mg/L	48 h	
2634-33-5					
5-Chloro-2-methyl-3(2H)-isothi	EC50	Daphnia magna	0.1 mg/L	48 h	OECD 202
azolone, mixture with					
2-methyl-3(2H)-isothiazolone					
55965-84-9					

Algae Toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Diethylene glycol monomethyl ether 111-77-3	EC50	Desmodesmus subspicatus	> 500 mg/L	72 h	OECD 201
1,2-Benzisothiazol-3(2H)-one 2634-33-5	EC50		0.11 mg/L	72 h	
5-Chloro-2-methyl-3(2H)-isothi	EC50	Pseudokirchneriella	0.048 mg/L	72 h	OECD 201

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
azolone, mixture with 2-methyl-3(2H)-isothiazolone		subcapitata			
55965-84-9					

Bacteria toxicity:

Chemical name	Parameters	Species	Effective dose	Exposure time	Method
1,2-Benzisothiazol-3(2H)-one 2634-33-5	EC50		12.8 mg/L	3 h	
5-Chloro-2-methyl-3(2H)-isothi azolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	EC50	activated sludge	7.92 mg/L	3 h	

12.2. Persistence and degradability

Persistence and degradability:

Chemical name	degradation rate	test duration	Rapidly biodegradable	Remarks	Method
Diethylene glycol monomethyl ether 111-77-3	100 %	28 d	Yes		OECD 301B
1,2-Benzisothiazol-3(2H)- one 2634-33-5	100 %	0.04 d	Yes		OECD 307
Zinc pyrithione 13463-41-7	100 %		Yes		
5-Chloro-2-methyl-3(2H)-i sothiazolone, mixture with 2-methyl-3(2H)-isothiazol one 55965-84-9		28 d	Yes		OECD 301

12.3. Bioaccumulative potential

Bioaccumulation:

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Diethylene glycol monomethyl ether 111-77-3	-0.682	2.9
1,2-Benzisothiazol-3(2H)-one 2634-33-5		6.62
Zinc pyrithione 13463-41-7	1.12	1.4
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	< 0.71	3.16

12.4. Mobility in soil

Mobility in soil: No information available.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

Mobility: No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment:

Chemical name	PBT and vPvB assessment
Diethylene glycol monomethyl ether 111-77-3	The substance is not PBT / vPvB PBT assessment does not apply
1,2-Benzisothiazol-3(2H)-one 2634-33-5	The substance is not PBT / vPvB
Zinc pyrithione 13463-41-7	The substance is not PBT / vPvB
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties.

No information available.

12.7. Other adverse effects.

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products:

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging: Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV: 08 01 12 (waste paint and varnish other than those mentioned in 08 01 11)

SECTION 14: Transport information

14.1. UN number

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated

14.2 UN proper shipping name

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated

14.3. Transport hazard class(es)

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated

14.4. Packing group

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated

14.5. Environmental hazards

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated Not regulated

14.6. Special precautions for user

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

• This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Substance subject to authorization per REACH Annex XIV	Restricted substance per REACH Annex XVII
Diethylene glycol monomethyl ether		54.
111-77-3		75.
1,2-Benzisothiazol-3(2H)-one		75.
2634-33-5		
Zinc pyrithione		75.
13463-41-7		
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture		3
with 2-methyl-3(2H)-isothiazolone		
55965-84-9		

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

Persistent Organic Pollutants: Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009: Not applicable

volatile organic compounds (VOC) content:

Not applicable

acc. reg. 2010/75/EG: 5.5 % acc. reg. 2004/42/EG (Decopaint): ~ 34 g/L

National regulations:

Denmark:

Chemical name	Denmark - MAL
1,2-Benzisothiazol-3(2H)-one	0 m3/10 g substance MAL factor
2634-33-5	>=1.0 % by weight [3]
Zinc pyrithione	0 m3/10 g substance MAL factor
13463-41-7	>=1 % by weight [3]

Germany:

Water hazard class (WGK): slightly hazardous to water (WGK 1) - Classification according to AwSV

Chemical name	WGK Classification (AwSV)	ID number
Diethylene glycol monomethyl ether 111-77-3	1	746
1,2-Benzisothiazol-3(2H)-one 2634-33-5	2	5141
Zinc pyrithione 13463-41-7	3	7636
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	3	2959

TA Luft (German Air Pollution Control Regulation):

org. substances (Ziffer 5.2.5): < 5% org. subst. (digit 5.2.5) class I: < 5%

Storage class (TRGS 510): 12 • LGK12 - Non-combustible liquids

France:

Occupational Illnesses (R-463-3, France):

Chemical name	French RG number
Diethylene glycol monomethyl ether 111-77-3	RG 84
1,2-Benzisothiazol-3(2H)-one 2634-33-5	RG 65

RG 65 - Allergic eczema

RG 84 - Occupational conditions caused by liquid organic solvents

Netherlands:

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins	ZZS list: SVHC	(p)ZZS list: potential SVHC
Diethylene glycol monomethyl			Development		
ether			Category 1B		
111-77-3					

Austria:

Flammable Liquids Regulations, VbF: Not regulated

Switzerland:

VOC content:: acc. VOCV CH 814.018, att. 1: 0 %

International Inventories:

TSCA Does not comply DSL/NDSL Does not comply **EINECS/ELINCS** Does not comply **ENCS** Does not comply **IECSC** Does not comply KECL Does not comply **PICCS** Does not comply AICS Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report: No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet:

Full text of H-Statements referred to under section 3:

EUH071 - Corrosive to the respiratory tract

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H331 - Toxic if inhaled

H361d - Suspected of damaging the unborn child

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Legend

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

ADR: European agreement concerning the international carriage of dangerous goods by road

(Accord européen relatif transport des merchandises dangereuses par route)

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany)

BCF: Bio-Concentration Factor

BOD(5): Biochemical oxygen demand (within 5 days)

CAS: Chemical Abstract Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic, toxic for Reproduction

DIN: German Standards Institute / German industrial norm

DNEL: Derived No Effect Level

DOC: Dissolved organic carbon

EAK/ AVV: European waste catalogue/ waste directory-regulation

EC50: Effective Concentration 50%

ECHA: European Chemical Agency

EINECS: European Inventory of Existing Commercial Chemical Substances

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

IATA: International Air Transport Association

IC50: Inhibition Concentration 50%

IMDG: International Maritime Dangerous Goods Code

LC50: Lethal Concentration 50% - LD50: Lethal dose 50%

MAK: Treshold limit values Germany

NLP: No Longer Polymers

NOAEC: No Observed Adverse Effect Concentration

NOAEL: No Observed Adverse Effect Level

OECD: Organization for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic

PC: Product category

PNEC: Predicted No Effect Concentration

REACh: Registration, Evaluation and Authorization of Chemicals

RID:Regulations concerning the international carriage of dangerous goods by rail

(Règlement International concernant le transport de marchandises dangereuses par chemin de fer)

STEL: Short-term Exposure Limit STP: Sewage treatment plant

SVHC: Substance of Very High Concern

TLV: Threshold Limit Value TWA: Time Weighted Average

UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent, very bioaccumulative

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ceiling: Maximum limit value

* Skin designation

Classification procedure

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021 Revision Number: 1

ContiPur Satin Klarlack - 024640360000

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS:

European Chemicals Agency (ECHA)

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Revision date: 03-Sep-2021

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006:

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet