

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Revision Number: 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name:** Conti Hausfarbe  
**Article number:** 024960360514  
**UFI:** VURY-K5CX-870P-C9PX  
**Hazard components for labeling:** Contains 1,2-Benzisothiazol-3(2H)-one, 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Product categories [PC]:** PC9 - Coatings and paints, fillers, putties, thinners  
**Sector of uses [SU]:** SU19 - Building and construction work

### 1.3. Details of the supplier of the safety data sheet

**Supplier:** conti coatings GmbH & Co. KG  
Feldstrasse 55  
D - 46149 Oberhausen  
Telefon: +49 208/ 9948-0  
Telefax: +49 208/ 650625  
www.conticoatings.com  
**E-mail address:** sds.ob@conticoatings.com

### 1.4. Emergency telephone number

**Emergency Telephone:** +49 177 / 214 4737 (24 h)

<b>Emergency Telephone - §45 - (EC)1272/2008</b>	
<b>Europe</b>	112
<b>Austria</b>	+43 1 406 43 43 (Giftinformationszentrale)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

<b>Skin sensitization</b>	Category 1A - (H317)
<b>Chronic aquatic toxicity</b>	Category 3 - (H412)

### 2.2. Label elements



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

**Signal word: Warning**

**Hazard components for labeling:**

Contains 1,2-Benzisothiazol-3(2H)-one, 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone

**Hazard statements:**

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

**EU Specific Hazard Statements:**

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

**Precautionary Statements - EU (§28, 1272/2008):**

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves

P501 - Dispose of contents/ container to an approved waste disposal plant

## 2.3. Other hazards

Toxic to aquatic life.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	CAS No	EC No	REACH registration number	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Weight-%
Quartz	14808-60-7	238-878-4	-	[B]	0.1 - < 0.25
Diethylene glycol monobutyl ether	112-34-5	203-961-6	01-2119475104-44	Eye Irrit. 2 (H319)	0.05 - < 0.1
1,2-Benzisothiazol-3(2H)-one	2634-33-5	220-120-9	01-2120761540-60	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Eye Dam. 1 (H318) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	0.01 - < 0.05
Zinc pyrithione	13463-41-7	236-671-3	01-2119511196-46	Acute Tox. 3 (H301) Eye Dam. 1 (H318) Acute Tox. 3 (H331) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	0.01 - < 0.05
Terbutryn	886-50-0	212-950-5	-	Acute Tox. 4 (H302) Skin Sens. 1B (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1	0.005 - < 0.01

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

				(H410)	
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone	55965-84-9	-	01-2120764691-48	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Skin Corr. 1B (H314) Skin Sens. 1A (H317) Eye Dam. 1 (H318) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH071)	0.001 - < 0.005

[B] - Substance with a Community workplace exposure limit

Chemical name	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
1,2-Benzisothiazol-3(2H)-one 2634-33-5	Skin Sens. 1 :: C>=0.05%			
Zinc pyrithione 13463-41-7		100	10	
Terbutryn 886-50-0		100	100	
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1A :: C>=0.0015%	100	100	

## Acute Toxicity Estimate:

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE<sub>mix</sub>) for classifying a mixture based on its components

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Diethylene glycol monobutyl ether 112-34-5	2410	2764	No data available	No data available	No data available
1,2-Benzisothiazol-3(2H)-one 2634-33-5	490	No data available	0.0501	0.501	No data available
Zinc pyrithione 13463-41-7	177	100	0.0501	3	No data available
Terbutryn 886-50-0	500	10210.2	9	No data available	No data available
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	457	660	0.0501	0.501	No data available

Full text of H- and EUH-phrases: see section 16

## SECTION 4: First aid measures

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

## 4.1. Description of first aid measures

General advice:	Show this safety data sheet to the doctor in attendance.
Inhalation:	Remove to fresh air.
Eye contact:	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact:	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion:	Rinse mouth.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Itching. Rashes. Hives.

## 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians: May cause sensitization in susceptible persons. Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Large Fire: CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media: Do not scatter spilled material with high pressure water streams.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical: Product is or contains a sensitizer. May cause sensitization by skin contact.

### 5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters: Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

For emergency responders: Use personal protection recommended in Section 8.

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

## 6.2. Environmental precautions

Environmental precautions: See Section 12 for additional Ecological Information.

## 6.3. Methods and material for containment and cleaning up

Methods for containment: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards: Clean contaminated objects and areas thoroughly observing environmental regulations.

## 6.4. Reference to other sections

Reference to other sections: See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling



Advice on safe handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place.

### 7.3. Specific end use(s)

Other information: No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Exposure Limits:

Chemical name	European Union	Germany	Netherlands	Spain	United Kingdom	Hungary
Quartz 14808-60-7	TWA: 0.1 mg/m <sup>3</sup>		TWA: 0.075 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>
Diethylene glycol monobutyl ether 112-34-5	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 67 mg/m <sup>3</sup>	TWA: 50 mg/m <sup>3</sup> STEL: 100 mg/m <sup>3</sup> H*	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup> STEL: 15 ppm	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup> STEL: 15 ppm	TWA: 67.5 mg/m <sup>3</sup> STEL: 101.2 mg/m <sup>3</sup>

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

Chemical name	European Union	Germany	Netherlands	Spain	United Kingdom	Hungary
				STEL: 101.2 mg/m <sup>3</sup>	STEL: 101.2 mg/m <sup>3</sup>	

Chemical name	France	Italy	Portugal	Finland	Denmark	Czech Republic
Quartz 14808-60-7	TWA: 0.1 mg/m <sup>3</sup>		TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
Diethylene glycol monobutyl ether 112-34-5	TWA: 10 ppm TWA: 68 mg/m <sup>3</sup> STEL: 15 ppm STEL: 101.2 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup> STEL: 15 ppm STEL: 101.2 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup> STEL: 15 ppm STEL: 101.2 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 68 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 68 mg/m <sup>3</sup>	TWA: 100 mg/m <sup>3</sup> Ceiling: 100 mg/m <sup>3</sup>

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
Quartz 14808-60-7	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> STEL: 0.9 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>
Diethylene glycol monobutyl ether 112-34-5	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup> STEL 15 ppm STEL 101.2 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 67 mg/m <sup>3</sup> STEL: 15 ppm STEL: 101 mg/m <sup>3</sup>	STEL: 100 mg/m <sup>3</sup> TWA: 67 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 68 mg/m <sup>3</sup> STEL: 15 ppm STEL: 102 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup> STEL: 15 ppm STEL: 101.2 mg/m <sup>3</sup>	MAC: 10 mg/m <sup>3</sup>
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	TWA: 0.05 mg/m <sup>3</sup>					

Biological occupational exposure limits:

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL):

component information:

Worker - inhalative:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Diethylene glycol monobutyl ether	67.5 mg/m <sup>3</sup>		67.5 mg/m <sup>3</sup>	101.2 mg/m <sup>3</sup>
1,2-Benzisothiazol-3(2H)-one	6.81 mg/m <sup>3</sup>			
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone	0.02 mg/m <sup>3</sup>		0.02 mg/m <sup>3</sup>	0.04 mg/m <sup>3</sup>

Worker - dermal:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Diethylene glycol monobutyl ether	83 mg/kg bw/day			
1,2-Benzisothiazol-3(2H)-one	966 mg/kg bw/day			
Zinc pyrithione	0.01 mg/kg bw/day			

Consumer - inhalative:

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Diethylene glycol monobutyl ether	40.5 mg/m <sup>3</sup>		40.5 mg/m <sup>3</sup>	60.7 mg/m <sup>3</sup>
1,2-Benzisothiazol-3(2H)-one	1.2 mg/m <sup>3</sup>			
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone			0.02 mg/m <sup>3</sup>	0.04 mg/m <sup>3</sup>

Consumer - dermal:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Diethylene glycol monobutyl ether	50 mg/kg bw/day			
1,2-Benzisothiazol-3(2H)-one	345 mg/kg bw/day			

consumer - oral:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Diethylene glycol monobutyl ether	5 mg/kg bw/day			
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone	0.09 mg/kg bw/day	0.11 mg/kg bw/day		

Predicted No Effect Concentration (PNEC):

component information:

Chemical name	Diethylene glycol monobutyl ether
Freshwater	1.1 mg/L
Marine water	0.11 mg/L
Intermittent release	3.9 mg/L
Impact on Sewage Treatment	200 mg/L
Freshwater sediment	4.4 mg/kg
Marine sediment	0.44 mg/kg
Soil	0.32 mg/kg
Food chain	56 mg/kg

Chemical name	1,2-Benzisothiazol-3(2H)-one
Freshwater	4.03 µg/L
Marine water	0.403 µg/L
Intermittent release	1.1 µg/L
Freshwater sediment	0.0499 mg/kg dry weight
Marine sediment	0.00499 mg/kg dry weight
Soil	0.0471 mg/kg

Chemical name	Zinc pyrrithione
Freshwater	0.09 µg/L
Marine water	0.09 µg/L
Freshwater sediment	0.095 mg/kg dry weight
Marine sediment	0.095 mg/kg dry weight

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

Soil	1.02 mg/kg dry weight
<b>Chemical name</b>	<b>5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone</b>
Freshwater	0.00339 mg/L
Marine water	3.39 µg/L
Intermittent release	3.39 µg/L
Freshwater sediment	0.027 mg/kg dry weight
Marine sediment	0.027 mg/kg dry weight
Soil	0.01 mg/kg dry weight

## 8.2. Exposure controls

Engineering controls: None under normal use conditions.

Personal protective equipment:



Eye/face protection: Wear safety glasses with side shields (or goggles).

Hand protection: Wear suitable gloves.

PPE - Glove material	Glove thickness	Break through time
NBR (Nitrile rubber)	0.4 mm	>=480 min.

Skin and body protection: Wear suitable protective clothing.

Respiratory protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Recommended Filter Type: Filtering device (full mask or mouthpiec AP-2

Environmental exposure controls: No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance dispersion

Color white

Odor characteristic

	Conditions	Method	Remarks
Melting point / melting range			Not established

Boiling point / boiling range	>	107	°C
-------------------------------	---	-----	----

Flammability			Not established
--------------	--	--	-----------------



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

<b>Decomposition temperature</b>					not relevant
<b>Flash point</b>					Not established
<b>Autoignition temperature</b>					None known
<b>Lower explosive limit</b>					not relevant
<b>Upper explosion limit</b>					not relevant
<b>Vapor pressure</b>					Not established
<b>Density</b>	~	1.330	g/cm <sup>3</sup>	20 °C	
<b>Water solubility</b>					Miscible
<b>pH</b>		8 - 9		20 °C	
<b>pH (as aqueous solution)</b>					Not applicable
<b>Partition coefficient</b>					Not established
<b>Kinematic viscosity</b>					Not applicable
<b>Odor threshold</b>					Not established
<b>Relative density</b>					Not established
<b>Evaporation rate</b>					Not established
<b>Relative vapor density</b>		no data available			
<b>Particle Size</b>		no data available			
<b>Particle Size Distribution</b>		no data available			

## 9.2. Other information

<b>Bulk density:</b>	no data available
<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available

### 9.2.1. Information with regard to physical hazard classes:

Explosive properties	Not an explosive
Oxidizing properties	Not oxidising.

### 9.2.2. Other safety characteristics: No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: No information available.

### 10.2. Chemical stability

Stability: Stable under normal conditions.

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

Explosion data:

Sensitivity to mechanical impact: None.  
Sensitivity to static discharge: None.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: None under normal processing.

## 10.4. Conditions to avoid

Conditions to avoid: None known based on information supplied.

## 10.5. Incompatible materials

Incompatible materials: None known based on information supplied.

## 10.6. Hazardous decomposition products

Hazardous decomposition products: None known based on information supplied.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Information on likely routes of exposure:

Product Information:

Inhalation: Specific test data for the substance or mixture is not available.

Eye contact: Specific test data for the substance or mixture is not available.

Skin contact: May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).

Ingestion: Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics:

Symptoms: Itching. Rashes. Hives.

Numerical measures of toxicity:

Acute toxicity: The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist): 180.00 mg/l

Component Information:

Chemical name	Parameter	Species	effektive Dosis	Method
Diethylene glycol monobutyl ether 112-34-5	Oral LD50	Mouse	2410 mg/kg	OECD 401

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

Chemical name	Parameter	Species	effektive Dosis	Method
1,2-Benzisothiazol-3(2H)-one 2634-33-5	Oral LD50	Rat	490 mg/kg	
Zinc pyrithione 13463-41-7	Oral LD50	Rat	177 mg/kg	
Terbutryn 886-50-0	Oral LD50	Rat	2045 mg/kg	
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	Oral LD50	Rat	457 mg/kg	

Chemical name	Parameters	Species	Effective dose	Method
Diethylene glycol monobutyl ether 112-34-5	Dermal LD50	Rabbit	2764 mg/kg	OECD 402
Zinc pyrithione 13463-41-7	Dermal LD50	Rabbit	100 mg/kg	
Terbutryn 886-50-0	Dermal LD50	Rabbit	> 10200 mg/kg	
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	Dermal LD50	Rabbit	660 mg/kg	

Chemical name	Parameters	Species	Effective dose	Exposure time	Method
Zinc pyrithione 13463-41-7	Inhalation LC50	Rat	0.05 - 0.5 mg/L 140 mg/m <sup>3</sup>	4 h	
Terbutryn 886-50-0	Inhalation LC50	Rat	> 8 g/m <sup>3</sup>	4 h	
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	Inhalation LC50	Rat	171 - 2360 mg/m <sup>3</sup>	4 h	

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Skin corrosion/irritation:	No information available.
Serious eye damage/eye irritation:	No information available.
Respiratory or skin sensitization:	May cause sensitization by skin contact.
Germ cell mutagenicity:	No information available.
Carcinogenicity:	No information available.
Reproductive toxicity:	No information available.
STOT - single exposure:	No information available.
STOT - repeated exposure:	No information available.
Aspiration hazard:	No information available.

## 11.2. Information on other hazards

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

## 11.2.1. Endocrine disrupting properties

## 11.2.2. Other information

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecotoxicity: Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

fish toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Diethylene glycol monobutyl ether 112-34-5	LC50	Lepomis macrochirus	1300 mg/L	96 h	OECD 203
1,2-Benzisothiazol-3(2H)-one 2634-33-5	LC50		2.15 mg/L	96 h	
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	LC50	Oncorhynchus mykiss	0.22 mg/L	96 h	OECD 203

toxicity to crustacea:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Diethylene glycol monobutyl ether 112-34-5	EC50	Daphnia magna	2850 mg/L	48 h	
1,2-Benzisothiazol-3(2H)-one 2634-33-5	EC50		2.9 mg/L	48 h	
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	EC50	Daphnia magna	0.1 mg/L	48 h	OECD 202

Algae Toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Diethylene glycol monobutyl ether 112-34-5	EC50	Desmodesmus subspicatus	> 100 mg/L	96 h	OECD 201
1,2-Benzisothiazol-3(2H)-one 2634-33-5	EC50		0.11 mg/L	72 h	
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	EC50	Pseudokirchneriella subcapitata	0.048 mg/L	72 h	OECD 201

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

Bacteria toxicity:

Chemical name	Parameters	Species	Effective dose	Exposure time	Method
1,2-Benzisothiazol-3(2H)-one 2634-33-5	EC50		12.8 mg/L	3 h	
Terbutryn 886-50-0	EC20	activated sludge	>100 mg/L	3 h	
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	EC50	activated sludge	7.92 mg/L	3 h	

## 12.2. Persistence and degradability

Persistence and degradability:

Chemical name	degradation rate	test duration	Rapidly biodegradable	Remarks	Method
Diethylene glycol monobutyl ether 112-34-5	89-93 %	28 d	Yes	Aerobic biological treatment	
1,2-Benzisothiazol-3(2H)-one 2634-33-5	100 %	0.04 d	Yes		OECD 307
Zinc pyrithione 13463-41-7	100 %		Yes		
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	> 60 %	28 d	Yes		OECD 301

## 12.3. Bioaccumulative potential

Bioaccumulation:

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Diethylene glycol monobutyl ether 112-34-5		99.9
1,2-Benzisothiazol-3(2H)-one 2634-33-5		6.62
Zinc pyrithione 13463-41-7	1.12	1.4
Terbutryn 886-50-0	3.19	103
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	< 0.71	3.16

## 12.4. Mobility in soil

Mobility in soil: No information available.

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

Mobility: No information available.

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment:

Chemical name	PBT and vPvB assessment
Diethylene glycol monobutyl ether 112-34-5	The substance is not PBT / vPvB PBT assessment does not apply
1,2-Benzisothiazol-3(2H)-one 2634-33-5	The substance is not PBT / vPvB
Zinc pyrithione 13463-41-7	The substance is not PBT / vPvB
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	The substance is not PBT / vPvB

## 12.6. Endocrine disrupting properties.

No information available.

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disrupters - Evaluated Substances
Terbutryn 886-50-0	Group III Chemical	-

## 12.7. Other adverse effects.

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste from residues/unused products: Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging: Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV: 08 01 12 (waste paint and varnish other than those mentioned in 08 01 11)

## SECTION 14: Transport information

### 14.1. UN number

ADR: Not regulated  
RID: Not regulated  
IMDG: Not regulated  
IATA: Not regulated

### 14.2 UN proper shipping name

ADR: Not regulated

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

RID: Not regulated  
IMDG: Not regulated  
IATA: Not regulated

## 14.3. Transport hazard class(es)

ADR: Not regulated  
RID: Not regulated  
IMDG: Not regulated  
IATA: Not regulated

## 14.4. Packing group

ADR: Not regulated  
RID: Not regulated  
IMDG: Not regulated  
IATA: Not regulated

## 14.5. Environmental hazards

ADR: Not regulated  
RID: Not regulated  
IMDG: Not regulated  
IATA: Not regulated

## 14.6. Special precautions for user

ADR: Not regulated  
RID: Not regulated  
IMDG: Not regulated  
IATA: Not regulated

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

- This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Substance subject to authorization per REACH Annex XIV	Restricted substance per REACH Annex XVII
Diethylene glycol monobutyl ether		55.
112-34-5		75.
1,2-Benzisothiazol-3(2H)-one		75.

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

2634-33-5		
Zinc pyrithione 13463-41-7		75.
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9		3

Persistent Organic Pollutants: Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009: Not applicable

volatile organic compounds (VOC) content:

acc. reg. 2010/75/EG: 0.1 %

acc. reg. 2004/42/EG (Decopaint): 1 g/L

## National regulations:

Denmark:

Chemical name	Denmark - MAL
Quartz 14808-60-7	0 m3/10 g substance MAL factor 0.1 mg/m <sup>3</sup> Limit Value respirable >=0.1 - 2 % by weight [3] >=1 - 10 % by weight [3] >=10 % by weight [6] >=2 % by weight [6]
Diethylene glycol monobutyl ether 112-34-5	0 m3/10 g substance MAL factor >=10.0 % by weight [3]
1,2-Benzisothiazol-3(2H)-one 2634-33-5	0 m3/10 g substance MAL factor >=1.0 % by weight [3]
Zinc pyrithione 13463-41-7	0 m3/10 g substance MAL factor >=1 % by weight [3]

Germany:

Water hazard class (WGK): obviously hazardous to water (WGK 2) - Classification according to AwSV

Chemical name	WGK Classification (AwSV)	ID number
Quartz 14808-60-7	nwg	849
Diethylene glycol monobutyl ether 112-34-5	1	46
1,2-Benzisothiazol-3(2H)-one 2634-33-5	2	5141
Zinc pyrithione 13463-41-7	3	7636
Terbutryn 886-50-0	2	612
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone 55965-84-9	3	2959

TA Luft (German Air Pollution Control Regulation):

total dust incl. fine dust (digit 5.2.1): 25 - 30%

org. substances (Ziffer 5.2.5): < 5%



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

org. subst. dust (digit 5.2.5): < 5%  
org. subst. (digit 5.2.5) class I: < 5%

Storage class (TRGS 510): 12 • LGK12 - Non-combustible liquids

France:

Occupational Illnesses (R-463-3, France):

Chemical name	French RG number
Quartz 14808-60-7	RG 25
Diethylene glycol monobutyl ether 112-34-5	RG 84
1,2-Benzisothiazol-3(2H)-one 2634-33-5	RG 65

RG 25 - Conditions resulting from inhalation of mineral dusts containing crystalline silica (quartz, cristobalite, tridymite), crystalline silicates (kaolin, talc), graphite, or coal.

RG 65 - Allergic eczema

RG 84 - Occupational conditions caused by liquid organic solvents

Netherlands:

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins	ZZS list: SVHC	(p)ZZS list: potential SVHC
Quartz 14808-60-7	Present X				

Austria:

Flammable Liquids Regulations, VbF: Not regulated

Switzerland:

VOC content:: acc. VOCV CH 814.018, att. 1: 0.1 %

## International Inventories:

TSCA	Does not comply
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

## Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

## 15.2. Chemical safety assessment

Chemical Safety Report: No information available

### SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet:

Full text of H-Statements referred to under section 3:

EUH071 - Corrosive to the respiratory tract  
H301 - Toxic if swallowed  
H302 - Harmful if swallowed  
H310 - Fatal in contact with skin  
H314 - Causes severe skin burns and eye damage  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H319 - Causes serious eye irritation  
H330 - Fatal if inhaled  
H331 - Toxic if inhaled  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects  
H411 - Toxic to aquatic life with long lasting effects

Legend:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
ADR: European agreement concerning the international carriage of dangerous goods by road  
(Accord européen relatif transport des marchandises dangereuses par route)  
AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany)  
BCF: Bio-Concentration Factor  
BOD(5): Biochemical oxygen demand (within 5 days)  
CAS: Chemical Abstract Service  
CLP: Classification, Labelling and Packaging  
CMR: Carcinogenic, Mutagenic, toxic for Reproduction  
DIN: German Standards Institute / German industrial norm  
DNEL: Derived No Effect Level  
DOC: Dissolved organic carbon  
EAK/ AVV: European waste catalogue/ waste directory-regulation  
EC50: Effective Concentration 50%  
ECHA: European Chemical Agency  
EINECS: European Inventory of Existing Commercial Chemical Substances  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
IATA: International Air Transport Association  
IC50: Inhibition Concentration 50%  
IMDG: International Maritime Dangerous Goods Code  
LC50: Lethal Concentration 50% - LD50: Lethal dose 50%  
MAK: Treshold limit values Germany  
NLP: No Longer Polymers

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

NOAEC: No Observed Adverse Effect Concentration  
NOAEL: No Observed Adverse Effect Level  
OECD: Organization for Economic Cooperation and Development  
PBT: persistent, bioaccumulative, toxic  
PC: Product category  
PNEC: Predicted No Effect Concentration  
REACH: Registration, Evaluation and Authorization of Chemicals  
RID: Regulations concerning the international carriage of dangerous goods by rail  
(Règlement International concernant le transport de marchandises dangereuses par chemin de fer)  
STEL: Short-term Exposure Limit  
STP: Sewage treatment plant  
SVHC: Substance of Very High Concern  
TLV: Threshold Limit Value  
TWA: Time Weighted Average  
UN: United Nations  
VOC: Volatile Organic Compounds  
vPvB: very persistent, very bioaccumulative

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ceiling: Maximum limit value

\* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS:

European Chemicals Agency (ECHA)

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGl(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 03-Sep-2021

Conti Hausfarbe - 024960360514

Revision Number: 1

---

NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
RTECS (Registry of Toxic Effects of Chemical Substances)  
World Health Organization

Revision date: 27-Oct-2021

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006:

## Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**