This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 14-Apr-2022 Revision Number: 2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name: Conti Fassadengrund P

Article number: 071060360514

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product categories [PC]: PC9 - Coatings and paints, fillers, putties, thinners

## 1.3. Details of the supplier of the safety data sheet

Supplier: conti coatings GmbH & Co. KG

Feldstrasse 55

D - 46149 Oberhausen Telefon: +49 208/ 9948-0 Telefax: +49 208/ 650625 www.conticoatings.com

E-mail address sds.ob@conticoatings.com

## 1.4. Emergency telephone number

Emergency Telephone: +49 177 / 214 4737 (24 h)

Emergency Telephone - §45 - (EC)1272/2008				
Europe	112			
Austria	+43 1 406 43 43 (Giftinformationszentrale)			

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3. Other hazards

Causes mild skin irritation.

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 14-Apr-2022 Revision Number: 2

Conti Fassadengrund P - 071060360514

Chemical name	CAS No	EC No	REACH registration number	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Weight-%
Quartz	14808-60-7	238-878-4	-	[B]	10 - < 25
Potassium silicate (MR > 2.6)	1312-76-1	215-199-1	01-2119456888-17	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	3 - < 5

[B] - Substance with a Community workplace exposure limit

#### **Acute Toxicity Estimate:**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg		Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Potassium silicate (MR > 2.6) 1312-76-1	5700	5000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Full text of H- and EUH-phrases: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

Inhalation: Remove to fresh air.

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a physician.

Skin contact: Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

Ingestion: Rinse mouth.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Prolonged contact may cause redness and irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians: Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 14-Apr-2022 Revision Number: 2

Conti Fassadengrund P - 071060360514

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire: CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media: Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical:

No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters:

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Ensure adequate ventilation.

For emergency responders: Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions: See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards: Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections: See section 8 for more information. See section 13 for more information.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling



Advice on safe handling: Ensure adequate ventilation.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 14-Apr-2022 Revision Number: 2

Conti Fassadengrund P - 071060360514

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions: Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Other information: No information available.

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

**Exposure Limits:** 

Chemical name	European Union	Germany	Netherlands	Spain	United Kingdom	Hungary
Quartz	TWA: 0.1 mg/m <sup>3</sup>		TWA: 0.075	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7			mg/m³		STEL: 0.3 mg/m <sup>3</sup>	

Chemical name	France	Italy	Portugal	Finland	Denmark	Czech Republic
Quartz	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.025	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.3 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7			mg/m³		TWA: 0.1 mg/m <sup>3</sup>	

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
Quartz	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
14808-60-7			_	TWA: 0.1 mg/m <sup>3</sup>	STEL: 0.3 mg/m <sup>3</sup>	MAC: 3 mg/m <sup>3</sup>
				TWA: 0.3 mg/m <sup>3</sup>	, and the second	•
				STEL: 0.9 mg/m <sup>3</sup>		
				STEL: 0.15 mg/m <sup>3</sup>		
				STEL: 0.3 mg/m <sup>3</sup>		

Biological occupational exposure

limits:

Derived No Effect Level (DNEL):

component information:

Worker - inhalative:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Potassium silicate (MR >	5.61 mg/m <sup>3</sup>			
2.6)				

Worker - dermal:

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 14-Apr-2022 Revision Number: 2

Conti Fassadengrund P - 071060360514

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Potassium silicate (MR > 2.6)	1.49 mg/kg bw/day			

Consumer - inhalative:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Potassium silicate (MR >	1.38 mg/m <sup>3</sup>			
2.6)				

Consumer - dermal:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Potassium silicate (MR > 2.6)	0.74 mg/kg bw/day			

consumer - oral:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Potassium silicate (MR >	0.74 mg/kg bw/day			
2.6)				

Predicted No Effect Concentration (PNEC):

component information:

Chemical name	Potassium silicate (MR > 2.6)
Freshwater	7.5 mg/L
Marine water	1 mg/L
Intermittent release	7.5 mg/L
Impact on Sewage Treatment	348 mg/L

# 8.2. Exposure controls

Engineering controls: None under normal use conditions.

Personal protective equipment: The usual precautionary measures for the handling of chemicals have to be observed.



Eye/face protection: Wear safety glasses with side shields (or goggles).

Hand protection: Wear suitable gloves.

PPE - Glove material	Glove thickness	Break through time
NBR (Nitrile rubber)	0.4 mm	>=480 min.

Skin and body protection: Wear suitable protective clothing.

Respiratory protection: No protective equipment is needed under normal use conditions. If exposure limits are

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 14-Apr-2022 Revision Number: 2

Conti Fassadengrund P - 071060360514

exceeded or irritation is experienced, ventilation and evacuation may be required.

20 °C

Recommended Filter Type: not relevant

No information available. Environmental exposure controls:

# SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

**Appearance** paste . white Color

Odor characteristic

Conditions Method Remarks

Melting point / melting range Not established

°C Boiling point / boiling range 100

Flammability Not established **Decomposition temperature** not relevant

Flash point None known **Autoignition temperature** None known Lower explosive limit not relevant **Upper explosion limit** not relevant

Vapor pressure Not established 1.609 g/cm<sup>3</sup> 20 °C

**Density** Water solubility Miscible

pН pH (as aqueous solution) Not established Partition coefficient Not established

Kinematic viscosity None known **Odor threshold** Not established Not established Relative density **Evaporation rate** Not established

no data available Relative vapor density no data available

10.5

**Particle Size Particle Size Distribution** no data available

#### 9.2. Other information

**Bulk density:** no data available Softening point No information available Molecular weight No information available

#### 9.2.1. Information with regard to physical hazard classes:

Not an explosive Explosive properties Oxidizing properties Not oxidising.

9.2.2. Other safety characteristics: No information available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 14-Apr-2022 Revision Number: 2

Conti Fassadengrund P - 071060360514

Reactivity: No information available.

10.2. Chemical stability

Stability: Stable under normal conditions.

Explosion data:

Sensitivity to mechanical impact: None. Sensitivity to static discharge: None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: None under normal processing.

10.4. Conditions to avoid

Conditions to avoid: None known based on information supplied.

10.5. Incompatible materials

Incompatible materials: None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products: None known based on information supplied.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Information on likely routes of exposure:

Product Information: The product has not been tested

Inhalation: Specific test data for the substance or mixture is not available.

Eye contact: Specific test data for the substance or mixture is not available.

Skin contact: Specific test data for the substance or mixture is not available. Causes mild skin

irritation.

Ingestion: Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics:

Symptoms: Prolonged contact may cause redness and irritation.

Numerical measures of toxicity:

Acute toxicity: No information available

Component Information:

Chemical name	Darameter	Species	effektive Dosis	Method
Chemical name	l Parameter	l Species	ellektive Dosis	i wethod

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 14-Apr-2022 Revision Number: 2

Conti Fassadengrund P - 071060360514

Chemical name	Parameter	Species	effektive Dosis	Method
Potassium silicate (MR > 2.6) 1312-76-1	Oral LD50	Rat	5700 mg/kg	

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Skin corrosion/irritation: Causes mild skin irritation.

Serious eye damage/eye irritation:

No information available.

Respiratory or skin sensitization:

No information available.

Germ cell mutagenicity:

No information available.

Carcinogenicity: No information available.

Reproductive toxicity:

No information available.

STOT - single exposure: No information available.

STOT - repeated exposure: No information available.

Aspiration hazard: No information available.

#### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No information available.

#### 11.2.2. Other information

No information available.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecotoxicity:

fish toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Potassium silicate (MR > 2.6)	LC50	Lepomis macrochirus	3185 mg/L	96 h	
1312-76-1		-	_		

toxicity to crustacea:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Potassium silicate (MR > 2.6)	EC50	Daphnia magna	216 mg/L	96 h	
1312-76-1		-			

## 12.2. Persistence and degradability

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 14-Apr-2022 Revision Number: 2

Conti Fassadengrund P - 071060360514

Persistence and degradability: No information available

## 12.3. Bioaccumulative potential

Bioaccumulation: No information available

12.4. Mobility in soil

Mobility in soil:

No information available.

No information available.

### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment:

Chemical name	PBT and vPvB assessment
Potassium silicate (MR > 2.6)	The substance is not PBT / vPvB
1312-76-1	PBT assessment does not apply

## 12.6. Endocrine disrupting properties.

No information available.

#### 12.7. Other adverse effects.

No information available.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste from residues/unused

products:

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging: Do not reuse empty containers.

# **SECTION 14: Transport information**

#### 14.1. UN number

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated

### 14.2 UN proper shipping name

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated

## 14.3. Transport hazard class(es)

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 14-Apr-2022 Revision Number: 2

Conti Fassadengrund P - 071060360514

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated

## 14.4. Packing group

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated

#### 14.5. Environmental hazards

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated

# 14.6. Special precautions for user

ADR: Not regulated

Special Provisions: None

RID: Not regulated

Special Provisions: None

IMDG: Not regulated

Special Provisions: None

IATA: Not regulated

Special Provisions: None

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union:**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

• This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants: Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009: Not applicable

Chemical name	EU - Plant Protection Products (1107/2009/EC)
---------------	---

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 14-Apr-2022 Revision Number: 2

Conti Fassadengrund P - 071060360514

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Quartz	Only uses as repellent may be authorised (sand; <=0.1% of
14808-60-7	particles of crystalline Silica with diameter <50 µm; important
	details in Commission Implementing Regulation 2021/745/EU,
	listed under part A); Conditions of use shall include, where
	appropriate, risk mitigation measures (sand; <=0.1% of
	particles of crystalline Silica with diameter <50 µm; important
	details in Commission Implementing Regulation 2021/745/EU,
	listed under part A)

volatile organic compounds (VOC) content:

acc. reg. 2010/75/EG: 0 % acc. reg. 2004/42/EG (Decopaint): 0 %

### National regulations:

#### Denmark:

Chemical name	Denmark - MAL
Quartz	0 m3/10 g substance MAL factor
14808-60-7	0.1 mg/m <sup>3</sup> Limit Value respirable
	>=0.1 - 2 % by weight [3]
	>=1 - 10 % by weight [3]
	>=10 % by weight [6]
	>=2 % by weight [6]
Potassium silicate (MR > 2.6)	0 m3/10 g substance MAL factor
1312-76-1	>=5 % by weight [4]
	>=1.0 - 5.0 % by weight [3]

## Germany:

Water hazard class (WGK): slightly hazardous to water (WGK 1) - Classification according to AwSV

Chemical name	WGK Classification (AwSV)	ID number
Quartz	nwg	849
14808-60-7		
Potassium silicate (MR > 2.6)	1	1316
1312-76-1		

TA Luft (German Air Pollution Control Regulation):

total dust incl. fine dust (digit 5.2.1): 50 - 55% inorg. subst. dust (digit 5.2.2) class III: < 5% org. substances (Ziffer 5.2.5): < 5%

Storage class (TRGS 510): 12 • LGK12 - Non-combustible liquids

#### France:

Occupational Illnesses (R-463-3, France):

Chemical name	French RG number
Quartz	RG 25
14808-60-7	

RG 25 - Conditions resulting from inhalation of mineral dusts containing crystalline silica (quartz, cristobalite, tridymite),

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 14-Apr-2022 Revision Number: 2

Conti Fassadengrund P - 071060360514

crystalline silicates (kaolin, talc), graphite, or coal.

#### Netherlands:

Chemical name	Quartz
Netherlands - List of Carcinogens	Present
	X

Water contaminating class (Netherlands): B (4)

Austria:

Flammable Liquids Regulations, VbF: Not regulated

Switzerland:

VOC content:: acc. VOCV CH 814.018, att. 1: 0 %

#### **International Inventories:**

**TSCA** Does not comply DSL/NDSL Does not comply **EINECS/ELINCS** Does not comply **ENCS** Does not comply **IECSC** Does not comply KECL Does not comply **PICCS** Does not comply AICS Does not comply

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# 15.2. Chemical safety assessment

Chemical Safety Report: No information available

# **SECTION 16: Other information**

Key or legend to abbreviations and acronyms used in the safety data sheet:

Full text of H-Statements referred to under section 3:

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

Legend:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 14-Apr-2022 Revision Number: 2

Conti Fassadengrund P - 071060360514

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

ADR: European agreement concerning the international carriage of dangerous goods by road

(Accord européen relatif transport des merchandises dangereuses par route)
AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany)

**BCF**: Bio-Concentration Factor

BOD(5): Biochemical oxygen demand (within 5 days)

CAS: Chemical Abstract Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic, toxic for Reproduction DIN: German Standards Institute / German industrial norm

DNEL: Derived No Effect Level DOC: Dissolved organic carbon

EAK/ AVV: European waste catalogue/ waste directory-regulation

EC50: Effective Concentration 50% ECHA: European Chemical Agency

EINECS: European Inventory of Existing Commercial Chemical Substances

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

IATA: International Air Transport Association

IC50: Inhibition Concentration 50%

IMDG: International Maritime Dangerous Goods Code LC50: Lethal Concentration 50% - LD50: Lethal dose 50%

MAK: Treshold limit values Germany

NLP: No Longer Polymers

NOAEC: No Observed Adverse Effect Concentration

NOAEL: No Observed Adverse Effect Level

OECD: Organization for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic

PC: Product category

PNEC: Predicted No Effect Concentration

REACh: Registration, Evaluation and Authorization of Chemicals

RID:Regulations concerning the international carriage of dangerous goods by rail

(Règlement International concernant le transport de marchandises dangereuses par chemin de fer)

STEL: Short-term Exposure Limit STP: Sewage treatment plant

SVHC: Substance of Very High Concern

TLV: Threshold Limit Value TWA: Time Weighted Average

**UN: United Nations** 

VOC: Volatile Organic Compounds

vPvB: very persistent, very bioaccumulative

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ceiling: Maximum limit value

\* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 14-Apr-2022 Revision Number: 2

Conti Fassadengrund P - 071060360514

Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS:

European Chemicals Agency (ECHA)

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Revision date: 14-Apr-2022

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006:

#### Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**