Safety Data Sheet according to Regulation (EU) 2015/830 Issue date: 8/22/2016 Revision date: 5/5/2021



Version: 3.0

1.1. Product identifier	
Product form	: Mixture
Product name	: ARDEX X 77 White
Product code	: 18329
Fiblact code	. 16529
1.2. Relevant identified uses of th	e substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: Construction materials
Use of the substance/mixture	: Tiling
Function or use category	: Construction materials
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the	safetv data sheet
Manufacturer	
Ardex UK Limited	
Homefield Road	
CB9 8QP Haverhill Suffolk	
T 01440 714939 - F 01440 716667 E-mail address of competent person resp	onsible for the SDS : safetydatasheets@ardex.co.uk
1.4. Emergency telephone numbe	
Emergency relephone number	: +44 (0) 870 190 6777
	24 hours
Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Catego Specific target organ toxicity — Single exp	(EC) No. 1272/2008 [CLP]H315ory 1H318posure, Category 3, Respiratory tract irritationH335
Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Categor Specific target organ toxicity — Single exp Full text of H- and EUH-statements: see s	(EC) No. 1272/2008 [CLP]H315ory 1H318posure, Category 3, Respiratory tract irritationH335section 16H346
Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Categor Specific target organ toxicity — Single ex Full text of H- and EUH-statements: see s Adverse physicochemical, human heal	(EC) No. 1272/2008 [CLP] H315 ory 1 H318 posure, Category 3, Respiratory tract irritation H335 section 16 H318 Ith and environmental effects H318
Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Categor Specific target organ toxicity — Single exp Full text of H- and EUH-statements: see s Adverse physicochemical, human heal Causes skin irritation. Causes serious eye 2.2. Label elements	(EC) No. 1272/2008 [CLP] H315 ory 1 H318 posure, Category 3, Respiratory tract irritation H335 section 16 H318 Ith and environmental effects H318 e damage. H318
Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Categor Specific target organ toxicity — Single ex Full text of H- and EUH-statements: see s Adverse physicochemical, human heal Causes skin irritation. Causes serious eye 2.2. Label elements Labelling according to Regulation (EC)	(EC) No. 1272/2008 [CLP] H315 ory 1 H318 posure, Category 3, Respiratory tract irritation H335 section 16 H318 Ith and environmental effects H318 e damage. H318
Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Categor Specific target organ toxicity — Single ex Full text of H- and EUH-statements: see s Adverse physicochemical, human heal Causes skin irritation. Causes serious eye 2.2. Label elements Labelling according to Regulation (EC)	Ith and environmental effects e damage. No. 1272/2008 [CLP] : : : : : : : : : : : : : : : : : : :
Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Categor Specific target organ toxicity — Single ex Full text of H- and EUH-statements: see s Adverse physicochemical, human heal Causes skin irritation. Causes serious eye 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP)	(EC) No. 1272/2008 [CLP] H315 ory 1 H318 posure, Category 3, Respiratory tract irritation H335 section 16 H318 Ith and environmental effects H318 e damage. H318
Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Categor Specific target organ toxicity — Single exp Full text of H- and EUH-statements: see s Adverse physicochemical, human heal Causes skin irritation. Causes serious eye 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP)	(EC) No. 1272/2008 [CLP] H315H318posure, Category 3, Respiratory tract irritation H335section 16Ith and environmental effectse damage.) No. 1272/2008 [CLP]:GHS05 GHS05 GHS07
Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Categor Specific target organ toxicity — Single exp Full text of H- and EUH-statements: see s Adverse physicochemical, human heal Causes skin irritation. Causes serious eye 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	(EC) No. 1272/2008 [CLP] H315 H318 posure, Category 3, Respiratory tract irritation H335 section 16 Ith and environmental effects e damage. No. 1272/2008 [CLP] Vo. 1272/2008 [CLP] GHS05 GHS07 : Danger
Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Categor Specific target organ toxicity — Single exp Full text of H- and EUH-statements: see s Adverse physicochemical, human heat Causes skin irritation. Causes serious eye	(EC) No. 1272/2008 [CLP] H315 ory 1 H318 posure, Category 3, Respiratory tract irritation H335 section 16 Ith and environmental effects e damage. No. 1272/2008 [CLP] Curve Constraints Const
Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Categor Specific target organ toxicity — Single exp Full text of H- and EUH-statements: see s Adverse physicochemical, human heal Causes skin irritation. Causes serious eye 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients Hazard statements (CLP)	(EC) No. 1272/2008 [CLP]H315ory 1ory 1posure, Category 3, Respiratory tract irritationH335section 16Ith and environmental effectse damage.) No. 1272/2008 [CLP] Image:
Classification according to Regulation Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Categor Specific target organ toxicity — Single exp Full text of H- and EUH-statements: see s Adverse physicochemical, human heal Causes skin irritation. Causes serious eye 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazardous ingredients	(EC) No. 1272/2008 [CLP]H315ory 1H315posure, Category 3, Respiratory tract irritationH335section 16Ith and environmental effectse damage.Ith and environmental effectsE DangerE Portland cementI H315 - Causes skin irritation.H315 - Causes skin irritation.H316 - Causes skin irritation.H316 - Causes skin irritation.H316 - Causes skin irritation.H216 - Causes skin irritation.<

Safety Data Sheet

according to Regulation (EU) 2015/830

Extra phrases	dust.Dispose of contents/container in accordance with regional/national/international/local regulations.
2.3. Other hazards	
Other hazards which do not result in classification	 The product contains chromate reducer, whereby the content of water-soluble chromium (VI) is less than 0.0002%. With proper storage (dry) and consumption within the specified storage time, a sensitizing effect of the cement / binder by contact with skin cannot occur (H317 or EUH203 can therefore be omitted).
PBT: not relevant – no registration required	

vPvB: not relevant – no registration required

AFATIANA A		
ISECTION 3. COM	position/information	on indradiante
	position/information	on ingreaterits

3.1. Substances

```
Not applicable
```

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Portland cement	(CAS-No.) 65997-15-2 (EC-No.) 266-043-4	> 20	Skin Sens. 1, H317 Eye Dam. 1, H318 Skin Irrit. 2, H315 STOT SE 3, H335
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 $\mu m]$	(CAS-No.) 13463-67-7 (EC-No.) 236-675-5 (EC Index-No.) 022-006-002 (REACH-no) 01-2119489379-17	< 1	Carc. 2, H351

Comments

: Chromium (VI) compounds < 2 ppm

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink. Do not induce vomiting.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
4.3. Indication of any immediate medica	I attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: high volume water jet.
5.2. Special hazards arising from the su	bstance or mixture
Fire hazard	: No fire hazard.
Explosion hazard	: None.
Hazardous decomposition products in case of fire	: None.
5.3. Advice for firefighters	
Precautionary measures fire	: No specific measures are necessary.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 6: Accidental release me	SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures				
General measures	: Absorb spillage to prevent material damage.			
6.1.1. For non-emergency personnel				
Protective equipment	: Precautions for safe handling. See Heading 7.			
Emergency procedures	: Avoid contact with skin and eyes.			
6.1.2. For emergency responders				
Emergency procedures	: No specific measures are necessary.			
6.2. Environmental precautions				
Prevent entry to sewers and public waters.				
6.3. Methods and material for contain	ment and cleaning up			
For containment	: Collect spillage.			
Methods for cleaning up	: Mechanically recover the product. Minimise generation of dust. Collect spillage. Do not use compressed air for cleaning.			
6.4. Reference to other sections				
For further information refer to section 13. See	Heading 8.			
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Additional hazards when processed	: See Heading 8.			
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.			
Hygiene measures	: Wear protective gloves. Do not eat, drink or smoke when using this product.			
7.2. Conditions for safe storage, inclu	ding any incompatibilities			
Storage conditions	 Protect from moisture. Store in a dry place. The product contains chromate reducer, whereby the content of water-soluble chromium (VI) is less than 0.0002%. With proper storage (dry) and consumption within the specified storage time, a sensitizing effect of the cement / binder by contact with skin cannot occur (H317 or EUH203 can therefore be omitted). 			
Incompatible materials	: Aluminium. Acids. ammonium salts.			
Storage area	: dry.			
7.3. Specific end use(s)				
No additional information available				

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7)				
United Kingdom	Local name	Titanium dioxide		
United Kingdom	WEL TWA (OEL TWA) [1]	10 mg/m ³ 4 mg/m ³		
Portland cement (6599	Portland cement (65997-15-2)			
United Kingdom	Local name	Portland cement		
United Kingdom	WEL TWA (OEL TWA) [1]	10 mg/m³ 4 mg/m³		

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Safety glasses. Dust formation: dust mask. Gloves.

Hand protection:

Protective gloves. The following materials are suitable for protective gloves: Nitrile impregnated cotton gloves (layer thickness of about 0,15 mm).

Eye protection:

Safety glasses

Skin and body protection:

Safety Data Sheet

according to Regulation (EU) 2015/830

Wear suitable protective clothing

Respiratory protection:

If the occupational exposure limit is exceeded:



Environmental exposure controls:

Avoid release to the environment.

Other information:

Use care during processing to minimize generation of dust. Avoid creating or spreading dust.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Solid		
Appearance	: Powder.		
Colour	: white.		
Odour	: odourless.		
Odour threshold	: No data available		
рН	: <11.5		
Relative evaporation rate (butylacetate=1)	: No data available		
Melting point	: > 1250 °C		
Freezing point	: Not applicable		
Boiling point	: Not applicable		
Flash point	: Not applicable		
Auto-ignition temperature	: Not applicable		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: Non flammable.		
Vapour pressure	: No data available		
Relative vapour density at 20 °C	: No data available		
Relative density	: Not applicable		
Density	: 2.75 – 3.2 g/cm ³		
Solubility	: Water: 0.1 – 1.5 g/l @ 20°C		
Partition coefficient n-octanol/water (Log Pow)	: No data available		
Viscosity, kinematic	: Not applicable		
Viscosity, dynamic	: Not applicable		
Explosive properties	: None.		
Oxidising properties	: None.		
Explosive limits	: Not applicable		
9.2. Other information			
VOC content	: <3%		
Bulk density	: 900 – 1300 kg/m³		

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with water.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids. ammonium salts. Aluminium.

Safety Data Sheet

according to Regulation (EU) 2015/830

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological informati	on
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
titanium dioxide: [in powder form containing	1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7)
LD50 oral rat	> 5000 mg/kg bodyweight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))
LC50 Inhalation - Rat	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))
Skin corrosion/irritation	: Causes skin irritation.
	pH: < 11.5
Serious eye damage/irritation	: Causes serious eye damage.
	pH: < 11.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
TOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
•	
ARDEX X 77 White	Not applicable
Viscosity, kinematic	Not applicable
Potential adverse human health effects and ymptoms	: Irritation: severely irritant to eyes.
SECTION 12: Ecological information	
2.1. Toxicity	
cology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
titanium dioxide; [in powder form containing	1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7)
LC50 - Fish [1]	> 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 algae	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
Portland cement (65997-15-2)	
LC50 - Fish [1]	> 1000 mg/l (96 h, Pisces)
2.2. Persistence and degradability	
ARDEX X 77 White	
Persistence and degradability	Not applicable. Inorganic Particulate Substances.
BOD (% of ThOD)	Not applicable
titanium dioxide; [in powder form containing	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD) ThOD	Not applicable (inorganic)
	Not applicable (inorganic)
Portland cement (65997-15-2)	
Persistence and degradability Chemical oxygen demand (COD)	Biodegradability: not applicable. Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
2.3. Bioaccumulative potential	
•	
ARDEX X 77 White	No bioaccumulation.
Bioaccumulative potential	
Bioaccumulative potential	1.9/ or more of particles with coreduranic diameter < 40 cm ² (40400.07.7)
titanium dioxide; [in powder form containing	1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7)
titanium dioxide; [in powder form containing Bioaccumulative potential	1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7) Not bioaccumulative.
titanium dioxide; [in powder form containing	

Safety Data Sheet

according to Regulation (EU) 2015/830

12.4. Mobility in soil			
ARDEX X 77 White			
Ecology - soil	None.		
titanium dioxide; [in powder form containing	1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7)		
Surface tension	No data available in the literature		
Ecology - soil	Low potential for mobility in soil.		
Portland cement (65997-15-2)			
Ecology - soil	No (test)data on mobility of the substance available.		
12.5. Results of PBT and vPvB assessment	t de la constant de l		
ARDEX X 77 White			
PBT: not relevant – no registration required			
vPvB: not relevant – no registration required			
Component			
Portland cement (65997-15-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional legislation (waste)	: Disposal must be done according to official regulations.	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.	
Ecology - waste materials	: Avoid release to the environment.	
European List of Waste (LoW) code	 17 01 01 - concrete 10 13 14 - waste concrete and concrete sludge For residues 01 04 07* - wastes containing dangerous substances from physical and chemical processing or non-metalliferous minerals 	

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	ΙΑΤΑ		
14.1. UN number				
Not applicable	Not applicable	Not applicable		
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable		
Not applicable	Not applicable	Not applicable		
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable		
Not applicable	Not applicable	Not applicable		
14.4. Packing group				
Not applicable	Not applicable	Not applicable		
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable		
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

Safety Data Sheet

according to Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable		
SECTION 15: Regulatory information	n	
	gulations/legislation specific for the substance or mixture	
15.1.1. EU-Regulations	онинание области средни страници и проделание области и проделание области и проделание области и проделание об	
Contains no REACH substances with Annex XV	Il restrictions	
Contains no substance on the REACH candidate		
Contains no REACH Annex XIV substances		
VOC content		
VOC content	$\sim 3\%$	
Other information, restriction and prohibition regulations	1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.	
	2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.	
	3. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled closed and totally automated processes in which cement and cement-containing mixtures are handled solely by machines and in which there is no possibility of contact with the skin.	
	4. The standard adopted by the European Committee for Standardization (CEN) for testing the water-soluble chromium (VI) content of cement and cement-containing mixtures shall be used as the test method for demonstrating conformity with paragraph 1.	
	5. Leather articles coming into contact with the skin shall not be placed on the market where they contain chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of the leather.	
	6. Articles containing leather parts coming into contact with the skin shall not be placed on the market where any of those leather parts contains chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of that leather part.	
	7. Paragraphs 5 and 6 shall not apply to the placing on the market of second-hand articles which were in end-use in the Union before 1 May 2015.	
15.1.2. National regulations No additional information available		

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



Safety Data Sheet

according to Regulation (EU) 2015/830 Issue date: 1/6/2017 Revision date: 5/25/2022

Supersedes version of: 3/22/2019

Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product form : Mixture Product name : ARDEX X 77 Grey 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : For professional use only Industrial/Professional use spec : Construction materials Use of the substance/mixture : Tile Adhesives Use of the substance/mixture : Construction materials Function or use category 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Manufacturer Ardex UK Limited Homefield Road CB9 8QP Haverhill Suffolk T 01440 714939 - F 01440 716667 E-mail address of competent person responsible for the SDS : safetydatasheets@ardex.co.uk

1.4. Emergency telephone number

Emergency number

: +44 (0) 870 190 6777 24 hours

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification according to Regulation (EC) No. 1272/2008 [CLP]		
Skin corrosion/irritation, Category 2	H315	
Serious eye damage/eye irritation, Category 1	H318	
Specific target organ toxicity – Single exposure, Category 3, Respiratory H335 tract irritation		

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS05 : Danger : Portland cement

Signal word (CLP)

Contains

GHS07

Safety Data Sheet

according to Regulation (EU) 2015/830

Hazard statements (CLP)	: H315 - Causes skin irritation.
	H318 - Causes serious eye damage.
	H335 - May cause respiratory irritation.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P280 - Wear eye protection, protective gloves.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
	P261 - Avoid breathing dust.
Extra phrases	: Dispose of contents/container in accordance with regional/national/international/local regulations.
2.3. Other hazards	
Other hazards which do not result in classification	: The product contains chromate reducer, whereby the content of water-soluble chromium (VI) is less than 0.0002%.
	With proper storage (dry) and consumption within the specified storage time, a sensitizing effect of the cement / binder by contact with skin cannot occur (H317 or EUH203 can therefore be omitted).

PBT: not relevant - no registration required

vPvB: not relevant - no registration required

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Portland cement	CAS-No.: 65997-15-1 EC-No.: 266-043-4	> 20	Skin Sens. 1, H317 Eye Dam. 1, H318 Skin Irrit. 2, H315 STOT SE 3, H335
quartz, conc respirable crystalline silica<1 % substance with a Community workplace exposure limit	CAS-No.: 14808-60-7 EC-No.: 238-878-4	> 30 - < 40	Not classified
calcium diformate	CAS-No.: 544-17-2 EC-No.: 208-863-7 REACH-no: 01-2119486476- 24	> 1 - < 2,5	Eye Dam. 1, H318

Comments Full text of H- and EUH-statements: see section 16 : Chromium (VI) compounds < 2 ppm

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation First-aid measures after skin contact	 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink.

Safety Data Sheet

according to Regulation (EU) 2015/830

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact Symptoms/effects after eye contact : Irritation.: Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.: high volume water jet.	
5.2. Special hazards arising from the subst	tance or mixture	
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	: No fire hazard. : None. : None.	
5.3. Advice for firefighters		
Precautionary measures fire Protection during firefighting	 No specific measures are necessary. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 	

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up	
For containment Methods for cleaning up	 Collect spillage. Mechanically recover the product. Minimise generation of dust. Collect spillage. Do not use compressed air for cleaning.
6.4. Reference to other sections	

For further information refer to section 13. See Section 8.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: See Section 8.
Precautions for safe handling	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wear protective gloves. Do not eat, drink or smoke when using this product.

Safety Data Sheet

according to Regulation (EU) 2015/830

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	 Protect from moisture. Store in a dry place. The product contains chromate reducer, whereby the content of water-soluble chromium (VI) is less than 0.0002%. With proper storage (dry) and consumption within the specified storage time, a sensitizing effect of the cement / binder by contact with skin cannot occur (H317 or EUH203 can therefore be omitted).
Incompatible materials	: Aluminium. Acids. ammonium salts.
Storage area	: dry.
7.0.0	

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Portland cement (65997-15-1)		
United Kingdom - Occupational Exposure Limits		
Local name	Portland cement	
WEL TWA (OEL TWA) [1]	10 mg/m³ 4 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
quartz, conc respirable crystalline silica<1 % (14808-60-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Silica crystaline (Quartz)	
IOEL TWA	0.1 mg/m ³ (Respirable fraction)	
Remark	(Year of adoption 2003)	
Regulatory reference	SCOEL Recommendations	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	0.1 mg/m ³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

calcium diformate (544-17-2)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	4780 mg/kg bw/day
Acute - systemic effects, inhalation	337 mg/m³
Acute - local effects, dermal	16.7 mg/cm ²
Long-term - systemic effects, dermal	4780 mg/kg bw/day
Long-term - local effects, dermal	16.7 mg/cm ²
Long-term - systemic effects, inhalation	337 mg/m³

Safety Data Sheet

according to Regulation (EU) 2015/830

calcium diformate (544-17-2)		
DNEL/DMEL (General population)		
Acute - systemic effects, dermal	2390 mg/kg bw/day	
Acute - systemic effects, inhalation	83.2 mg/m ³	
Acute - local effects, dermal	8.3 mg/cm ²	
Long-term - systemic effects,oral	23.9 mg/kg bw/day	
Long-term - systemic effects, inhalation	83.2 mg/m ³	
Long-term - systemic effects, dermal	2390 mg/kg bw/day	
Long-term - local effects, dermal	8.3 mg/cm ²	
PNEC (Water)		
PNEC aqua (freshwater)	2 mg/l	
PNEC aqua (marine water)	0.2 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	13.4 mg/kg dwt	
PNEC sediment (marine water)	1.34 mg/kg dwt	
PNEC (Soil)		
PNEC soil	1.5 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	2.21 mg/l	

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Dust formation: dust mask. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Wear closed safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear proper protective equipment

Hand protection:

Protective gloves. The following materials are suitable for protective gloves: Nitrile impregnated cotton gloves (layer thickness of about 0,15 mm).

Safety Data Sheet

according to Regulation (EU) 2015/830

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
			0,15		

8.2.2.3. Respiratory protection

Respiratory protection:

If the occupational exposure limit is exceeded:

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Use care during processing to minimize generation of dust. Avoid creating or spreading dust.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: Grey.
Odour	: odourless.
Odour threshold	: No data available
рН	: < 11.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: > 1250 °C
Freezing point	: Not applicable
Boiling point	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable
Density	: 2.75 – 3.2 g/cm ³
Solubility	: Water: 0.1 – 1.5 g/l @ 20°C
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable (solid)
Explosive properties	: None.
Oxidising properties	: None.
Explosive limits	: Not applicable

9.2. Other information

•

900 –	1300 kg/m ³
	900 –

< 3 %

SECTION 10: Stability and reactivity

10.1. Reactivity

VOC content

Bulk density

Reacts with water.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

according to Regulation (EU) 2015/830

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids. ammonium salts. Aluminium.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
calcium diformate (544-17-2)	
LD50 oral rat	2560 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Read-across, Skin, 14 day(s))
LC50 Inhalation - Rat	> 0.67 mg/l air (EPA OTS 798.1150: Acute inhalation toxicity, 4 h, Rat, Male / female, Read-across, Inhalation (dust), 14 day(s))
ATE CLP (oral)	2560 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation. pH: < 11.5
Serious eye damage/irritation	: Causes serious eye damage. pH: < 11.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
Portland cement (65997-15-1)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
ARDEX X 77 Grey	
Viscosity, kinematic	Not applicable
Potential adverse human health effects and symptoms	: Irritation: severely irritant to eyes

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
E 10 E 10 0 0 0	

Safety Data Sheet

according to Regulation (EU) 2015/830

Portland cement (65997-15-1)		
LC50 - Fish [1]		> 1000 mg/l (96 h, Pisces)
calcium diformate (544-17-2)		
EC50 - Crustacea [1]		> 1000 mg/l (EPA 660/3 - 75/009, 48 h, Daphnia magna, Flow-through system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae		> 1000 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Read-across, Nominal concentration)

ARDEX X 77 Grey		
Persistence and degradability	Not applicable. Inorganic Particulate Substances.	
BOD (% of ThOD)	Not applicable	
Portland cement (65997-15-1)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
BOD (% of ThOD)	Not applicable	
quartz, conc respirable crystalline silica<1 % (14808-60-7)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
calcium diformate (544-17-2)		
Persistence and degradability	Readily biodegradable in water.	

12.3. Bioaccumulative potential

ARDEX X 77 Grey		
Bioaccumulative potential	No bioaccumulation.	
Portland cement (65997-15-1)		
Bioaccumulative potential	No bioaccumulation data available.	
quartz, conc respirable crystalline silica<1 % (14808-60-7)		
Bioaccumulative potential	No bioaccumulation data available.	
calcium diformate (544-17-2)		
Partition coefficient n-octanol/water (Log Pow)	-2.3 – -1.9 (Read-across, EU Method A.8: Partition Coefficient, 23 °C)	
Bioaccumulative potential	Not bioaccumulative.	
12.4. Mobility in soil		

ARDEX X 77 Grey

None.

Safety Data Sheet

according to Regulation (EU) 2015/830

Portland cement (65997-15-1)		
Surface tension	No data available in the literature	
Ecology - soil	No (test)data on mobility of the substance available.	
quartz, conc respirable crystalline silica<1 % (14808-60-7)		
Surface tension	No data available in the literature	
Ecology - soil	Low potential for mobility in soil.	
calcium diformate (544-17-2)		
Surface tension	72 mN/m (20 °C, 0.1 %)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.49 (log Koc, Read-across)	
Ecology - soil	Highly mobile in soil.	

12.5. Results of PBT and vPvB assessment

ARDEX X 77 Grey		
PBT: not relevant – no registration required		
vPvB: not relevant – no registration required		
Component		
Portland cement (65997-15-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
quartz, conc respirable crystalline silica<1 % (14808- 60-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
calcium diformate (544-17-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional legislation (waste)	: Disposal must be done according to official regulations.	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.	
Ecology - waste materials	: Avoid release to the environment.	
European List of Waste (LoW) code	: 17 01 01 - concrete	
	10 13 14 - waste concrete and concrete sludge	

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	ΙΑΤΑ		
14.1. UN number				
Not applicable	Not applicable	Not applicable		
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable		
5/25/2022	GB - en	9/11		

Safety Data Sheet

according to Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	
Not applicable	Not applicable	Not applicable	
14.3. Transport hazard c			
Not applicable	Not applicable	Not applicable	
Not applicable	Not applicable	Not applicable	
14.4. Packing group			
Not applicable	Not applicable	Not applicable	
14.5. Environmental haza	ards		
Not applicable	Not applicable	Not applicable	
	No supplementary informatio	n available	

14.6. Special precautions for user

- Overland transport Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content

: < 3 %

Safety Data Sheet

according to Regulation (EU) 2015/830

Other information, restriction and prohibition : regulations	1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.
	2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.
	3. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled closed and totally automated processes in which cement and cement-containing mixtures are handled solely by machines and in which there is no possibility of contact with the skin.
	4. The standard adopted by the European Committee for Standardization (CEN) for testing the water-soluble chromium (VI) content of cement and cement-containing mixtures shall be used as the test method for demonstrating conformity with paragraph 1.
	5. Leather articles coming into contact with the skin shall not be placed on the market where they contain chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 $\%$ by weight) of the total dry weight of the leather.
	6. Articles containing leather parts coming into contact with the skin shall not be placed on the market where any of those leather parts contains chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of that leather part.
Contains no substance subject to Regulation (EC) 273/	 Paragraphs 5 and 6 shall not apply to the placing on the market of second-hand articles which were in end-use in the Union before 1 May 2015. 2004 of the European Parliament and of the Council of 11 February 2004 on the

manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.