This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022

Revision Number: 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product Name: Conti Mineral	
Article number:	071360360000

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product categories [PC]: PC9 - Coatings and paints, fillers, putties, thinners

## 1.3. Details of the supplier of the safety data sheet

Supplier:	conti coatings GmbH & Co. KG Feldstrasse 55 D - 46149 Oberhausen Telefon: +49 208/ 9948-0 Telefax: +49 208/ 650625 www.conticoatings.com
E-mail address	sds.ob@conticoatings.com

## 1.4. Emergency telephone number

Emergency Telephone:

+49 177 / 214 4737 (24 h)

Emergency Telephone - §45 - (EC)1272/2008				
Europe	112			
Austria	+43 1 406 43 43 (Giftinformationszentrale)			

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

## 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

### 2.3. Other hazards

Causes mild skin irritation.

## **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	CAS No	EC No	<b>REACH</b> registration	Classification	Weight-%
---------------	--------	-------	---------------------------	----------------	----------

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



### Revision date: 10-May-2022

### Conti MineraPlus - 071360360000

#### Revision Number: 1

			number	according to Regulation (EC) No. 1272/2008 [CLP]	
Potassium silicate (MR > 2.6)	1312-76-1	215-199-1	01-2119456888-17	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	5 - < 10
				,	. 2 (H319) E 3 (H335)

#### Acute Toxicity Estimate:

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg		Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Potassium silicate (MR > 2.6) 1312-76-1	5700	5000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### Full text of H- and EUH-phrases: see section 16

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

Inhalation:	Remove to fresh air.
Eye contact:	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact:	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Ingestion:	Rinse mouth.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Prolonged contact may cause redness and irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians:

Treat symptomatically.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Suitable Extinguishing Media:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Large Fire: CAUTION: Use of water spray when fighting fire may b	be inefficient.				
Unsuitable extinguishing media: Do not scatter spilled material with high pressure wate	er streams.				
5.2. Special hazards arising from the substance or mixture					
Specific hazards arising from the No information available. chemical:					
5.3. Advice for firefighters					
Special protective equipment and precautions for fire-fighters:Firefighters should wear self-contained breathing appa gear. Use personal protection equipment.	aratus and full firefighting turnout				
SECTION 6: Accidental release measures					
6.1. Personal precautions, protective equipment and emergency proce	edures				
Personal precautions: Ensure adequate ventilation.					
For emergency responders: Use personal protection recommended in Section 8.	responders: Use personal protection recommended in Section 8.				
6.2. Environmental precautions					
Environmental precautions: See Section 12 for additional Ecological Information.					
6.3. Methods and material for containment and cleaning up					
Methods for containment: Prevent further leakage or spillage if safe to do so.					
Methods for cleaning up: Take up mechanically, placing in appropriate containe	ers for disposal.				
Prevention of secondary hazards: Clean contaminated objects and areas thoroughly obs	serving environmental regulations.				
6.4. Reference to other sections					
Reference to other sections: See section 8 for more information. See section 13 for	r more information.				

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling



Advice on safe handling:

Ensure adequate ventilation.

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice.

## 7.2. Conditions for safe storage, including any incompatibilities

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022	evision date: 10-May-2022 Conti MineraPlus - 071360360000	
Storage Conditions:	Keep container tightly closed in a dry and well-ventilated place.	
7.3. Specific end use(s)		
Other information:	No information available.	

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Exposure Limits:	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
Biological occupational exposure limits:	This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL):

component information:

Worker - inhalative:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Potassium silicate (MR >	5.61 mg/m <sup>3</sup>			
2.6)				

Worker - dermal:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Potassium silicate (MR > 2.6)	1.49 mg/kg bw/day			

Consumer - inhalative:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Potassium silicate (MR > 2.6)	1.38 mg/m <sup>3</sup>			

Consumer - dermal:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Potassium silicate (MR > 2.6)	0.74 mg/kg bw/day			

consumer - oral:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Potassium silicate (MR > 2.6)	0.74 mg/kg bw/day			

Predicted No Effect Concentration (PNEC):

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022

## Conti MineraPlus - 071360360000

Revision Number: 1

component information:

Chemical name	Potassium silicate (MR > 2.6) CAS: 1312-76-1
Freshwater	7.5 mg/L
Marine water	1 mg/L
Freshwater (intermittent release)	7.5 mg/L
Sewage treatment	348 mg/L

## 8.2. Exposure controls

Engineering controls:

None under normal use conditions.

Personal protective equipment:



The usual precautionary measures for the handling of chemicals have to be observed.

Eye/face protection:

Wear suitable gloves.

Hand protection:

PPE - Glove material		Glove thickness	Break through time
NBR (Nitrile rubber)	0.4 mm		>=480 min.
Skin and body protection:	Wear suitable protective clothing.		
Respiratory protection:	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.		
Recommended Filter Type:	not relevant		
Environmental exposure controls:	No information available.		

Wear safety glasses with side shields (or goggles).

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance Color Odor	Liquio whitis chara					
Melting point / melting range Boiling point / boiling range Flammability Decomposition temperature Flash point Autoignition temperature Lower explosive limit Upper explosion limit Vapor pressure Density	>	107 1.058	°C g/cm³	Conditions 20 °C	Method	Remarks Not established not relevant None known None known not relevant not relevant Not established

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022

### Revision Number: 1

Water solubility			Miscible
pH pH (as aqueous solution) Partition coefficient Kinematic viscosity Odor threshold Relative density Evaporation rate Relative vapor density Particle Size Particle Size Distribution	~ 10.5 no data available no data available no data available	20 °C	Not established Not established None known Not established Not established Not established
9.2. Other information			
Bulk density: Softening point Molecular weight	no data available No information available No information available		
9.2.1. Information with regard	to physical hazard classes:		
Explosive properties Oxidizing properties	Not an explosive Not oxidising.		

Conti MineraPlus - 071360360000

9.2.2. Other safety characteristics: No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity:	No information available.

## 10.2. Chemical stability

Stability:	Stable under normal conditions.
Explosion data: Sensitivity to mechanical impact: Sensitivity to static discharge:	None. None.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: None under normal processing.

## **10.4. Conditions to avoid**

Conditions to avoid: None known based on information supplied.

### 10.5. Incompatible materials

Incompatible materials: None known based on information supplied.

### **10.6.** Hazardous decomposition products

Hazardous decomposition products: None known based on information supplied.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022

Conti MineraPlus - 071360360000

#### Revision Number: 1

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Information on likely routes of exposure:

Product Information:	The product has not been tested
Inhalation:	Specific test data for the substance or mixture is not available.
Eye contact:	Specific test data for the substance or mixture is not available.
Skin contact:	Specific test data for the substance or mixture is not available. Causes mild skin irritation.
Ingestion:	Specific test data for the substance or mixture is not available.
Symptoms related to the physical, ch	nemical and toxicological characteristics:

Symptoms: Prolonged contact may cause redness and irritation.

### Numerical measures of toxicity:

Acute toxicity: No information available

Component Information:

Chemical name	Parameter	Species	effektive Dosis	Method
Potassium silicate (MR > 2.6)	Oral LD50	Rat	5700 mg/kg	
1312-76-1				

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Skin corrosion/irritation:	Causes mild skin irritation.
Serious eye damage/eye irritation:	No information available.
Respiratory or skin sensitization:	No information available.
Germ cell mutagenicity:	No information available.
Carcinogenicity:	No information available.
Reproductive toxicity:	No information available.
STOT - single exposure:	No information available.
STOT - repeated exposure:	No information available.
Aspiration hazard:	No information available.
11.2. Information on other hazards	

### 11.2.1. Endocrine disrupting properties

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022

Conti MineraPlus - 071360360000

Revision Number: 1

No information available.

#### 11.2.2. Other information

No information available.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecotoxicity:

fish toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Potassium silicate (MR > 2.6) 1312-76-1	LC50	Lepomis macrochirus	3185 mg/L	96 h	

toxicity to crustacea:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Potassium silicate (MR > 2.6)	EC50	Daphnia magna	216 mg/L	96 h	
1312-76-1					

## 12.2. Persistence and degradability

Persistence and degradability: No information available

## 12.3. Bioaccumulative potential

Bioaccumulation:

No information available

## 12.4. Mobility in soil

Mobility in soil: No information available.

Mobility: No information available.

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment:

Chemical name	PBT and vPvB assessment
Potassium silicate (MR > 2.6)	The substance is not PBT / vPvB
1312-76-1	PBT assessment does not apply

## 12.6. Endocrine disrupting properties.

No information available.

## 12.7. Other adverse effects.

No information available.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022

### Conti MineraPlus - 071360360000

Revision Number: 1

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste from residues/unused	Dispose of in accordance with local regulations. Dispose of waste in accordance with
products:	environmental legislation.

Contaminated packaging: Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV: 08 01 12 (waste paint and varnish other than those mentioned in 08 01 11)

## **SECTION 14: Transport information**

#### 14.1. UN number

ADR:	Not regulated
RID:	Not regulated
IMDG:	Not regulated
IATA:	Not regulated

### 14.2 UN proper shipping name

ADR:	Not regulated
RID:	Not regulated
IMDG:	Not regulated
IATA:	Not regulated

## 14.3. Transport hazard class(es)

ADR:	Not regulated
RID:	Not regulated
IMDG:	Not regulated
IATA:	Not regulated

## 14.4. Packing group

ADR:	Not regulated
RID:	Not regulated
IMDG:	Not regulated
IATA:	Not regulated

### 14.5. Environmental hazards

ADR:	Not regulated
RID:	Not regulated
IMDG:	Not regulated
IATA:	Not regulated

## 14.6. Special precautions for user

ADR:	Not regulated
Special Provisions:	None
RID:	Not regulated
Special Provisions:	None

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



**Revision Number:** 1

### Revision date: 10-May-2022

Conti MineraPlus - 071360360000

IMDG:	Not regulated
Special Provisions:	None
IATÁ:	Not regulated
Special Provisions:	None

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union:**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Not applicable

• This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants:

Ozone-depleting substances (ODS) regulation (EC) 1005/2009: Not applicable

volatile organic compounds (VOC) content:	
acc. reg. 2010/75/EG:	0 %
acc. reg. 2004/42/EG (Decopaint):	0 g/L

#### National regulations:

Denmark:

Chemical name	Denmark - MAL
Potassium silicate (MR > 2.6)	0 m3/10 g substance MAL factor
1312-76-1	>=5 % by weight [4]
	>=1.0 - 5.0 % by weight [3]

Germany:

Water hazard class (WGK): slightly hazardous to water (WGK 1) - Classification according to AwSV

Chemical name	WGK Classification (AwSV)	ID number
Potassium silicate (MR > 2.6)	1	1316
1312-76-1		

TA Luft (German Air Pollution Control Regulation): inorg. subst. dust (digit 5.2.2) class III:

5 - 10%

Storage class (TRGS 510) Storage class 10

Netherlands:

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



**Revision Number:** 1

Revision date: 10-May-2022

Conti MineraPlus - 071360360000			
Water contaminating class	s (Netherlands):	B (4)	
Austria:			
Flammable Liquids Regulations, VbF:		Not regulated	
Switzerland:			
VOC content:: acc. VOCV CH 814.018, att. 1:		0 %	
International Inventories:			
TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS	Does not comply Does not comply		
Legend:			

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### 15.2. Chemical safety assessment

Chemical Safety Report:

No information available

## **SECTION 16: Other information**

Key or legend to abbreviations and acronyms used in the safety data sheet:

Full text of H-Statements referred to under section 3:

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

Legend:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) ADR: European agreement concerning the international carriage of dangerous goods by road

(Accord européen relatif transport des merchandises dangereuses par route) AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany)

BCF: Bio-Concentration Factor

BOD(5): Biochemical oxygen demand (within 5 days)

CAS: Chemical Abstract Service

CLP: Classification, Labelling and Packaging

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



**Revision Number:** 1

Revision date: 10-May-2022

Conti MineraPlus - 071360360000

CMR: Carcinogenic, Mutagenic, toxic for Reproduction DIN: German Standards Institute / German industrial norm **DNEL: Derived No Effect Level** DOC: Dissolved organic carbon EAK/ AVV: European waste catalogue/ waste directory-regulation EC50: Effective Concentration 50% ECHA: European Chemical Agency EINECS: European Inventory of Existing Commercial Chemical Substances GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals IATA: International Air Transport Association IC50: Inhibition Concentration 50% IMDG: International Maritime Dangerous Goods Code LC50: Lethal Concentration 50% - LD50: Lethal dose 50% MAK: Treshold limit values Germany NLP: No Longer Polymers NOAEC: No Observed Adverse Effect Concentration NOAEL: No Observed Adverse Effect Level OECD: Organization for Economic Cooperation and Development PBT: persistent, bioaccumulative, toxic PC: Product category PNEC: Predicted No Effect Concentration REACh: Registration, Evaluation and Authorization of Chemicals RID:Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer) STEL: Short-term Exposure Limit STP: Sewage treatment plant SVHC: Substance of Very High Concern TLV: Threshold Limit Value TWA: Time Weighted Average **UN: United Nations** VOC: Volatile Organic Compounds vPvB: very persistent, very bioaccumulative

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- Ceiling: Maximum limit value
- \* Skin designation

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - vapor	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitization	Calculation method	
Skin sensitization	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022

### Conti MineraPlus - 071360360000

Revision Number: 1

Ozone	Calculation method			
Key literature references and sources for data used to compile the S	SDS:			
European Chemicals Agency (ECHA)				
Agency for Toxic Substances and Disease Registry (ATSDR)				
U.S. Environmental Protection Agency ChemView Database				
European Food Safety Authority (EFSA)				
EPA (Environmental Protection Agency)				
Acute Exposure Guideline Level(s) (AEGL(s))				
U.S. Environmental Protection Agency Federal Insecticide, Fungicio	de, and Rodenticide Act			
U.S. Environmental Protection Agency High Production Volume Chemicals				
Food Research Journal				
Hazardous Substance Database				
International Uniform Chemical Information Database (IUCLID)				
Japan GHS Classification				
Australia National Industrial Chemicals Notification and Assessmen	t Scheme (NICNAS)			
NIOSH (National Institute for Occupational Safety and Health)				
National Library of Medicine's ChemID Plus (NLM CIP)				
National Library of Medicine's PubMed database (NLM PUBMED)				
National Toxicology Program (NTP)				
New Zealand's Chemical Classification and Information Database (	CCID)			
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications				
Organization for Economic Co-operation and Development High Production Volume Chemicals Program				
Organization for Economic Co-operation and Development Screening	ng Information Data Set			
RTECS (Registry of Toxic Effects of Chemical Substances)				
World Health Organization				

Revision date: 23-Jun-2021 This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006:

#### Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**