

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.03.2019

Version number 64

Revision: 20.03.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name **tesa 60042 Adhesive Remover Spray**

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Industrial cleaner

· 1.3 Manufacturer/Supplier:

tesa SE
Hugo-Kirchberg-Strasse 1
D-22848 Norderstedt
Germany

Tel.: +49-40-88899-101

· Informing department:

tesa SE, quality management/environment/occupational safety, Dr. Dirk Lamm
Dirk.Lamm@tesa.com, Tel.: +49-40-88899-2977

· 1.4 Emergency telephone number:

tesa SE, Hugo-Kirchberg-Str. 1, D-22848 Norderstedt
Security Center Phone +49-40-88899-0
or +49-40-88899-9111

UNITED KINGDOM:
The UK National Poisons Emergency number is 0870 600 6266
London:
Emergency 24 hour telephone: +44 (0)20 7188 0100
Guy's & St Thomas' Poisons Unit
Medical Toxicology Information Services
Mary Sheridan House, Guy's Hospital, Great Maze Pond, London SE1 9RT

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2	H315	Causes skin irritation.
Skin Sens. 1	H317	May cause an allergic skin reaction.
STOT SE 3	H336	May cause drowsiness or dizziness.
Asp. Tox. 1	H304	May be fatal if swallowed and enters airways.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

· Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS02 GHS07 GHS09

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.03.2019

Version number 64

Revision: 20.03.2019

Trade name tesa 60042 Adhesive Remover Spray















(Contd. of page 1)

<ul style="list-style-type: none"> · Signal word · Hazard-determining components of labelling: · Hazard statements · Precautionary statements · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: · vPvB: 	<p>Danger</p> <p>Naphtha (petroleum), hydrotreated light (R)-p-mentha-1,8-diene 64742-48-9 Hydrotreated heavy naphtha (Note P)</p> <p>H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.</p> <p>H315 Causes skin irritation. H317 May cause an allergic skin reaction. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.</p> <p>P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P405 Store locked up. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.</p> <p>The preparation contains no eluatable organic halogene compounds, which increases the AOX values</p> <p>Not classified</p> <p>Not classified</p>
---	---

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· **Description:** Mixture consisting of the following components.

· Dangerous components:		
CAS: 64742-49-0 Reg.nr.: 01-2119486291-36-XXXX	Naphtha (petroleum), hydrotreated light <ul style="list-style-type: none">  Flam. Liq. 2, H225  Asp. Tox. 1, H304  Aquatic Chronic 2, H411  Skin Irrit. 2, H315; STOT SE 3, H336 	<50%
CAS: 64742-48-9 EINECS: 265-150-3 Reg.nr.: 01-2119457273-39-xxxx	64742-48-9 Hydrotreated heavy naphtha (Note P) <ul style="list-style-type: none">  Acute Tox. 1, H300; Acute Tox. 1, H310; Acute Tox. 3, H331  Asp. Tox. 1, H304 	<25%
CAS: 5989-27-5 EINECS: 227-813-5 Reg.nr.: 01-2119529223-47-xxxx	(R)-p-mentha-1,8-diene <ul style="list-style-type: none">  Flam. Liq. 3, H226  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  Skin Irrit. 2, H315; Skin Sens. 1, H317 	<25%
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32-xxxx	butane, pure <ul style="list-style-type: none">  Flam. Gas 1, H220  Acute Tox. 3, H331 Press. Gas (Comp.), H280	<25%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21-xxxx	propane liquefied <ul style="list-style-type: none">  Flam. Gas 1, H220 Press. Gas (Comp.), H280	<25%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-XXXX	propan-2-ol <ul style="list-style-type: none">  Flam. Liq. 2, H225  Eye Irrit. 2, H319; STOT SE 3, H336 	<10%

· **SVHC** Free of any SVHC substances or < 0.1 %

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.03.2019

Version number 64

Revision: 20.03.2019

Trade name **tesa 60042 Adhesive Remover Spray**

(Contd. of page 3)

Information about protection against explosions and fires:

Do not spray on flames or red-hot objects.



Keep ignition sources away - Do not smoke.

Beware: Container is pressurized. Keep away from direct sun exposure and temperatures over 50°C. Do not open by force or throw into fire even after use.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers:

Observe official regulations on storing packagings with pressurised containers. Storage location and storage conditions must comply with the rules for handling and storage of substances and preparations of the WGK 3. Any site-specific regulatory requirements must be fulfilled.

Information about storage in one common storage facility:

Not required.

Further information about storage conditions:

Keep container tightly sealed.

7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems:

No further data; see item 7.

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

106-97-8 butane, pure	
WEL	Short-term value: 1810 mg/m ³ , 750 ppm Long-term value: 1450 mg/m ³ , 600 ppm Carc (if more than 0.1% of buta-1.3-diene)
67-63-0 propan-2-ol	
WEL	Short-term value: 1250 mg/m ³ , 500 ppm Long-term value: 999 mg/m ³ , 400 ppm

Additional information:

The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any contaminated garments.

Wash hands before breaks and at the end of the work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Breathing equipment:

Use breathing filter A2



In case of short term exposure use respiratory protection. In case of intensive or longer exposure use respiratory protection equipment independent from ambient air.

Protection of hands:



Solvent resistant gloves

Protective gloves.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.03.2019


Version number 64

Revision: 20.03.2019

Trade name tesa 60042 Adhesive Remover Spray

(Contd. of page 4)

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves** Nitrile rubber, NBR
use solvent stable gloves.
 - **Penetration time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - **Eye protection:**



Tightly sealed safety glasses.
 - **Body protection:**

Safety glasses

Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties	
· General Information	
· Appearance:	
Form:	Aerosol
Colour:	Colourless
Smell:	Product specific
Odour threshold:	Not determined.
pH-value:	Not determined.
· Change in condition	
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	60 °C
Flash point:	-97 °C
Inflammability (solid, gaseous)	Not applicable.
Ignition temperature:	240 °C
Decomposition temperature:	Not determined.
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Not determined.
· Critical values for explosion:	
Lower:	0.6 Vol %
Upper:	10.9 Vol %
Steam pressure at 20 °C:	8,300 hPa
Density	Not determined
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
· Solvent content:	
Organic solvents:	84.2 %
Solids content:	0.0 %

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.03.2019

Version number 64

Revision: 20.03.2019

Trade name tesa 60042 Adhesive Remover Spray

(Contd. of page 5)

· **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

* SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimates)

Inhalative	LC50/ 4 h	>34.2 mg/l
------------	-----------	------------

64742-48-9 64742-48-9 Hydrotreated heavy naphtha (Note P)

Oral	LD50	>8,000 mg/kg (Rat)
Dermal	LD50	>4,000 mg/kg (Rabbit)
Inhalative	LC50/ 4 h	>5.4 mg/l (Rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:** Water danger class 3 (Self-assessment): extremely hazardous for water. Do not allow product to reach ground water, water bodies or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into soil. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.03.2019

Version number 64

Revision: 20.03.2019

Trade name tesa 60042 Adhesive Remover Spray

(Contd. of page 6)

- vPvB: Not applicable.
- 12.6 Other adverse effects: No further relevant information available.

*** SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- Recommendation



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.





Must be specially treated under adherence to official regulations.

· European waste catalogue (recommendation)	
HP 3	Flammable
HP 4	Irritant - skin irritation and eye damage
HP 5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP 6	Acute Toxicity
HP 13	Sensitising
HP 14	Ecotoxic

- **Additional information about the European waste catalogue:** The assignment of a waste key number according to EC Decision 2000/532/EC in connection with EU Directive 75/442/EC has to follow specific industry requirements. The above mentioned classification is only one possible proposal.

- **Uncleaned packagings:**
- **Recommendation:** Disposal according to official regulations.
- **Recommended cleaning agent:** ethyl acetate

*** SECTION 14: Transport information**

· 14.1 UN-Number	
· ADR, IMDG, IATA	UN1950
· 14.2 UN proper shipping name	
· ADR	AEROSOLS, ENVIRONMENTALLY HAZARDOUS
· IMDG	AEROSOLS, MARINE POLLUTANT
· IATA	AEROSOLS
· 14.3 Transport hazard class(es)	
· ADR	
	
· Class	2 2.1 Gases.
· Label	2.1
· IMDG	
	
· Class	2 Gases.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31


Printing date 20.03.2019

Version number 64

Revision: 20.03.2019

Trade name tesa 60042 Adhesive Remover Spray

(Contd. of page 7)

· Label	2.1
· IATA	
	
· Class	2 Gases.
· Label	2.1
· 14.4 Packing group	
· ADR	Void
· 14.5 Environmental hazards:	
· Marine pollutant:	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Gases.
· Page:	23
· EMS Number:	F-D,S-U
· Stowage Code	SW1 Protected from sources of heat.
· Segregation Code	SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	Limited quantity regulations concerning ADR and IMDG for packages up to 30 kg (gross weight). ID 8000 Consumer commodity for airtransport of finished goods in packages up to 30 kg possible (gross weight). DOT: ORM-D consumer commodity for road transport inside US
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances -
ANNEX I

None of the ingredients is listed.

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.03.2019

Version number 64

Revision: 20.03.2019

Trade name tesa 60042 Adhesive Remover Spray

(Contd. of page 8)

- **Seveso category** P3a FLAMMABLE AEROSOLS
E2 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 150 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **National regulations**
- **Information about limitation of use:** Employment restrictions concerning young persons must be observed.
- **Decree to be applied in case of technical fault:** Critical quantity values according to the regulations on accidents should be adhered to.
- **Technical instructions (air):**

Class	Share in %
III	55.6
NK	44.4
- **Water hazard class:** Water danger class 3 (Self-assessment): extremely hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This data is based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - H220 Extremely flammable gas.
 - H225 Highly flammable liquid and vapour.
 - H226 Flammable liquid and vapour.
 - H280 Contains gas under pressure; may explode if heated.
 - H300 Fatal if swallowed.
 - H304 May be fatal if swallowed and enters airways.
 - H310 Fatal in contact with skin.
 - H315 Causes skin irritation.
 - H317 May cause an allergic skin reaction.
 - H319 Causes serious eye irritation.
 - H331 Toxic if inhaled.
 - H336 May cause drowsiness or dizziness.
 - H400 Very toxic to aquatic life.
 - H410 Very toxic to aquatic life with long lasting effects.
 - H411 Toxic to aquatic life with long lasting effects.
- **Department issuing data specification sheet:** tesa SE, Quality Management/Environment/Safety
- **Contact:** tesa SE: Dr. D. Lamm, Phone: +49-40-88899-2977, Email: dirk.lamm@tesa.com
tesa SE: Dr. A. Koeth, Phone: +49-40-88899-3938, Email: anja.koeth@tesa.com
- **Abbreviations and acronyms:**
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - SVHC: Substances of Very High Concern
 - vPvB: very Persistent and very Bioaccumulative
 - Flam. Gas 1: Flammable gases – Category 1
 - Aerosol 1: Aerosols – Category 1
 - Press. Gas (Comp.): Gases under pressure – Compressed gas

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 20.03.2019

Version number 64

Revision: 20.03.2019

Trade name tesa 60042 Adhesive Remover Spray

(Contd. of page 9)

Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 1: Acute toxicity – Category 1
Acute Tox. 3: Acute toxicity – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· * Data compared to the previous
version altered.

GB
