This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Conti Classic Primer Base C farblos

Article number: 036980360000

Hazard components for labeling: Contains Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1), Fatty acids,

C18, unsaturated, dimers, reaction products with

N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product categories [PC]: PC9 - Coatings and paints, fillers, putties, thinners

Sector of uses [SU]: SU19 - Building and construction work

1.3. Details of the supplier of the safety data sheet

Supplier: conti coatings GmbH

Feldstrasse 55

D - 46149 Oberhausen Telefon: +49 208/ 9948-0 Telefax: +49 208/ 650625 www.conticoatings.com

E-mail address sds.ob@kluthe.com

1.4. Emergency telephone number

Emergency Telephone: +49 177 / 214 4737 (24 h)

Emergency Telephone - §45 - (EC)1272/2008					
Europe	112				
Austria	+43 1 406 43 43 (Giftinformationszentrale)				

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Oalegory IA - (1317)	Skin sensitization	Category 1A - (H317)
----------------------	--------------------	----------------------

2.2. Label elements



Signal word: Warning

Hazard components for labeling:

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Contains Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1), Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine

Hazard statements:

H317 - May cause an allergic skin reaction.

EUH208 - Contains 2-Butanone, oxime May produce an allergic reaction.

EUH066 - Repeated exposure may cause skin dryness or cracking.

Precautionary Statements - EU (§28, 1272/2008):

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Causes mild skin irritation.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No	EC No	REACH registration number	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Weight-%
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	-	919-857-5	01-2119463258-33	Flam. Liq. 3 (H226) STOT SE 3 (H336) Asp. Tox. 1 (H304) (EUH066)	10 - < 25
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics	-	918-481-9	01-2119457273-39	Asp. Tox. 1 (H304) (EUH066)	10 - < 25
Kieselguhr, soda ash flux-calcined	68855-54-9	272-489-0	01-2119488518-22	STOT RE 2 (H373)	3 - < 5
xylene (reaction product of xylene and ethylbenzene)	-	905-588-0	01-2119539452-40	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Eye Irrit. 2A (H319) Acute Tox. 4 (H312) Acute Tox. 4 (H332) STOT SE 3 (H335) STOT RE 2 (H373)	1 - < 3
2-Butanone, oxime	96-29-7	202-496-6	01-2119539477-28	Acute Tox. 4 (H312) Skin Sens. 1 (H317) Eye Dam. 1 (H318) Carc. 2 (H351)	0.5 - < 1
Hexanoic acid, 2-ethyl-, zirconium salt (1:?)	22464-99-9	245-018-1	01-2119979088-21	Repr. 2 (H361d)	0.25 - < 0.5
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)	136-52-7	205-250-6	01-2119524678-29	Skin Sens. 1A (H317) Eye Irrit. 2 (H319)	0.1 - < 0.25

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

				Repr. 1B (H360) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)	
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediam ine and 1,3-propanediamine	162627-17-0		01-2119970640-38	Skin Sens. 1A (H317)	0.1 - < 0.25
Propylene glycol monomethyl ether	107-98-2	203-539-1	01-2119457435-35	Flam. Liq. 3 (H226) STOT SE 3 (H336)	0.1 - < 0.25
Dipropylene glycol monomethyl ether	34590-94-8	252-104-2	01-2119450011-60	[B]	0.01 - < 0.05

[B] - Substance with a Community workplace exposure limit

Acute Toxicity Estimate:

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50	Dermal LD50	hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	5005	5005	No data available	5005	No data available
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics	No data available	5005	8.5	No data available	No data available
Kieselguhr, soda ash flux-calcined 68855-54-9	2002	No data available	3	No data available	No data available
xylene (reaction product of xylene and ethylbenzene)	3523	12126	1.5	27.1	No data available
2-Butanone, oxime 96-29-7	930	1000	No data available	No data available	No data available
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	2043	2002	6	No data available	No data available
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	5005	5005	11	No data available	No data available
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediam ine and 1,3-propanediamine 162627-17-0	10001	No data available	No data available	No data available	No data available
Propylene glycol monomethyl ether 107-98-2	4016	13000	No data available	36.7	No data available
Dipropylene glycol monomethyl ether 34590-94-8	5350	9500	21	No data available	No data available

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice: Show this safety data sheet to the doctor in attendance.

Inhalation: Remove to fresh air.

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a physician.

Skin contact: Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a physician.

Ingestion: Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians: May cause sensitization in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire: CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media: Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical:

Product is or contains a sensitizer. May cause sensitization by skin contact.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters:

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Personal precautions: Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

For emergency responders: Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions: See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards: Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections: See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Advice on safe handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash before reuse.

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Other information:

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits:

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Chemical name	European Union	Germany	Netherlands	Spain	United Kingdom	Hungary
Kieselguhr, soda ash flux-calcined 68855-54-9		TWA: 0.3 mg/m ³				
2-Butanone, oxime 96-29-7		TWA: 0.3 ppm TWA: 1 mg/m³ H*				
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9				TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³ STEL: 20 mg/m ³
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7					TWA: 0.1 mg/m ³	
Propylene glycol monomethyl ether 107-98-2	TWA: 100 ppm TWA: 375 mg/m³ STEL: 150 ppm STEL: 568 mg/m³	TWA: 100 ppm TWA: 370 mg/m ³	TWA: 375 mg/m ³ STEL: 563 mg/m ³ H*	TWA: 100 ppm TWA: 375 mg/m³ STEL: 150 ppm STEL: 568 mg/m³ vía dérmica*	TWA: 100 ppm TWA: 375 mg/m ³ STEL: 150 ppm STEL: 560 mg/m ³ Sk*	TWA: 375 mg/m ³ STEL: 568 mg/m ³ b*
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 50 ppm TWA: 308 mg/m ³ *	TWA: 50 ppm TWA: 310 mg/m ³	TWA: 300 mg/m ³	TWA: 50 ppm TWA: 308 mg/m³ vía dérmica*	TWA: 50 ppm TWA: 308 mg/m³ STEL: 150 ppm STEL: 924 mg/m³ Sk*	TWA: 308 mg/m ³

Chemical name	France	Italy	Portugal	Finland	Denmark	Czech Republic
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9			TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 1 mg/m ³	TWA: 5 mg/m ³	
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7						TWA: 0.05 mg/m³ Ceiling: 0.1 mg/m³
Propylene glycol monomethyl ether 107-98-2	TWA: 50 ppm TWA: 188 mg/m³ STEL: 100 ppm STEL: 375 mg/m³	TWA: 100 ppm TWA: 375 mg/m³ STEL: 150 ppm STEL: 568 mg/m³ pelle*	TWA: 100 ppm TWA: 375 mg/m³ STEL: 150 ppm STEL: 568 mg/m³	TWA: 100 ppm TWA: 370 mg/m³ STEL: 150 ppm STEL: 560 mg/m³ iho*	TWA: 50 ppm TWA: 185 mg/m³ H*	TWA: 270 mg/m³ Ceiling: 550 mg/m³ D*
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 50 ppm TWA: 308 mg/m ³	TWA: 50 ppm TWA: 308 mg/m³ pelle*	TWA: 50 ppm TWA: 308 mg/m³ STEL: 150 ppm P*	TWA: 50 ppm TWA: 310 mg/m³ iho*	TWA: 50 ppm TWA: 309 mg/m ³ H*	TWA: 270 mg/m³ Ceiling: 550 mg/m³ D*

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics		TWA: 50 ppm TWA: 300 mg/m³ STEL: 100 ppm STEL: 600 mg/m³	STEL: 900 mg/m ³ TWA: 300 mg/m ³			
Kieselguhr, soda ash flux-calcined 68855-54-9	TWA: 0.3 mg/m ³	TWA: 0.3 mg/m ³	TWA: 2 mg/m ³ TWA: 1 mg/m ³		TWA: 1.2 mg/m ³ STEL: 3.6 mg/m ³	
2-Butanone, oxime 96-29-7					TWA: 3 ppm TWA: 10 mg/m ³ STEL: 10 ppm STEL: 33 mg/m ³	
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	TWA: 5 mg/m ³	TWA: 5 mg/m ³	STEL: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³	
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	H*	TWA: 0.05 mg/m ³ H*		TWA: 0.02 mg/m ³ STEL: 0.06 mg/m ³	TWA: 0.02 mg/m ³ STEL: 0.3 mg/m ³	
Propylene glycol monomethyl ether 107-98-2	TWA: 50 ppm TWA: 187 mg/m ³ STEL 50 ppm	TWA: 100 ppm TWA: 360 mg/m ³ STEL: 200 ppm	STEL: 360 mg/m ³ TWA: 180 mg/m ³	TWA: 50 ppm TWA: 180 mg/m ³ STEL: 75 ppm	TWA: 100 ppm TWA: 375 mg/m ³ STEL: 150 ppm	

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
	STEL 187 mg/m ³ Ceiling 50 ppm Ceiling 187 mg/m ³ H*	STEL: 720 mg/m ³		STEL: 225 mg/m³ H*	STEL: 568 mg/m ³	
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 50 ppm TWA: 307 mg/m ³ STEL 100 ppm STEL 614 mg/m ³ H*	TWA: 50 ppm TWA: 300 mg/m ³ STEL: 50 ppm STEL: 300 mg/m ³	STEL: 480 mg/m ³ TWA: 240 mg/m ³	TWA: 300 mg/m ³ STEL: 75 ppm	TWA: 50 ppm TWA: 308 mg/m³ STEL: 150 ppm STEL: 924 mg/m³ Sk*	

Biological occupational exposure limits:

Chemical name	European Union	Germany	Netherlands	Spain	United Kingdom	Hungary
Propylene glycol	=	15 mg/L - urine			=	
monomethyl ether		(1-Methoxypropan				
107-98-2		-2-ol) - end of shift				

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	10 µg/L - urine (spontaneous urine) - after end of work day, at the end of a work week/end of the shift		-	-	-	
Propylene glycol monomethyl ether 107-98-2	- () -	20 mg/L - urine (1-Methoxypropan ol-2) - end of shift		-	-	

Derived No Effect Level (DNEL):

component information:

Worker - inhalative:

Chemical name	short term, local	short term, systemic	long term, local	long term, systemic
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates				871 mg/m ³
Kieselguhr, soda ash flux-calcined				0.33 mg/m ³
xylene (reaction product of xylene and ethylbenzene)	442 mg/m³	442 mg/m³	221 mg/m³	221 mg/m³
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)			0.2351 mg/m ³	0.2351 mg/m ³
Propylene glycol monomethyl ether	553.5 mg/m ³	553.5 mg/m ³		369 mg/m ³
Dipropylene glycol monomethyl ether				308 mg/m ³

Worker - dermal:

Chemical name	short term, local	short term, systemic	long term, local	long term, systemic

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Chemical name	short term, local	short term, systemic	long term, local	long term, systemic
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates				208 mg/kg bw/day
xylene (reaction product of xylene and ethylbenzene)				212 mg/kg bw/day
Propylene glycol monomethyl ether				183 mg/kg bw/day
Dipropylene glycol monomethyl ether				283 mg/kg bw/day

Consumer - inhalative:

Chemical name	short term, local	short term, systemic	long term, local	long term, systemic
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates				185 mg/m³
Kieselguhr, soda ash flux-calcined				0.08 mg/m ³
xylene (reaction product of xylene and ethylbenzene)	260 mg/m ³	260 mg/m³	65.3 mg/m ³	65.3 mg/m ³
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)			0.037 mg/m ³	
Propylene glycol monomethyl ether				43.9 mg/m³
Dipropylene glycol monomethyl ether				37.2 mg/m³

Consumer - dermal:

Chemical name	short term, local	short term, systemic	long term, local	long term, systemic
Hydrocarbons, C9-C11,				125 mg/kg bw/day
n-alkanes, i-alkanes, cyclics,				
< 2% aromates				
xylene (reaction product of				125 mg/kg bw/day
xylene and ethylbenzene)				
Propylene glycol monomethyl				78 mg/kg bw/day
ether				
Dipropylene glycol				121 mg/kg bw/day
monomethyl ether				

consumer - oral:

Chemical name	short term, local	short term, systemic	long term, local	long term, systemic
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates				125 mg/kg bw/day
Kieselguhr, soda ash flux-calcined				3.5 mg/kg
xylene (reaction product of xylene and ethylbenzene)				12.5 mg/kg bw/day
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)				0.0558 mg/kg bw/day

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Chemical name	short term, local	short term, systemic	long term, local	long term, systemic
Propylene glycol monomethyl ether				33 mg/kg bw/day
Dipropylene glycol monomethyl ether				36 mg/kg bw/day

Predicted No Effect Concentration (PNEC):

component information:

Chemical name	xylene (reaction product of xylene and ethylbenzene)
Freshwater	0.327 mg/L
Marine water	0.327 mg/L
Intermittent release	0.327 mg/L
Impact on Sewage Treatment	6.58 mg/L
Freshwater sediment	12.46 mg/kg
Marine sediment	12.46 mg/kg
Soil	2.31 mg/kg

Chemical name	Hexanoic acid, 2-ethyl-, zirconium salt (1:?)
Freshwater	0.36 mg/L
Marine water	0.036 mg/L
Intermittent release	0.493 mg/L
Freshwater sediment	6.37 mg/kg
Marine sediment	0.637 mg/kg
Soil	1.06 mg/kg

Chemical name	Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)
Freshwater	0.00051 mg/L
Marine water	0.00236 mg/L
Freshwater sediment	9.5 mg/kg
Marine sediment	9.5 mg/kg
Soil	7.9 mg/kg

Chemical name	Propylene glycol monomethyl ether	
Freshwater	10 mg/L	
Marine water	1 mg/L	
Intermittent release	100 mg/L	
Impact on Sewage Treatment	100 mg/L	
Freshwater sediment	52.3 mg/kg dry weight	
Marine sediment	5.2 mg/kg dry weight	
Soil	4.59 mg/kg	

Chemical name	Dipropylene glycol monomethyl ether
Freshwater	19 mg/L
Marine water	1.9 mg/L
Intermittent release	190 mg/L
Impact on Sewage Treatment	4168 mg/L
Freshwater sediment	70.2 mg/kg
Marine sediment	7.02 mg/kg
Soil	2.74 mg/kg

8.2. Exposure controls

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 **Revision Number: 1**

Conti Classic Primer Base C farblos - 036980360000

None under normal use conditions. Engineering controls:

Personal protective equipment:



Eye/face protection: Wear safety glasses with side shields (or goggles).

Hand protection: Wear suitable gloves.

PPE - Glove material	Glove thickness	Break through time
NBR (Nitrile rubber)	0.4 mm	>=480 min.

Skin and body protection: Wear suitable protective clothing.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection:

exceeded or irritation is experienced, ventilation and evacuation may be required.

Conditions

Method

Remarks

Recommended Filter Type: Filtering device (full mask or mouthpiec AP-2

Environmental exposure controls: No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid **Appearance**

Color beige

characteristic Odor

Not established Melting point / melting range

°C 100 Boiling point / boiling range

Flammability Not established

Decomposition temperature not relevant

٥С Flash point 63

Autoignition temperature None known

Lower explosive limit not relevant

not relevant **Upper explosion limit**

Vapor pressure 1100 hPa 50 °C

1.350 g/cm3 20 °C **Density**

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Water solubility Immiscible

pH Not applicable

pH (as aqueous solution)

Not applicable

Partition coefficient Not established

Kinematic viscosity > 21 mm²/s 40 °C

Odor threshold Not established

Relative density

Not established

Evaporation rate Not established

Relative vapor density no data available Particle Size no data available Particle Size Distribution no data available

9.2. Other information

Bulk density:no data availableSoftening pointNo information availableMolecular weightNo information available

9.2.1. Information with regard to physical hazard classes:

Explosive properties Not an explosive Oxidizing properties Not oxidising.

9.2.2. Other safety characteristics: No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity: No information available.

10.2. Chemical stability

Stability: Stable under normal conditions.

Explosion data:

Sensitivity to mechanical impact: None. Sensitivity to static discharge: None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: None under normal processing.

10.4. Conditions to avoid

Conditions to avoid: None known based on information supplied.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

10.5. Incompatible materials

Incompatible materials: None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products: None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure:

Product Information:

Inhalation: Specific test data for the substance or mixture is not available.

Eye contact: Specific test data for the substance or mixture is not available.

Skin contact: May cause sensitization by skin contact. Specific test data for the substance or mixture

is not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components). Causes mild skin irritation.

Ingestion: Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics:

Symptoms: Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.

Numerical measures of toxicity:

Acute toxicity: The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 59,230.80 mg/kg

 ATEmix (dermal)
 62,917.50 mg/kg

 ATEmix (inhalation-dust/mist)
 25.50 mg/l

 ATEmix (inhalation-vapor)
 629.20 mg/l

Component Information:

Chemical name	Parameter	Species	effektive Dosis	Method
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	Oral LD50	Rat	> 5000 mg/kg	
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	Oral LD50	Rat	> 5000 mg/kg	
Kieselguhr, soda ash flux-calcined 68855-54-9	Oral LD50	Rat	> 2000 mg/kg	OECD 401
xylene (reaction product of xylene and ethylbenzene) -	Oral LD50	Rat	3523 mg/kg	EG92/69/EWG B.1
2-Butanone, oxime	Oral LD50	Rat	930 mg/kg	

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Chemical name	Parameter	Species	effektive Dosis	Method
96-29-7				
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	Oral LD50	Rat	2043 mg/kg	
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	Oral LD50	Rat	> 5000 mg/kg	
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine 162627-17-0	Oral LD50	Rat	> 10000 mg/kg	OECD 401
Propylene glycol monomethyl ether 107-98-2	Oral LD50	Rat	4016 mg/kg	
Dipropylene glycol monomethyl ether 34590-94-8	Oral LD50	Rat	5.35 g/kg	

Chemical name	Parameters	Species	Effective dose	Method
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	Dermal LD50	Rabbit	> 5000 mg/kg	
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	Dermal LD50	Rabbit	> 5000 mg/kg	
xylene (reaction product of xylene and ethylbenzene) -	Dermal LD50	Rabbit	12126 mg/kg	
2-Butanone, oxime 96-29-7	Dermal LD50	Rabbit	1000 - 1800 mg/kg	
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	Dermal LD50	Rabbit	> 2000 mg/kg	
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	Dermal LD50	Rabbit	> 5000 mg/kg	
Propylene glycol monomethyl ether 107-98-2	Dermal LD50	Rabbit	> 2000 mg/kg	
Dipropylene glycol monomethyl ether 34590-94-8	Dermal LD50	Rabbit	9500 mg/kg	

Chemical name	Parameters	Species	Effective dose	Exposure time	Method
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	Inhalation LC50	Rat	> 5000 mg/L	4 h	
Kieselguhr, soda ash flux-calcined 68855-54-9	Inhalation LC50	Rat	> 2.6 mg/L		OECD 403
xylene (reaction product of xylene and ethylbenzene) -	Inhalation LC50	Rat	27124 mg/m ³	4 h	
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	Inhalation LC50	Rat	> 5 mg/L	4 h	

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Chemical name	Parameters	Species	Effective dose	Exposure time	Method
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	Inhalation LC50	Rat	> 10 mg/L	1 h	
Propylene glycol monomethyl ether 107-98-2	Inhalation LC50	Rat	36.7 mg/L	4 h	OECD 403
Dipropylene glycol monomethyl ether 34590-94-8	Inhalation LC50	Rat	21 mg/L		

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Skin corrosion/irritation: May cause skin irritation.

Serious eye damage/eye irritation:

No information available.

Respiratory or skin sensitization: May cause sensitization by skin contact.

Germ cell mutagenicity:

No information available.

Carcinogenicity:

No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
2-Butanone, oxime	Carc. 2

Reproductive toxicity:

STOT - single exposure:

No information available.

STOT - repeated exposure:

No information available.

Chemical name	Exposure route	Target Organs
Kieselguhr, soda ash flux-calcined	Inhalation	lung
68855-54-9		-
xylene (reaction product of xylene and	Inhalation	auditory organs
ethylbenzene)		
-		

Aspiration hazard: No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No information available.

11.2.2. Other information

No information available.

SECTION 12: Ecological information

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

12.1. Toxicity

Ecotoxicity:

fish toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	LL50	Oncorhynchus mykiss	> 1000 mg/L	96 h	OECD 203
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	LL0	Oncorhynchus mykiss	1000 mg/L	96 h	
xylene (reaction product of xylene and ethylbenzene) -	LC50	Oncorhynchus mykiss	2.6 mg/L	96 h	OECD 203
2-Butanone, oxime 96-29-7	LC50	Pimephales promelas	843 - 914 mg/L	96 h	
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediam ine and 1,3-propanediamine 162627-17-0	LC50	Leucisus idus	> 150 mg/L	48 h	
Propylene glycol monomethyl ether 107-98-2	LC50	Leuciscus idus	4600 - 10000 mg/L	96 h	DIN 38412
Dipropylene glycol monomethyl ether 34590-94-8	LC50	Pimephales promelas	> 10000 mg/L	96 h	

toxicity to crustacea:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	EL50	Daphnia magna	> 1000 mg/L	48 h	OECD 202
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	EL0	Daphnia magna	1000 mg/L	48 h	
xylene (reaction product of xylene and ethylbenzene)	LC 50	Daphnia magna	1.0 mg/L	24 h	OECD 202
2-Butanone, oxime 96-29-7	EC50	Daphnia magna	> 1000 mg/L	48 h	
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediam ine and 1,3-propanediamine 162627-17-0	EL50	Daphnia magna	> 100 mg/L	48 h	OECD 202
Propylene glycol monomethyl	EC50	Daphnia magna	23300 mg/L	48 h	

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
ether 107-98-2					
Dipropylene glycol monomethyl ether 34590-94-8	LC50	Daphnia magna	1919 mg/L	48 h	

Algae Toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	EL50	Pseudokirchneriella subcapitata	> 1000 mg/L	24 h	OECD 201
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	EL0	Pseudokirchneriella subcapitata	1000 mg/L	72 h	
xylene (reaction product of xylene and ethylbenzene)	EC50	Selenastrum capricornutum	2.2 mg/L	73 h	OECD 201
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediam ine and 1,3-propanediamine 162627-17-0	ErL50	Pseudokirchneriella subcapitata	> 100 mg/L	72 h	OECD 201
Propylene glycol monomethyl ether 107-98-2	EC50	Pseudokirchneriella subcapitata	> 1000 mg/L	7 d	OECD 201

Bacteria toxicity:

Chemical name	Parameters	Species	Effective dose	Exposure time	Method
xylene (reaction product of xylene and ethylbenzene)	NOEC	activated sludge	16 mg/L	28 d	OECD 301 F
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediam ine and 1,3-propanediamine 162627-17-0	IC50	pseudomonas putida	> 430 mg/L	16 h	
Propylene glycol monomethyl ether 107-98-2	EC50	activated sludge	> 1000 mg/L	3 h	

12.2. Persistence and degradability

Persistence and degradability:

Chemical name	degradation rate	test duration	Rapidly biodegradable	Remarks	Method
Hydrocarbons, C9-C11, n-alkanes, i-alkanes,	80 %	28 d	Yes		OECD 301F

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Chemical name	degradation rate	test duration	Rapidly biodegradable	Remarks	Method
cyclics, < 2% aromates					
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	80 %	28 d	Yes		
xylene (reaction product of xylene and ethylbenzene)	90 %	28 d	Yes		
Propylene glycol monomethyl ether 107-98-2	96 %	28 d	Yes	Aerobic biological treatment	
Dipropylene glycol monomethyl ether 34590-94-8	75 %	28 d	Yes		OECD 301F

12.3. Bioaccumulative potential

Bioaccumulation:

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics	3		
xylene (reaction product of xylene and ethylbenzene)	3.16	25.9	
2-Butanone, oxime 96-29-7	0.65	0.5 - 5.8	
Propylene glycol monomethyl ether 107-98-2	0.37	<2	
Dipropylene glycol monomethyl ether 34590-94-8	-0.064		

12.4. Mobility in soil

Mobility in soil:

No information available.

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment:

Chemical name	PBT and vPvB assessment
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics	The substance is not PBT / vPvB
-	
Kieselguhr, soda ash flux-calcined 68855-54-9	PBT assessment does not apply
2-Butanone, oxime 96-29-7	The substance is not PBT / vPvB

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	The substance is not PBT / vPvB
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	The substance is not PBT / vPvB
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine 162627-17-0	The substance is not PBT / vPvB
Propylene glycol monomethyl ether 107-98-2	The substance is not PBT / vPvB
Dipropylene glycol monomethyl ether 34590-94-8	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties.

No information available.

12.7. Other adverse effects.

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products:

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging: Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV: 08 01 11* (Waste paint and varnish containing organic solvents or other dangerous substances)

SECTION 14: Transport information

14.1. UN number

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated

14.2 UN proper shipping name

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated

14.3. Transport hazard class(es)

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

14.4. Packing group

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated

14.5. Environmental hazards

ADR: Not applicable RID: Not applicable IMDG: Not applicable IATA: Not applicable

14.6. Special precautions for user

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

• This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Substance subject to authorization	Restricted substance per REACH	
	per REACH Annex XIV	Annex XVII	
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics		28. 29.	
-			
2-Butanone, oxime 96-29-7		75.	

Persistent Organic Pollutants: Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009: Not applicable

volatile organic compounds (VOC) content:

acc. reg. 2010/75/EG: 31.7 % acc. reg. 2004/42/EG (Decopaint): 427 g/L

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

National regulations:

Denmark:

Chemical name	Denmark - MAL
2-Butanone, oxime	79 m3/10 g substance MAL factor
96-29-7	>=3.0 % by weight [3]
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)	0 m3/10 g substance MAL factor
136-52-7	>=2.0 % by weight [3]
Dipropylene glycol monomethyl ether	5 m3/10 g substance MAL factor
34590-94-8	>0 % by weight [1]

Chemical name	WGK Classification (AwSV)	ID number
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	1	-
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics	1	-
Kieselguhr, soda ash flux-calcined 68855-54-9	nwg	854
xylene (reaction product of xylene and ethylbenzene)	2	206
2-Butanone, oxime 96-29-7	1	1558
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	1	-
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	2	2305
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine 162627-17-0	1	-
Propylene glycol monomethyl ether 107-98-2	1	1597
Dipropylene glycol monomethyl ether 34590-94-8	1	5087

TA Luft (German Air Pollution Control Regulation):

total dust incl. fine dust (digit 5.2.1): 5-10% inorg. subst. dust (digit 5.2.2) class II: <5% org. substances (Ziffer 5.2.5): 25-30% org. subst. (digit 5.2.5) class I: <5%

Storage class (TRGS 510): 10 • LGK10 - Combustible liquids unless storage class 3

France:

Occupational Illnesses (R-463-3, France):

Chemical name	French RG number	
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2%	RG 84	
aromatics		

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Chemical name	French RG number		
-			
Propylene glycol monomethyl ether 107-98-2	RG 84		
Dipropylene glycol monomethyl ether 34590-94-8	RG 84		

RG 84 - Occupational conditions caused by liquid organic solvents

Netherlands:

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins	ZZS list: SVHC	(p)ZZS list: potential SVHC
2-Butanone, oxime 96-29-7					Х

Austria:

Flammable Liquids Regulations, VbF: Flammable liquids: AIII

Switzerland:

VOC content:: acc. VOCV CH 814.018, att. 1: 30.1 %

International Inventories:

TSCA Does not comply DSL/NDSL Does not comply **EINECS/ELINCS** Does not comply Does not comply **ENCS IECSC** Does not comply **KECL** Does not comply **PICCS** Does not comply **AICS** Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report: No information available

SECTION 16: Other information

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Key or legend to abbreviations and acronyms used in the safety data sheet:

Full text of H-Statements referred to under section 3:

EUH066 - Repeated exposure may cause skin dryness or cracking

H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

H360 - May damage fertility or the unborn child

H361d - Suspected of damaging the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects

Leaend:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

ADR: European agreement concerning the international carriage of dangerous goods by road

(Accord européen relatif transport des merchandises dangereuses par route)

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany)

BCF: Bio-Concentration Factor

BOD(5): Biochemical oxygen demand (within 5 days)

CAS: Chemical Abstract Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic, toxic for Reproduction

DIN: German Standards Institute / German industrial norm

DNEL: Derived No Effect Level

DOC: Dissolved organic carbon

EAK/ AVV: European waste catalogue/ waste directory-regulation

EC50: Effective Concentration 50%

ECHA: European Chemical Agency

EINECS: European Inventory of Existing Commercial Chemical Substances

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

IATA: International Air Transport Association

IC50: Inhibition Concentration 50%

IMDG: International Maritime Dangerous Goods Code

LC50: Lethal Concentration 50% - LD50: Lethal dose 50%

MAK: Treshold limit values Germany

NLP: No Longer Polymers

NOAEC: No Observed Adverse Effect Concentration

NOAEL: No Observed Adverse Effect Level

OECD: Organization for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic

PC: Product category

PNEC: Predicted No Effect Concentration

REACh: Registration, Evaluation and Authorization of Chemicals

RID:Regulations concerning the international carriage of dangerous goods by rail

(Règlement International concernant le transport de marchandises dangereuses par chemin de fer)

STEL: Short-term Exposure Limit

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

STP: Sewage treatment plant

SVHC: Substance of Very High Concern

TLV: Threshold Limit Value TWA: Time Weighted Average

UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent, very bioaccumulative

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ceiling: Maximum limit value

* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS:

European Chemicals Agency (ECHA)

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021 Revision Number: 1

Conti Classic Primer Base C farblos - 036980360000

Revision date: 02-Aug-2021

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006:

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet