This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Conti Classic Satin Base A weiss

Article number: 036920360514

Hazard components for labeling:

Contains Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine, Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product categories [PC]: PC9 - Coatings and paints, fillers, putties, thinners

Sector of uses [SU]: SU19 - Building and construction work

1.3. Details of the supplier of the safety data sheet

Supplier: conti coatings GmbH & Co. KG

Feldstrasse 55

D - 46149 Oberhausen Telefon: +49 208/ 9948-0 Telefax: +49 208/ 650625 www.conticoatings.com

E-mail address sds.ob@conticoatings.com

1.4. Emergency telephone number

Emergency Telephone: +49 177 / 214 4737 (24 h)

Emergency Telephone - §45 - (EC)	1272/2008
Europe	112
Austria	+43 1 406 43 43 (Giftinformationszentrale)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin sensitization	Category 1A - (H317)

2.2. Label elements



Signal word: Warning

Hazard components for labeling:

Contains Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediamine and

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

1,3-propanediamine, Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)

Hazard statements:

H317 - May cause an allergic skin reaction.

EUH208 - Contains 2-Butanone, oxime May produce an allergic reaction.

Precautionary Statements - EU (§28, 1272/2008):

- P101 If medical advice is needed, have product container or label at hand
- P102 Keep out of reach of children
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P280 Wear protective gloves
- P501 Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No	EC No	REACH registration number	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Weight-%
Titanium dioxide	13463-67-7	236-675-5	01-2119489379-17		25 - < 50
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics	-	918-481-9	01-2119457273-39	Asp. Tox. 1 (H304) (EUH066)	5 - < 10
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	-	919-857-5	01-2119463258-33	Flam. Liq. 3 (H226) STOT SE 3 (H336) Asp. Tox. 1 (H304) (EUH066)	3 - < 5
Silica, amorphous	7631-86-9	231-545-4	01-2119379499-16	[B]	3 - < 5
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediam ine and 1,3-propanediamine	162627-17-0	-	01-2119970640-38	Skin Sens. 1A (H317)	0.5 - < 1
Propylene glycol monomethyl ether	107-98-2	203-539-1	01-2119457435-35	Flam. Liq. 3 (H226) STOT SE 3 (H336)	0.25 - < 0.5
2-Butanone, oxime	96-29-7	202-496-6	01-2119539477-28	Acute Tox. 4 (H312) Skin Sens. 1 (H317) Eye Dam. 1 (H318) Carc. 2 (H351)	0.25 - < 0.5
Naphtha, petroleum, < 0,1% benzol	64741-65-7	265-067-2	01-2119471991-29	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411)	0.1 - < 0.25
Hexanoic acid, 2-ethyl-, zirconium salt (1:?)	22464-99-9	245-018-1	01-2119979088-21	Repr. 2 (H361d)	0.1 - < 0.25
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)	136-52-7	205-250-6	01-2119524678-29	Skin Sens. 1A (H317) Eye Irrit. 2 (H319) Repr. 1B (H360)	0.1 - < 0.25

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

				Aquatic Acute 1 (H400)	
				Aquatic Chronic 3 (H412)	
Dipropylene glycol monomethyl	34590-94-8	252-104-2	01-2119450011-60	[B]	0.005 - < 0.01
ether					

[B] - Substance with a Community workplace exposure limit

Acute Toxicity Estimate:

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Titanium dioxide 13463-67-7	10010	No data available	7	No data available	No data available
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	No data available	5005	8.5	No data available	No data available
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates -	5005	5005	No data available	5005	No data available
Silica, amorphous 7631-86-9	7900	5005	2082	No data available	No data available
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediam ine and 1,3-propanediamine 162627-17-0	10001	No data available	No data available	No data available	No data available
Propylene glycol monomethyl ether 107-98-2	4016	13000	No data available	36.7	No data available
2-Butanone, oxime 96-29-7	930	1000	No data available	No data available	No data available
Naphtha, petroleum, < 0,1% benzol 64741-65-7	7007	2002	No data available	No data available	No data available
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	2043	2002	6	No data available	No data available
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	5005	5005	11	No data available	No data available
Dipropylene glycol monomethyl ether 34590-94-8	5350	9500	21	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Full text of H- and EUH-phrases: see section 16

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice: Show this safety data sheet to the doctor in attendance.

Inhalation: Remove to fresh air.

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a physician.

Skin contact: Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a physician.

Ingestion: Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians: May cause sensitization in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire: CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media: Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical:

Product is or contains a sensitizer. May cause sensitization by skin contact.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters:

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

For emergency responders: Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions: See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards: Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections: See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Advice on safe handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash before reuse.

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Other information: No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits:

Chemical name	European Union	Germany	Netherlands	Spain	United Kingdom	Hungary
Titanium dioxide		TWA: 1.25 mg/m ³		TWA: 10 mg/m ³	TWA: 10 mg/m ³	
13463-67-7		TWA: 10 mg/m ³			TWA: 4 mg/m ³	
					STEL: 30 mg/m ³	

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

Chemical name	European Union	Germany	Netherlands	Spain	United Kingdom	Hungary
		•		•	STEL: 12 mg/m ³	,
Silica, amorphous 7631-86-9	TWA: 0.1 mg/m ³	TWA: 4 mg/m ³	TWA: 0.75 mg/m ³		TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ STEL: 18 mg/m ³	
					STEL: 7.2 mg/m ³	
Propylene glycol monomethyl ether 107-98-2	TWA: 100 ppm TWA: 375 mg/m³ STEL: 150 ppm STEL: 568 mg/m³	TWA: 100 ppm TWA: 370 mg/m ³	TWA: 375 mg/m³ STEL: 563 mg/m³ H*	TWA: 100 ppm TWA: 375 mg/m³ STEL: 150 ppm STEL: 568 mg/m³ vía dérmica*	TWA: 100 ppm TWA: 375 mg/m³ STEL: 150 ppm STEL: 560 mg/m³ Sk*	TWA: 375 mg/m³ STEL: 568 mg/m³ b*
2-Butanone, oxime 96-29-7		TWA: 0.3 ppm TWA: 1 mg/m ³ Sh+ H*				
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9				TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7					TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ Sen+	
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 50 ppm TWA: 308 mg/m³ *	TWA: 50 ppm TWA: 310 mg/m ³	TWA: 300 mg/m ³	TWA: 50 ppm TWA: 308 mg/m³ vía dérmica*	TWA: 50 ppm TWA: 308 mg/m ³ STEL: 150 ppm STEL: 924 mg/m ³ Sk*	TWA: 308 mg/m ³

Chemical name	France	Italy	Portugal	Finland	Denmark	Czech Republic
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³		TWA: 10 mg/m ³		TWA: 6 mg/m ³	
Silica, amorphous 7631-86-9		TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³ TWA: 0.1 mg/m ³	TWA: 5 mg/m ³		TWA: 0.1 mg/m ³ TWA: 4.0 mg/m ³
Propylene glycol monomethyl ether 107-98-2	TWA: 50 ppm TWA: 188 mg/m³ STEL: 100 ppm STEL: 375 mg/m³	TWA: 100 ppm TWA: 375 mg/m³ STEL: 150 ppm STEL: 568 mg/m³ cute*	TWA: 100 ppm TWA: 375 mg/m³ STEL: 150 ppm STEL: 568 mg/m³	TWA: 100 ppm TWA: 370 mg/m³ STEL: 150 ppm STEL: 560 mg/m³ iho*	TWA: 50 ppm TWA: 185 mg/m³ H*	TWA: 270 mg/m³ Ceiling: 550 mg/m³ D*
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9			TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 1 mg/m ³	TWA: 5 mg/m ³	
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7						TWA: 0.05 mg/m ³ Ceiling: 0.1 mg/m ³
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 50 ppm TWA: 308 mg/m ³	TWA: 50 ppm TWA: 308 mg/m³ cute*	TWA: 50 ppm TWA: 308 mg/m³ STEL: 150 ppm Cutânea*	TWA: 50 ppm TWA: 310 mg/m³ iho*	TWA: 50 ppm TWA: 309 mg/m ³ H*	TWA: 270 mg/m³ Ceiling: 550 mg/m³ D*

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
Titanium dioxide	TWA: 5 mg/m ³	TWA: 3 mg/m ³	STEL: 30 mg/m ³	TWA: 5 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7	STEL 10 mg/m ³		TWA: 10 mg/m ³	STEL: 10 mg/m ³	TWA: 4 mg/m ³	•
					STEL: 30 mg/m ³	
					STEL: 12 mg/m ³	
Silica, amorphous	TWA: 4 mg/m ³	TWA: 4 mg/m ³		TWA: 1.5 mg/m ³	TWA: 6 mg/m ³	TWA: 1 mg/m ³
7631-86-9				STEL: 3 mg/m ³	TWA: 2.4 mg/m ³	TWA: 2 mg/m ³
					STEL: 18 mg/m ³	MAC: 3 mg/m ³
					STEL: 7.2 mg/m ³	MAC: 6 mg/m ³
Propylene glycol	TWA: 50 ppm	TWA: 100 ppm	STEL: 360 mg/m ³	TWA: 50 ppm	TWA: 100 ppm	
monomethyl ether	TWA: 187 mg/m ³	TWA: 360 mg/m ³	TWA: 180 mg/m ³	TWA: 180 mg/m ³	TWA: 375 mg/m ³	
107-98-2	STEL 50 ppm	STEL: 200 ppm	skóra*	STEL: 75 ppm	STEL: 150 ppm	
	STEL 187 mg/m ³	STEL: 720 mg/m ³		STEL: 225 mg/m ³	STEL: 568 mg/m ³	

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
	Ceiling: 50 ppm Ceiling: 187 mg/m ³ H*			H*		
2-Butanone, oxime 96-29-7	Sh+				TWA: 3 ppm TWA: 10 mg/m³ STEL: 10 ppm STEL: 33 mg/m³ Sens+	
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	TWA: 5 mg/m ³	TWA: 5 mg/m ³	STEL: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³	
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	H* Sa+	S+ TWA: 0.05 mg/m³ H*		TWA: 0.02 mg/m ³ A+ STEL: 0.06 mg/m ³	TWA: 0.02 mg/m ³ STEL: 0.3 mg/m ³ Sens+	
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 50 ppm TWA: 307 mg/m³ STEL 100 ppm STEL 614 mg/m³ H*	TWA: 50 ppm TWA: 300 mg/m ³ STEL: 50 ppm STEL: 300 mg/m ³	STEL: 480 mg/m³ TWA: 240 mg/m³ skóra*	TWA: 50 ppm TWA: 300 mg/m³ STEL: 75 ppm STEL: 375 mg/m³ H*	TWA: 50 ppm TWA: 308 mg/m³ STEL: 150 ppm STEL: 924 mg/m³ Sk*	

Biological occupational exposure limits:

Chemical name	European Union	Germany	Netherlands	Spain	United Kingdom	Hungary
Propylene glycol monomethyl ether 107-98-2	-	15 mg/L (urine - 1-Methoxypropan- 2-ol end of shift) 15 mg/L - BAT (end of exposure or end of shift) urine			-	
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7		35 µg/L - BLW (for long-term exposures: at the end of the shift after several shifts) urine 1.5 µg/L - BAR (for long-term exposures: at the end of the shift after several shifts) urine			-	

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
Propylene glycol	-	20 mg/L - urine	-	-	-	
monomethyl ether		(1-Methoxypropan				
107-98-2		ol-2) - end of shift				
Hexanoic acid, 2-ethyl-,	10 μg/L (urine -		-	-	-	
cobalt(2+) salt (2:1)	spontaneous urine					
136-52-7	after end of work					
	day, at the end of a					
	work week/end of					
	the shift)					
	(-)					

Derived No Effect Level (DNEL):

component information:

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

Worker - inhalative:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Propylene glycol monomethyl ether	369 mg/m ³	553.5 mg/m ³		553.5 mg/m ³
2-Butanone, oxime	9 mg/m ³		3.33 mg/m ³	
Hexanoic acid, 2-ethyl-, zirconium salt (1:?)	5 mg/m³ 32 mg/m³ 32.97 mg/m³			
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)			235.1 μg/m ³	
Dipropylene glycol monomethyl ether	308 mg/m ³			

Worker - dermal:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Propylene glycol monomethyl	183 mg/kg bw/day			
ether				
2-Butanone, oxime	1.3 mg/kg bw/day	2.5 mg/kg bw/day		
Hexanoic acid, 2-ethyl-,	6.49 mg/kg bw/day			
zirconium salt (1:?)	12 mg/kg bw/day			
	15.75 mg/kg bw/day			
Dipropylene glycol	283 mg/kg bw/day			
monomethyl ether				

Consumer - inhalative:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Propylene glycol monomethyl ether	43.9 mg/m ³			
2-Butanone, oxime	2.7 mg/m ³		2 mg/m ³	
Hexanoic acid, 2-ethyl-, zirconium salt (1:?)	2.5 mg/m ³ 8 mg/m ³ 8.13 mg/m ³			
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)			37 μg/m³	
Dipropylene glycol monomethyl ether	37.2 mg/m ³			

Consumer - dermal:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Propylene glycol monomethyl	78 mg/kg bw/day			
ether				
2-Butanone, oxime	0.78 mg/kg bw/day	1.5 mg/kg bw/day		
Hexanoic acid, 2-ethyl-,	3.25 mg/kg bw/day			
zirconium salt (1:?)	6 mg/kg bw/day			
	7.9 mg/kg bw/day			
Dipropylene glycol	121 mg/kg bw/day			
monomethyl ether				

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

consumer - oral:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Propylene glycol monomethyl	33 mg/kg bw/day			
ether				
Hexanoic acid, 2-ethyl-,	2.5 mg/kg bw/day			
zirconium salt (1:?)	4.51 mg/kg bw/day			
	7.9 mg/kg bw/day			
Hexanoic acid, 2-ethyl-,	175 µg/kg bw/day			
cobalt(2+) salt (2:1)				
Dipropylene glycol	36 mg/kg bw/day			
monomethyl ether				

Predicted No Effect Concentration (PNEC):

component information:

Chemical name	Propylene glycol monomethyl ether CAS: 107-98-2
Freshwater	10 mg/L
Marine water	1 mg/L
Freshwater (intermittent release)	100 mg/L
Sewage treatment	100 mg/L
Freshwater sediment	52.3 mg/kg sediment dw
Marine sediment	5.2 mg/kg sediment dw
Soil	4.59 mg/kg soil dw
Chemical name	2-Butanone, oxime CAS: 96-29-7
Freshwater	0.256 mg/L
Freshwater (intermittent release)	0.118 mg/L
Sewage treatment	177 mg/L
Chemical name	Hexanoic acid, 2-ethyl-, zirconium salt (1:?) CAS: 22464-99-9
Freshwater	0.36 mg/L
Marine water	0.036 mg/L
Freshwater (intermittent release)	0.493 mg/L
Sewage treatment	71.7 mg/L
Freshwater sediment	6.37 mg/kg sediment dw
Marine sediment	0.637 mg/kg sediment dw
Soil	1.06 mg/kg soil dw
Chemical name	Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) CAS: 136-52-7
Freshwater	0.62 μg/L
Marine water	2.36 μg/L
Sewage treatment	0.37 mg/L
Freshwater sediment	53.8 mg/kg sediment dw
Marine sediment	69.8 mg/kg sediment dw
Soil	10.9 mg/kg soil dw
Chemical name	Dipropylene glycol monomethyl ether CAS: 34590-94-8
Freshwater	19 mg/L
Marine water	1.9 mg/L
Freshwater (intermittent release)	190 mg/L

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

Sewage treatment	4168 mg/L
Freshwater sediment	70.2 mg/kg sediment dw
Marine sediment	7.02 mg/kg sediment dw
Soil	2.74 mg/kg soil dw

8.2. Exposure controls

Engineering controls: None under normal use conditions.

Personal protective equipment: The usual precautionary measures for the handling of chemicals have to be observed.



Eye/face protection: Wear safety glasses with side shields (or goggles).

Hand protection: Wear suitable gloves.

PPE - Glove material	Glove thickness	Break through time
NBR (Nitrile rubber)	0.4 mm	>=480 min.

Skin and body protection: Wear suitable protective clothing.

Respiratory protection: No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Recommended Filter Type: Filtering device (full mask or mouthpiec) with filter: AP-2

Environmental exposure controls: No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid
Color white
Odor characteristic

				Conditions	Method	Remarks
Melting point / melting range		400	۰.			Not established
Boiling point / boiling range Flammability	>	100	°C			Not established
Decomposition temperature						not relevant
Flash point	>	63	°C			
Autoignition temperature						None known not relevant
Lower explosive limit Upper explosion limit						not relevant
Vapor pressure	>	1100	hPa	50 °C		
Density	~	1.410	g/cm³	20 °C		
Water solubility						Miscible
pH pH (as aqueous solution)						Not applicable Not applicable
Partition coefficient						Not established
Kinematic viscosity	>	21	mm²/s	40 °C		

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Not established

Conti Classic Satin Base A weiss - 036920360514

Odor threshold
Relative density
Not established
Not established

Relative density Evaporation rate

Relative vapor density no data available Particle Size no data available no data available no data available

9.2. Other information

Bulk density:no data availableSoftening pointNo information availableMolecular weightNo information available

9.2.1. Information with regard to physical hazard classes:

Explosive properties Not an explosive Oxidizing properties Not oxidising.

9.2.2. Other safety characteristics: No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity: No information available.

10.2. Chemical stability

Stability: Stable under normal conditions.

Explosion data:

Sensitivity to mechanical impact:

Sensitivity to static discharge:

None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: None under normal processing.

10.4. Conditions to avoid

Conditions to avoid: None known based on information supplied.

10.5. Incompatible materials

Incompatible materials: None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products: None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

Information on likely routes of exposure:

Product Information:

Inhalation: Specific test data for the substance or mixture is not available.

Eye contact: Specific test data for the substance or mixture is not available.

Skin contact: May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

Ingestion: Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics:

Symptoms: Itching. Rashes. Hives.

Numerical measures of toxicity:

Acute toxicity: The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist): 89.30 mg/l

Component Information:

Chemical name	Parameter	Species	effektive Dosis	Method
Titanium dioxide 13463-67-7	Oral LD50	Rat	> 10000 mg/kg	
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics	Oral LD50	Rat	> 5000 mg/kg	
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	Oral LD50	Rat	> 5000 mg/kg	
Silica, amorphous 7631-86-9	Oral LD50	Rat	7900 mg/kg	
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine 162627-17-0	Oral LD50	Rat	> 10000 mg/kg	OECD 401
Propylene glycol monomethyl ether 107-98-2	Oral LD50	Rat	4016 mg/kg	
2-Butanone, oxime 96-29-7	Oral LD50	Rat	930 mg/kg	
Naphtha, petroleum, < 0,1% benzol 64741-65-7	Oral LD50	Rat	> 7000 mg/kg	
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	Oral LD50	Rat	2043 mg/kg	
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	Oral LD50	Rat	> 5000 mg/kg	
Dipropylene glycol monomethyl ether	Oral LD50	Rat	5.35 g/kg	

34590-94-8

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

Chemical name	Parameter	Species	effektive Dosis	Method

Chemical name	Parameters	Species	Effective dose	Method
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	Dermal LD50	Rabbit	> 5000 mg/kg	
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	Dermal LD50	Rabbit	> 5000 mg/kg	
Silica, amorphous 7631-86-9	Dermal LD50	Rabbit	> 5000 mg/kg	
Propylene glycol monomethyl ether 107-98-2	Dermal LD50	Rabbit	> 2000 mg/kg	
2-Butanone, oxime 96-29-7	Dermal LD50	Rabbit	1000 - 1800 mg/kg	
Naphtha, petroleum, < 0,1% benzol 64741-65-7	Dermal LD50	Rabbit	> 2000 mg/kg	
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	Dermal LD50	Rabbit	> 2000 mg/kg	
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	Dermal LD50	Rabbit	> 5000 mg/kg	
Dipropylene glycol monomethyl ether 34590-94-8	Dermal LD50	Rabbit	9500 mg/kg	

Chemical name	Parameters	Species	Effective dose	Exposure time	Method
Titanium dioxide 13463-67-7	Inhalation LD50	Rat	> 6.82 mg/L	4 h	
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	Inhalation LC50	Rat	> 5000 mg/L	4 h	
Silica, amorphous 7631-86-9	Inhalation LC50	Rat	> 2080 mg/L	4 h	
Propylene glycol monomethyl ether 107-98-2	Inhalation LC50	Rat	36.7 mg/L	4 h	OECD 403
Naphtha, petroleum, < 0,1% benzol 64741-65-7	Inhalation LC50	Rat	> 5.04 mg/L	4 h	
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	Inhalation LC50	Rat	> 5 mg/L	4 h	
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	Inhalation LC50	Rat	> 10 mg/L	1 h	
Dipropylene glycol monomethyl ether 34590-94-8	Inhalation LC50	Rat	21 mg/L		

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

Skin corrosion/irritation:

No information available.

Serious eye damage/eye irritation:

No information available.

Respiratory or skin sensitization: May cause sensitization by skin contact.

Germ cell mutagenicity:

No information available.

Chemical name	European Union
Naphtha, petroleum, < 0,1% benzol	Muta. 1B
64741-65-7	

Carcinogenicity: No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Titanium dioxide	Carc. 2
2-Butanone, oxime	Carc. 1B
Naphtha, petroleum, < 0,1% benzol	Carc. 1B

Reproductive toxicity: No information available.

STOT - single exposure: No information available.

STOT - repeated exposure: No information available.

Aspiration hazard: No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No information available.

11.2.2. Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity:

fish toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	LL0	Oncorhynchus mykiss	1000 mg/L	96 h	
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	LL50	Oncorhynchus mykiss	> 1000 mg/L	96 h	OECD 203

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Silica, amorphous 7631-86-9	LC50	Brachydanio rerio	5000 mg/L	96 h	
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediam ine and 1,3-propanediamine 162627-17-0	LC50	Leucisus idus	> 150 mg/L	48 h	
Propylene glycol monomethyl ether 107-98-2	LC50	Leuciscus idus	4600 - 10000 mg/L	96 h	DIN 38412
2-Butanone, oxime 96-29-7	LC50	Pimephales promelas	843 - 914 mg/L	96 h	
Dipropylene glycol monomethyl ether 34590-94-8	LC50	Pimephales promelas	> 10000 mg/L	96 h	

toxicity to crustacea:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	EL0	Daphnia magna	1000 mg/L	48 h	
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	EL50	Daphnia magna	> 1000 mg/L	48 h	OECD 202
Silica, amorphous 7631-86-9	EC50	Ceriodaphnia dubia	7600 mg/L	48 h	
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediam ine and 1,3-propanediamine 162627-17-0	EL50	Daphnia magna	> 100 mg/L	48 h	OECD 202
Propylene glycol monomethyl ether 107-98-2	EC50	Daphnia magna	23300 mg/L	48 h	
2-Butanone, oxime 96-29-7	EC50	Daphnia magna	> 1000 mg/L	48 h	
Naphtha, petroleum, < 0,1% benzol 64741-65-7	LC50	Mysidopsis bahia	2 mg/L	48 h	
Dipropylene glycol monomethyl ether 34590-94-8	LC50	Daphnia magna	1919 mg/L	48 h	

Algae Toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
hydrocarbons, C10 - 13,	EL0	Pseudokirchneriella	1000 mg/L	72 h	
n-alkanes, i-alkanes, cyclics, <		subcapitata			
2% aromatics					
-					

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	EL50	Pseudokirchneriella subcapitata	> 1000 mg/L	24 h	OECD 201
Silica, amorphous 7631-86-9	EC50	Pseudokirchneriella subcapitata	440 mg/L	72 h	
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediam ine and 1,3-propanediamine 162627-17-0	ErL50	Pseudokirchneriella subcapitata	> 100 mg/L	72 h	OECD 201
Propylene glycol monomethyl ether 107-98-2	EC50	Pseudokirchneriella subcapitata	> 1000 mg/L	7 d	OECD 201
Naphtha, petroleum, < 0,1% benzol 64741-65-7	EC50	Pseudokirchneriella subcapitata	30000 mg/L	72 h	

Bacteria toxicity:

Chemical name	Parameters	Species	Effective dose	Exposure time	Method
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediam ine and 1,3-propanediamine 162627-17-0	IC50	pseudomonas putida	> 430 mg/L	16 h	
Propylene glycol monomethyl ether 107-98-2	EC50	activated sludge	> 1000 mg/L	3 h	

12.2. Persistence and degradability

Persistence and degradability:

Chemical name	degradation rate	test duration	Rapidly biodegradable	Remarks	Method
Titanium dioxide 13463-67-7	0 %		No		
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics	80 %	28 d	Yes		
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	80 %	28 d	Yes		OECD 301F
Propylene glycol monomethyl ether 107-98-2	96 %	28 d	Yes	Aerobic biological treatment	
Naphtha, petroleum, < 0,1% benzol 64741-65-7			Yes		OECD 301F
Dipropylene glycol	75 %	28 d	Yes		OECD 301F

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

Chemical name	degradation rate	test duration	Rapidly biodegradable	Remarks	Method
monomethyl ether 34590-94-8					

12.3. Bioaccumulative potential

Bioaccumulation:

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics	3	
Propylene glycol monomethyl ether 107-98-2	0.37	<2
2-Butanone, oxime 96-29-7	0.65	0.5 - 5.8
Dipropylene glycol monomethyl ether 34590-94-8	-0.064	

12.4. Mobility in soil

Mobility in soil:

No information available.

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment:

Chemical name	PBT and vPvB assessment
Titanium dioxide 13463-67-7	The substance is not PBT / vPvB
Silica, amorphous 7631-86-9	The substance is not PBT / vPvB PBT assessment does not apply
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine 162627-17-0	The substance is not PBT / vPvB
Propylene glycol monomethyl ether 107-98-2	The substance is not PBT / vPvB
2-Butanone, oxime 96-29-7	The substance is not PBT / vPvB
Naphtha, petroleum, < 0,1% benzol 64741-65-7	The substance is not PBT / vPvB
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	The substance is not PBT / vPvB PBT assessment does not apply
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	The substance is not PBT / vPvB PBT assessment does not apply
Dipropylene glycol monomethyl ether 34590-94-8	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties.

No information available.

12.7. Other adverse effects.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products:

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

with local regulations.

Contaminated packaging: Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV: 08 01 11* (Waste paint and varnish containing organic solvents or other dangerous substances)

SECTION 14: Transport information

14.1. UN number

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated Not regulated

14.2 UN proper shipping name

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated

14.3. Transport hazard class(es)

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated

14.4. Packing group

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated

14.5. Environmental hazards

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated

14.6. Special precautions for user

ADR: Not regulated

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

Special Provisions: None

RID: Not regulated

Special Provisions: None

IMDG: Not regulated

Special Provisions: None

IATA: Not regulated

Special Provisions: None

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

• This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Substance subject to authorization per REACH Annex XIV	Restricted substance per REACH Annex XVII
Titanium dioxide 13463-67-7		75.
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -		28. 29.
2-Butanone, oxime 96-29-7		75.
Naphtha, petroleum, < 0,1% benzol 64741-65-7		28. 29. 75.

Persistent Organic Pollutants: Not applicable

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Naphtha, petroleum, < 0,1% benzol		25000
64741-65-7		

Ozone-depleting substances (ODS) regulation (EC) 1005/2009: Not applicable

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Silica, amorphous	Product type 18 amorphous
7631-86-9	

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

volatile organic compounds (VOC) content:

acc. reg. 2010/75/EG: 16.5 % acc. reg. 2004/42/EG (Decopaint): 233 g/L

648/2004/ EU (DetVo):

National regulations:

Denmark:

Chemical name	Denmark - MAL
Titanium dioxide	0 m3/10 g substance MAL factor
13463-67-7	>=0.1 - 5 % by weight [3]
	>=5 % by weight [6]
	>0 % by weight [1]
Silica, amorphous	0 m3/10 g substance MAL factor
7631-86-9	0.1 mg/m ³ Limit Value respirable
	>=0.1 - 2 % by weight [3]
	>=1 - 10 % by weight [3]
	>=10 % by weight [6]
	>=2 % by weight [6]
2-Butanone, oxime	79 m3/10 g substance MAL factor
96-29-7	>=3.0 % by weight [3]
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)	0 m3/10 g substance MAL factor
136-52-7	>=2.0 % by weight [3]
Dipropylene glycol monomethyl ether	5 m3/10 g substance MAL factor
34590-94-8	>0 % by weight [1]

Germany:

Water hazard class (WGK): slightly hazardous to water (WGK 1) - Classification according to AwSV

Chemical name	WGK Classification (AwSV)	ID number
Titanium dioxide 13463-67-7	nwg	1345
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics	1	-
Hydrocarbons, C9-C11, n-alkanes, i-alkanes, cyclics, < 2% aromates	1	-
Silica, amorphous 7631-86-9	nwg	849
Fatty acids, C18, unsaturated, dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine 162627-17-0	1	-
Propylene glycol monomethyl ether 107-98-2	1	1597
2-Butanone, oxime 96-29-7	1	1558
Naphtha, petroleum, < 0,1% benzol 64741-65-7	2	9162
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	1	-
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)	2	2305

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

136-52-7		
Dipropylene glycol monomethyl ether	1	5087
34590-94-8		

TA Luft (German Air Pollution Control Regulation):

total dust incl. fine dust (digit 5.2.1):
35 - 40%
inorg. subst. dust (digit 5.2.2) class II:

org. substances (Ziffer 5.2.5):
15 - 20%
org. subst. (digit 5.2.5) class I:

< 5%

Storage class (TRGS 510):

France:

Occupational Illnesses (R-463-3, France):

Chemical name	French RG number
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics	RG 84
0111-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	DO 05
Silica, amorphous 7631-86-9	RG 25
Propylene glycol monomethyl ether 107-98-2	RG 84
Dipropylene glycol monomethyl ether 34590-94-8	RG 84

RG 25 - Conditions resulting from inhalation of mineral dusts containing crystalline silica (quartz, cristobalite, tridymite), crystalline silicates (kaolin, talc), graphite, or coal.

RG 84 - Occupational conditions caused by liquid organic solvents

Netherlands:

Chemical name	2-Butanone, oxime
Netherlands - List of Carcinogens	Present
	X
ZZS list: SVHC	x ()

Chemical name	Naphtha, petroleum, < 0,1% benzol
ZZS list: SVHC	x ()

Water contaminating class (Netherlands): Z (1)

Austria:

Flammable Liquids Regulations, VbF: Flammable liquids: AIII

Switzerland:

VOC content:: acc. VOCV CH 814.018, att. 1: 15.2 %

International Inventories:

TSCA Does not comply
DSL/NDSL Does not comply
EINECS/ELINCS Does not comply
ENCS Does not comply
IECSC Does not comply

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

KECL Does not comply PICCS Does not comply AICS Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report: No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet:

Full text of H-Statements referred to under section 3:

EUH066 - Repeated exposure may cause skin dryness or cracking

H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H312 - Harmful in contact with skin

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

H360 - May damage fertility or the unborn child

H361d - Suspected of damaging the unborn child

H400 - Very toxic to aquatic life

H412 - Harmful to aquatic life with long lasting effects

Legend:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

ADR: European agreement concerning the international carriage of dangerous goods by road

(Accord européen relatif transport des merchandises dangereuses par route)

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany)

BCF: Bio-Concentration Factor

BOD(5): Biochemical oxygen demand (within 5 days)

CAS: Chemical Abstract Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic, toxic for Reproduction

DIN: German Standards Institute / German industrial norm

DNEL: Derived No Effect Level

DOC: Dissolved organic carbon

EAK/ AVV: European waste catalogue/ waste directory-regulation

EC50: Effective Concentration 50%

ECHA: European Chemical Agency

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

EINECS: European Inventory of Existing Commercial Chemical Substances

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

IATA: International Air Transport Association

IC50: Inhibition Concentration 50%

IMDG: International Maritime Dangerous Goods Code LC50: Lethal Concentration 50% - LD50: Lethal dose 50%

MAK: Treshold limit values Germany

NLP: No Longer Polymers

NOAEC: No Observed Adverse Effect Concentration

NOAEL: No Observed Adverse Effect Level

OECD: Organization for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic

PC: Product category

PNEC: Predicted No Effect Concentration

REACh: Registration, Evaluation and Authorization of Chemicals

RID:Regulations concerning the international carriage of dangerous goods by rail

(Règlement International concernant le transport de marchandises dangereuses par chemin de fer)

STEL: Short-term Exposure Limit STP: Sewage treatment plant

SVHC: Substance of Very High Concern

TLV: Threshold Limit Value TWA: Time Weighted Average

UN: United Nations

VOC: Volatile Organic Compounds

vPvB: very persistent, very bioaccumulative

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ceiling: Maximum limit value

* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS:

European Chemicals Agency (ECHA)

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision Number: 1

Conti Classic Satin Base A weiss - 036920360514

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Revision date: 22-Jun-2022

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006:

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet