This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 27-Jul-2021

Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Name:	Conti Tekton 10 esche
Article number:	031100360009

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product categories [PC]:	PC9 - Coatings and paints, fillers, putties, thinners
Sector of uses [SU]:	SU19 - Building and construction work

#### 1.3. Details of the supplier of the safety data sheet

Supplier:	conti coatings GmbH Feldstrasse 55 D - 46149 Oberhausen Telefon: +49 208/ 9948-0 Telefax: +49 208/ 650625 www.conticoatings.com
E-mail address	sds.ob@kluthe.com

### 1.4. Emergency telephone number

Emergency Telephone: +49 177 / 214 4737 (24 h)

Emergency Telephone - §45 - (EC)1272/2008		
Europe	112	
Austria	+43 1 406 43 43 (Giftinformationszentrale)	

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

## 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

### Hazard statements:

EUH208 - Contains Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) May produce an allergic reaction.

# 2.3. Other hazards

No information available.

# SECTION 3: Composition/information on ingredients

# 3.1 Substances

Not applicable

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021

Conti Tekton 10 esche - 031100360009

Revision Number: 1

## 3.2 Mixtures

Chemical name	CAS No	EC No	REACH registration number	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Weight-%
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics	-	918-481-9	01-2119457273-39	Asp. Tox. 1 (H304) (EUH066)	25 - < 50
Hexanoic acid, 2-ethyl-, zirconium salt (1:?)	22464-99-9	245-018-1	01-2119979088-21	Repr. 2 (H361d)	0.5 - < 1
Hexanoic acid, 2-ethyl-, barium salt (2:1)	2457-01-4	219-535-8	01-2119983179-22	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Acute Tox. 4 (H332) Repr. 2 (H361d)	0.25 - < 0.5
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)	136-52-7	205-250-6	01-2119524678-29	Skin Sens. 1A (H317) Eye Irrit. 2 (H319) Repr. 1B (H360) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)	0.05 - < 0.1

Chemical name	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Hexanoic acid, 2-ethyl-, barium salt				A,1
(2:1)				
2457-01-4				

#### Acute Toxicity Estimate:

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50	Dermal LD50		Inhalation LC50 - 4 hour - vapor - mg/L	
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	No data available	5005	8.5	No data available	No data available
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	2043	2002	6	No data available	No data available
Hexanoic acid, 2-ethyl-, barium salt (2:1) 2457-01-4	500	2002	11	11	No data available
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	5005	5005	11	No data available	No data available

Full text of H- and EUH-phrases: see section 16

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021

#### Conti Tekton 10 esche - 031100360009

#### Revision Number: 1

# SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation:	Remove to fresh air.
Eye contact:	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact:	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Ingestion:	Rinse mouth.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: N	o information available.
-------------	--------------------------

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians: Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire:	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media:	Do not scatter spilled material with high pressure water streams.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the	No information available.
chemical:	

### 5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters: Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions:	Ensure adequate ventilation.
For emergency responders:	Use personal protection recommended in Section 8.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



**Revision Number:** 1

Revision date: 02-Aug-2021

Conti Tekton 10 esche - 031100360009

#### 6.2. Environmental precautions

Environmental precautions: See Section 12 for additional Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

Methods for containment: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards: Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Reference to other sections: See section 8 for more information. See section 13 for more information.

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Advice on safe handling:	Ensure adequate ventilation.					
General hygiene considerations:	Handle in accordance with good industrial hygiene and safety practice.					
7.2. Conditions for safe storage, including any incompatibilities						
Storage Conditions:	Keep container tightly closed in a dry and well-ventilated place.					

### 7.3. Specific end use(s)

Other information:

No information available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Exposure Limits:

Chemical name	European Union	Germany	Netherlands	Spain	United Kingdom	Hungary
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9				TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7					TWA: 0.1 mg/m <sup>3</sup>	

Chemical name	France	Italy	Portugal	Finland	Denmark	Czech Republic
Hexanoic acid, 2-ethyl-,			TWA: 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021

#### Conti Tekton 10 esche - 031100360009

#### Revision Number: 1

zirconium salt (1:?) 22464-99-9		STEL: 10 mg/m <sup>3</sup>		
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7				TWA: 0.05 mg/m <sup>3</sup> Ceiling: 0.1 mg/m <sup>3</sup>

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -		TWA: 50 ppm TWA: 300 mg/m <sup>3</sup> STEL: 100 ppm STEL: 600 mg/m <sup>3</sup>	STEL: 900 mg/m <sup>3</sup> TWA: 300 mg/m <sup>3</sup>			
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	
Hexanoic acid, 2-ethyl-, barium salt (2:1) 2457-01-4				TWA: 0.5 mg/m <sup>3</sup> STEL: 1.5 mg/m <sup>3</sup>		
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	H*	TWA: 0.05 mg/m <sup>3</sup> H*		TWA: 0.02 mg/m <sup>3</sup> STEL: 0.06 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>	

Biological occupational exposure limits:

Chemical name	Austria	Switzerland	Poland	Norway	Ireland	Russia
Hexanoic acid, 2-ethyl-,	10 µg/L - urine		-	-	-	
cobalt(2+) salt (2:1)	(spontaneous					
136-52-7	urine) - after end					
	of work day, at the					
	end of a work					
	week/end of the					
	shift					
	- () -					

Derived No Effect Level (DNEL):

component information:

Worker - inhalative:

Chemical name	short term, local	short term, systemic	long term, local	long term, systemic
Hexanoic acid, 2-ethyl-,				8.8 mg/m <sup>3</sup>
barium salt (2:1)				
Hexanoic acid, 2-ethyl-,			0.2351 mg/m <sup>3</sup>	0.2351 mg/m <sup>3</sup>
cobalt(2+) salt (2:1)				

Worker - dermal:

Chemical name	short term, local	short term, systemic	long term, local	long term, systemic
Hexanoic acid, 2-ethyl-,				7.25 mg/kg bw/day
barium salt (2:1)				

Consumer - inhalative:

Chemical name short term, local	short term, systemic	long term, local	long term, systemic
---------------------------------	----------------------	------------------	---------------------

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



#### Revision date: 02-Aug-2021

### Conti Tekton 10 esche - 031100360009

#### Revision Number: 1

Chemical name	short term, local	short term, systemic	long term, local	long term, systemic
Hexanoic acid, 2-ethyl-, barium salt (2:1)				2.6 mg/m <sup>3</sup>
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)			0.037 mg/m³	

Consumer - dermal:

Chemical name	short term, local	short term, systemic	long term, local	long term, systemic
Hexanoic acid, 2-ethyl-,				3.62 mg/kg bw/day
barium salt (2:1)				

consumer - oral:

Chemical name	short term, local	short term, systemic	long term, local	long term, systemic
Hexanoic acid, 2-ethyl-,				2.5 mg/kg bw/day
barium salt (2:1)				
Hexanoic acid, 2-ethyl-,				0.0558 mg/kg bw/day
cobalt(2+) salt (2:1)				

Predicted No Effect Concentration (PNEC):

component information:

Chemical name	Hexanoic acid, 2-ethyl-, zirconium salt (1:?)
Freshwater	0.36 mg/L
Marine water	0.036 mg/L
Intermittent release	0.493 mg/L
Freshwater sediment	6.37 mg/kg
Marine sediment	0.637 mg/kg
Soil	1.06 mg/kg

Chemical name	Hexanoic acid, 2-ethyl-, barium salt (2:1)
Freshwater	360 µg/L
Marine water	36 µg/L
Intermittent release	493 µg/L
Freshwater sediment	792 mg/kg dry weight
Marine sediment	637 mg/kg dry weight
Soil	207 mg/kg dry weight

Chemical name	Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)
Freshwater	0.00051 mg/L
Marine water	0.00236 mg/L
Freshwater sediment	9.5 mg/kg
Marine sediment	9.5 mg/kg
Soil	7.9 mg/kg

#### 8.2. Exposure controls

Engineering controls:

None under normal use conditions.

Personal protective equipment:

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



**Revision Number:** 1

Revision date: 02-Aug-2021

Conti Tekton 10 esche - 031100360009



Eye/face protection:

No special protective equipment required.

PPE - Glove material		Glove thickness	Break through time		
NBR (Nitrile rubber)		0.4 mm	>=480 min.		
Skin and body protection:	No specia	l protective equipment required.			
Respiratory protection:	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.				
Recommended Filter Type:	not relevant				
Environmental exposure controls:	No information available.				

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquio	b				
Color	brow	n				
Odor	chara	cteristic				
Melting point / melting range				Conditions	Method	<i>Remarks</i> Not established
Boiling point / boiling range	>	100	°C			
Flammability						Not established
Decomposition temperature						not relevant
Flash point	~	63	°C		DIN 51755 Part 1	
Autoignition temperature						None known
Lower explosive limit						not relevant
Upper explosion limit						not relevant
Vapor pressure	>	1100	hPa	50 °C		
Density	~	0.930	g/cm³	20 °C		
Water solubility						slightly soluble
рН						not applicable

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



**Revision Number:** 1 Revision date: 02-Aug-2021 Conti Tekton 10 esche - 031100360009 pH (as aqueous solution) Not established Partition coefficient Not established **Kinematic viscosity** mm²/s 40 °C > **Odor threshold** Not established Not established **Relative density** Not established **Evaporation rate** Relative vapor density no data available no data available **Particle Size Particle Size Distribution** no data available 9.2. Other information no data available **Bulk density:** No information available Softening point Molecular weight No information available 9.2.1. Information with regard to physical hazard classes: Explosive properties Not an explosive Oxidizing properties Not oxidising. 9.2.2. Other safety characteristics: No information available SECTION 10: Stability and reactivity 10.1. Reactivity No information available. Reactivity: 10.2. Chemical stability Stability: Stable under normal conditions.

Explosion data:	
Sensitivity to mechanical impact:	None.
Sensitivity to static discharge:	None.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: None under normal processing.

### **10.4. Conditions to avoid**

Conditions to avoid: None known based on information supplied.

#### 10.5. Incompatible materials

Incompatible materials:	None known based on information supplied.
-------------------------	---

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



**Revision Number:** 1

Revision date: 02-Aug-2021

Conti Tekton 10 esche - 031100360009

### 10.6. Hazardous decomposition products

Hazardous decomposition products: None known based on information supplied.

# SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Information on likely routes of exposure:

Product Information:	The product has not been tested
Inhalation:	Specific test data for the substance or mixture is not available.
Eye contact:	Specific test data for the substance or mixture is not available.
Skin contact:	Specific test data for the substance or mixture is not available.
Ingestion:	Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics:

Symptoms: No information available.

Numerical measures of toxicity:

Acute toxicity: The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist)

21.94 mg/l

Component Information:

Chemical name	Parameter	Species	effektive Dosis	Method
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	Oral LD50	Rat	> 5000 mg/kg	
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	Oral LD50	Rat	2043 mg/kg	
Hexanoic acid, 2-ethyl-, barium salt (2:1) 2457-01-4	Oral LD50	Rat	500 mg/kg	
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	Oral LD50	Rat	> 5000 mg/kg	

Chemical name	Parameters	Species	Effective dose	Method
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	Dermal LD50	Rabbit	> 5000 mg/kg	
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	Dermal LD50	Rabbit	> 2000 mg/kg	
Hexanoic acid, 2-ethyl-, barium salt	Dermal LD50	Rabbit	> 2000 mg/kg	

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021

#### Conti Tekton 10 esche - 031100360009

#### Revision Number: 1

Chemical name	Parameters	Species	Effective dose	Method
(2:1)				
2457-01-4				
Hexanoic acid, 2-ethyl-, cobalt(2+)	Dermal LD50	Rabbit	> 5000 mg/kg	
salt (2:1)				
136-52-7				

Chemical name	Parameters	Species	Effective dose	Exposure time	Method
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	Inhalation LC50	Rat	> 5 mg/L	4 h	
Hexanoic acid, 2-ethyl-, barium salt (2:1) 2457-01-4	Inhalation LC50	Rat	11 mg/L	4 h	
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	Inhalation LC50	Rat	> 10 mg/L	1 h	

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Skin corrosion/irritation:	No information available.
Serious eye damage/eye irritation:	No information available.
Respiratory or skin sensitization:	No information available.
Germ cell mutagenicity:	No information available.
Carcinogenicity:	No information available.
Reproductive toxicity:	No information available.
STOT - single exposure:	No information available.
STOT - repeated exposure:	No information available.
Aspiration hazard:	No information available.

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No information available.

#### 11.2.2. Other information

No information available.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecotoxicity:

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021

### Conti Tekton 10 esche - 031100360009

#### Revision Number: 1

fish toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
hydrocarbons, C10 - 13,	LL0	Oncorhynchus mykiss	1000 mg/L	96 h	
n-alkanes, i-alkanes, cyclics, <					
2% aromatics					
-					

toxicity to crustacea:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
hydrocarbons, C10 - 13,	EL0	Daphnia magna	1000 mg/L	48 h	
n-alkanes, i-alkanes, cyclics, <					
2% aromatics					
-					

Algae Toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	ELO	Pseudokirchneriella subcapitata	1000 mg/L	72 h	

## 12.2. Persistence and degradability

Persistence and degradability:

Chemical name	degradation rate	test duration	Rapidly biodegradable	Remarks	Method
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	80 %	28 d	Yes		
Hexanoic acid, 2-ethyl-, barium salt (2:1) 2457-01-4	100 %		Yes		

### 12.3. Bioaccumulative potential

**Bioaccumulation:** 

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	3	

## 12.4. Mobility in soil

Mobility in soil:	No information available.
Mobility:	No information available.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021

Conti Tekton 10 esche - 031100360009

### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment:

Chemical name	PBT and vPvB assessment
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	The substance is not PBT / vPvB
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	The substance is not PBT / vPvB
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	The substance is not PBT / vPvB

### 12.6. Endocrine disrupting properties.

No information available.

#### 12.7. Other adverse effects.

No information available.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused<br/>products:Dispose of in accordance with local regulations. Dispose of waste in accordance with<br/>environmental legislation.

Contaminated packaging: Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV: 08 01 11\* (Waste paint and varnish containing organic solvents or other dangerous substances)

### **SECTION 14: Transport information**

#### 14.1. UN number

ADR:	Not regulated
RID:	Not regulated
IMDG:	Not regulated
IATA:	Not regulated

#### 14.2 UN proper shipping name

ADR:	Not regulated
RID:	Not regulated
IMDG:	Not regulated
IATA:	Not regulated

#### 14.3. Transport hazard class(es)

ADR:	Not regulated
RID:	Not regulated

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



**Revision Number:** 1

#### Revision date: 02-Aug-2021

#### Conti Tekton 10 esche - 031100360009

IMDG: Not regulated IATA: Not regulated

#### 14.4. Packing group

Not regulated
Not regulated
Not regulated
Not regulated

#### 14.5. Environmental hazards

ADR:	Not applicable
RID:	Not applicable
IMDG:	Not applicable
IATA:	Not applicable

#### 14.6. Special precautions for user

ADR:	Not regulated
RID:	Not regulated
IMDG:	Not regulated
IATA:	Not regulated

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Substance subject to authorization	•
	per REACH Annex XIV	Annex XVII
hydrocarbons, C10 - 13, n-alkanes, i-alkanes,		28.
cyclics, < 2% aromatics		29.
-		

Persistent Organic Pollutants:

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009: Not applicable

volatile organic compounds (VOC) content:	
acc. reg. 2010/75/EG:	43 %
acc. reg. 2004/42/EG (Decopaint):	43 %

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021

Conti Tekton 10 esche - 031100360009

#### Revision Number: 1

#### National regulations:

Denmark:

Chemical name	Denmark - MAL
Hexanoic acid, 2-ethyl-, barium salt (2:1)	0 m3/10 g substance MAL factor
2457-01-4	>=2.0 % by weight [2]
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1)	0 m3/10 g substance MAL factor
136-52-7	>=2.0 % by weight [3]

Germany:

Water hazard class (WGK): slightly hazardous to water (WGK 1) - Classification according to AwSV

Chemical name	WGK Classification (AwSV)	ID number
hydrocarbons, C10 - 13, n-alkanes, i-alkanes, cyclics, < 2% aromatics -	1	-
Hexanoic acid, 2-ethyl-, zirconium salt (1:?) 22464-99-9	1	-
Hexanoic acid, 2-ethyl-, barium salt (2:1) 2457-01-4	1	4309
Hexanoic acid, 2-ethyl-, cobalt(2+) salt (2:1) 136-52-7	2	2305

TA Luft (German Air Pollution Control Regulation): total dust incl. fine dust (digit 5.2.1): org. substances (Ziffer 5.2.5): org. subst. (digit 5.2.5) class I:

< 5% 40 - 45% < 5%

Storage class (TRGS 510): 10 • LGK10 - Combustible liquids unless storage class 3

#### France:

Occupational Illnesses (R-463-3, France):

French RG number
RG 84

RG 84 - Occupational conditions caused by liquid organic solvents

Austria:

Flammable Liquids Regulations, VbF: Flammable liquids: AIII

#### Switzerland:

VOC content:: acc. VOCV CH 814.018, att. 1: 38 %

#### International Inventories:

TSCA Does not comply

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021

Conti Tekton 10 esche - 031100360009

Revision Number: 1

DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment

Chemical Safety Report: No information available

# **SECTION 16: Other information**

Key or legend to abbreviations and acronyms used in the safety data sheet:

Full text of H-Statements referred to under section 3:

EUH066 - Repeated exposure may cause skin dryness or cracking

- H302 Harmful if swallowed
- H304 May be fatal if swallowed and enters airways
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H360 May damage fertility or the unborn child
- H361d Suspected of damaging the unborn child
- H400 Very toxic to aquatic life
- H412 Harmful to aquatic life with long lasting effects

Legend:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

ADR: European agreement concerning the international carriage of dangerous goods by road

(Accord européen relatif transport des merchandises dangereuses par route)

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany)

BCF: Bio-Concentration Factor

BOD(5): Biochemical oxygen demand (within 5 days)

CAS: Chemical Abstract Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic, toxic for Reproduction

DIN: German Standards Institute / German industrial norm

DNEL: Derived No Effect Level

DOC: Dissolved organic carbon

EAK/ AVV: European waste catalogue/ waste directory-regulation

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Aug-2021

Conti Tekton 10 esche - 031100360009

Revision Number: 1

EC50: Effective Concentration 50% ECHA: European Chemical Agency EINECS: European Inventory of Existing Commercial Chemical Substances GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals IATA: International Air Transport Association IC50: Inhibition Concentration 50% IMDG: International Maritime Dangerous Goods Code LC50: Lethal Concentration 50% - LD50: Lethal dose 50% MAK: Treshold limit values Germany NLP: No Longer Polymers NOAEC: No Observed Adverse Effect Concentration NOAEL: No Observed Adverse Effect Level OECD: Organization for Economic Cooperation and Development PBT: persistent, bioaccumulative, toxic PC: Product category PNEC: Predicted No Effect Concentration REACh: Registration, Evaluation and Authorization of Chemicals RID:Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer) STEL: Short-term Exposure Limit STP: Sewage treatment plant SVHC: Substance of Very High Concern TLV: Threshold Limit Value TWA: Time Weighted Average **UN: United Nations** VOC: Volatile Organic Compounds vPvB: very persistent, very bioaccumulative

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- Ceiling: Maximum limit value
- \* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS:

European Chemicals Agency (ECHA)

Agency for Toxic Substances and Disease Registry (ATSDR)

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



**Revision Number:** 1

Revision date: 02-Aug-2021

Conti Tekton 10 esche - 031100360009

U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization Revision date: 02-Aug-2021 This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006:

#### **Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**