

Trade name :

Article number : Revision date : Glutolin K10 - Adhesive for heavy wallcoverings
(Glutolin K10 - Sicherheitskleber)0637_074Version (Revision):
Print date :

6.0.0 (5.0.0) 27.04.2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Glutolin K10 - Adhesive for heavy wallcoverings (Glutolin K10 - Sicherheitskleber) (0637_074) 1.2 Relevant identified uses of the substance or mixture and uses advised against **Relevant identified uses** Products Category [PC] PC1 - PC1 - Adhesives, sealants Sectors of use [SU] SU21 - Consumer uses: Private households (= general public = consumers) SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen) 1.3 Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor) Glutolin Renovierungsprodukte GmbH Street: Im Schedetal 1 Postal code/city: 34346 Hann. Münden Telephone: +49 (0)5541 7003-03 Telefax: +49 (0)5541 7003-50 Information contact : E-mail (competent person) : sds@glutolin.de Website : www.glutolin.com 1.4 Emergency telephone number +49 (0)5541 7003-41/-64 Only available during office hours (Mo-Th 8 - 16 h, Fr 8 - 12.30 h).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP]

2.2 Label elements

None

None

2.3 Other hazards

This mixture does not contain any substances classified as PBT/vPvB or included in the SVHC-Candidate List.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description

Consist of: Methylcellulose, starch ether, powder of polyvinylacetate-dispersion and additives
Hazardous ingredients
POLYVINYLACETATDISPERSIONSPULVER(Allgemeiner Staubgrenzwert); REACH No. : Art. 2 (9); CAS No. : 9003-20-7
Weight fraction : ≥ 20 - < 25 %

Classification 1272/2008 [CLP] : None



Trade name :

Glutolin K10 - Adhesive for heavy wallcoverings (Glutolin K10 - Sicherheitskleber

	(0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.		
Article number :	0637074	Version (Revision) :	6.0.0 (5.0.0)
Revision date :	27.04.2020	Print date :	27.04.2020

SODIUM CARBONATE ; REACH No. : 01-2119485498-19 ; EC No. : 207-838-8; CAS No. : 497-19-8

> 1 - < 5 % Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319

Additional information

Weight fraction :

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Notice the directions for use on the label. When in doubt or if symptoms are observed, get medical advice. Change contaminated, saturated clothing.

Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap.

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a physician in any case!

4.2 Most important symptoms and effects, both acute and delayed

- No information available.
- 4.3 Indication of any immediate medical attention and special treatment needed None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry extinguishing powder Water spray jet

Unsuitable extinguishing media

Full water jet Strong water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

No special measures are necessary.

5.3 Advice for firefighters Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. The usual precautionary measures for the handling of chemicals have to be observed.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.



Trade name :

Article number : Revision date : Glutolin K10 - Adhesive for heavy wallcoverings
(Glutolin K10 - Sicherheitskleber)0637__074Version (Revision) :
Print date :

6.0.0 (5.0.0) 27.04.2020

6.3 Methods and material for containment and cleaning up

For containment

Take up mechanically. Protect against moisture and water.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Normal precautions taken when handling chemicals should be observed. Avoid contact with skin and eyes. Keep away from food, drink and animal feeding stuffs.

Measures to prevent fire

The product is: dust explosive Keep away from sources of ignition - No smoking.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

Do not store outside. Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Please note safety instructions and directions for use on the drum.

Do not store at temperatures below : Avoid cooling to under 0°C.

7.3 Specific end use(s)

Recommendation Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

None

8.2 Exposure controls

Personal protection equipment

Eye/face protection

Suitable eye protection

No special measures are necessary.

Skin protection

Hand protection

If the possibility of allergic reactions (aerogenic contact dermatitis) exists in persons who have a pre-sensitization to isothiazolinones (preservatives) by skin contact, the following hand protection should be worn: **Suitable gloves type** : Chemical protection gloves according to DIN EN 374 with CE marking.

Suitable material : NBR (Nitrile rubber)

Breakthrough time (maximum wearing time): 480 min

Thickness of the glove material : 0,4 mm

Remark : Protective gloves should be checked for damage (cracks, holes, cuts) before each use. Do not wear protective gloves longer than necessary. After the use of gloves, use skin cleansing and skin care products.



Trade name :

Article number : Revision date : Glutolin K10 - Adhesive for heavy wallcoverings
(Glutolin K10 - Sicherheitskleber)0637_074Version (Revision):
Print date :27.04.2020Print date :

6.0.0 (5.0.0) 27.04.2020

Body protection

Wearing of closed working clothes. Remove contaminated, saturated clothing.

Respiratory protection

Suitable respiratory protection apparatus

Usually no personal respirative protection necessary.

General information

The usual precautionary measures for the handling of chemicals have to be observed. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

Environmental exposure controls

See also section 6 and 12.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : solid: Powder

Colour : white

Odour

characteristic

Safety characteristics

Melting point/freezing point :	(1013 hPa)		none		
Initial boiling point and boiling range :	(1013 hPa)		none		
Flash point :			none		Brookfield
Auto-ignition temperature :		>=	360	°C	
Lower explosion limit :		min.	15	g/m³	
Upper explosion limit :			No data available		
Vapour pressure :	(50 °C)		No data available		
Density :	(20 °C)		No data available		
Bulk density :		approx.	510	kg/m³	
Solvent separation test :	(20 °C)		not applicable		
рН :			not applicable		
Flow time :	(23 °C)		not applicable		ISO cup 6 mm
Viscosity :	(20 °C)		not applicable		
Cinematic viscosity :	(40 °C)		not applicable		
VOC-value :		<	1	g/l	
Nth an information					

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7).

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

No information available.



Trade name :

Article number : Revision date : Glutolin K10 - Adhesive for heavy wallcoverings (Glutolin K10 - Sicherheitskleber) 0637_074 Version (Revision) : 27.04.2020 Print date :

6.0.0 (5.0.0) 27.04.2020

10.5 Incompatible materials

None, if handled according to order.

10.6 Hazardous decomposition products

Carbon dioxide.

10.7 Additional information

Danger of dust explosion.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

There are no data available on the preparation/mixture itself.

Acute toxicity

Acuto oral toxicity

There are no data available on the preparation/mixture itself.

Acute oral toxicity	
Parameter :	LD50 (SODIUM CARBONATE ; CAS No. : 497-19-8)
Exposure route :	Oral
Species :	Rat
Effective dose :	2800 mg/kg
Acute dermal toxicity	
Parameter :	LD50 (SODIUM CARBONATE ; CAS No. : 497-19-8)
Exposure route :	Dermal
Species :	Rat
Effective dose :	> 2000 mg/kg
Parameter :	LD50 (SODIUM CARBONATE ; CAS No. : 497-19-8)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	> 2000 mg/kg
Acute inhalation toxicity	
Parameter :	LC50 (SODIUM CARBONATE ; CAS No. : 497-19-8)
Exposure route :	Inhalation
Species :	Rat
Effective dose :	2,3 mg/l
Exposure time :	2 h

Specific effects (Longterm animal experiment)

There are no data available on the preparation/mixture itself.

Corrosion

There are no data available on the preparation/mixture itself.

Skin corrosion/irritation

Parameter :	Skin corrosion/irritation (SODIUM CARBONATE ; CAS No. : 497-19-8)		
Result :	mild skin irritation		
Serious eye damage/eye irritation			
Parameter :	Serious eye damage/eye irritation (SODIUM CARBONATE ; CAS No. : 497-19-8)		

Result : irritates

Respiratory or skin sensitisation

The product contains as protection against microbial attack (e.g., mold) during storage in the container small amounts of pot preservatives. These are not suspected to cause allergic reactions.

Repeated dose toxicity (subacute, subchronic, chronic)

There are no data available on the preparation/mixture itself.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

There are no data available on the preparation/mixture itself.



Trade name :

Article number : **Revision date :**

Glutolin K10 - Adhesive for heavy wallcoverings (Glutolin K10 - Sicherheitskleber) 0637__074 Version (Revision) : 27.04.2020 Print date :

6.0.0 (5.0.0) 27.04.2020

Carcinogenicity No data available Germ cell mutagenicity No data available **Reproductive toxicity** No data available

STOT-single exposure

There are no data available on the preparation/mixture itself.

STOT-repeated exposure

There are no data available on the preparation/mixture itself.

Aspiration hazard

There are no data available on the preparation/mixture itself.

11.2 Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

11.4 Other adverse effects

There are no data available on the preparation/mixture itself.

11.5 Additional information

This product is unlikely to harm health, given normal and proper handling and hygienic precautions.

SECTION 12: Ecological information

12.1 Toxicity

No information available.

				
	пат	с тс	vic	'IT'
лч	uati		////	

Parameter : Species :

Parameter : Species :

Acute (short-term) toxicity to aquatic algae and cyanobacteria

EC50 (SODIUM CARBONATE ; CAS No. : 497-19-8) Acute (short-term) toxicity to crustacea Evaluation parameter : water flea Effective dose : 200 - 227 mg/l Exposure time : 48 h EC50 (SODIUM CARBONATE ; CAS No. : 497-19-8) Acute (short-term) fish toxicity Evaluation parameter : Lepomis macrochirus Effective dose : > 300 mg/l Exposure time : 96 h

Sewage treatment plant

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

No information available.



Trade name :

Article number : Revision date : Glutolin K10 - Adhesive for heavy wallcoverings
(Glutolin K10 - Sicherheitskleber)0637_074Version (Revision) :
Print date :27.04.2020Print date :

6.0.0 (5.0.0) 27.04.2020

12.7 Additional ecotoxicological information

Additional information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Dispose according to legislation. Handle contaminated packages in the same way as the substance itself. Or deposit together with household garbage after hardening.

Waste codes/waste designations according to EWC/AVV

Waste code product Not used: 08 04 10 Working form: 08 04 14

or

17 09 04

Waste name Not used:

waste adhesives and sealants other than those mentioned in 08 04 09 Working form: aqueous sludges containing adhesives or sealants other than those mentioned in 08 04 13

or

mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

Waste code packaging

15 01 01 or 15 01 05

Waste name

paper and cardboard packaging

composite packaging

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code not applicable

Page : 7 / 8



Trade name :

Article number : Revision date : Glutolin K10 - Adhesive for heavy wallcoverings(Glutolin K10 - Sicherheitskleber)0637_074Version (Revision) :27.04.2020Print date :

6.0.0 (5.0.0) 27.04.2020

SECTION 15: Regulatory information

^{15.1} Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Other regulations (EU)

Labelling for contents according to regulation (EC) No. 648/2004

- this product is not subject to EC Detergent regulation no. 648/2004.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC-Directive (2004/42/CE) - Classification: - out of scope

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

15.3 Additional information

None

SECTION 16: Other information

16.1 Indication of changes

02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] \cdot 02. Special rules for supplemental label elements for certain mixtures \cdot 03. Hazardous ingredients

16.2 Abbreviations and acronyms

None

16.3 Key literature references and sources for data

^{16.4} Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

Causes serious eye irritation.

16.6 Training advice

None

H319

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.