

Trade name : Article number : Revision date : 
 Gewebekleber Silikat GS mineral

 0115\_\_000
 Version :

 25.06.2020
 Print date :

1.0.0 25.06.2020

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Gewebekleber Silikat GS mineral (0115\_000) 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Products Category [PC] PC1 - PC1 - Adhesives, sealants Sectors of use [SU] SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen) SU21 - Consumer uses: Private households (= general public = consumers) 1.3 Details of the supplier of the safety data sheet Supplier (manufacturer/importer/only representative/downstream user/distributor) PUFAS Werk KG Street: Im Schedetal 1 Postal code/city: 34346 Hann. Münden **Telephone :** +49 (0)5541 7003-01 Telefax: +49 (0)5541 7003-50 Information contact : E-mail (competent person) : sds@pufas.de Website : www.pufas.de **1.4 Emergency telephone number** +49 (0)5541 7003-41/-64 Only available during office hours (Mo-Th 8 - 16 h, Fr 8 - 12.30 h). **SECTION 2: Hazards identification** 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP]

# None

2.2 Label elements

# 2.3 Other hazards

This mixture does not contain any substances classified as PBT/vPvB or included in the SVHC-Candidate List.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Description Consist of: Vinyl acetate-ethylene-dispersion, starch ether, water and additives Hazardous ingredients

None



Trade name :	
Article number :	
Revision date :	

Gewebekleber Silikat GS mineral 0115\_\_000 Version : 25.06.2020 Print date :

1.0.0 25.06.2020

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### **General information**

Notice the directions for use on the label. When in doubt or if symptoms are observed, get medical advice. Change contaminated, saturated clothing.

### Following inhalation

In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap.

#### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water. When in doubt or if symptoms are observed, get medical advice.

- **4.2 Most important symptoms and effects, both acute and delayed** No information available.
- 4.3 Indication of any immediate medical attention and special treatment needed None

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing media The product itself does not burn. Co-ordinate fire-fighting measures to the fire surr

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

# 5.2 Special hazards arising from the substance or mixture Hazardous combustion products

# No information available.

5.3 Advice for firefighters
 Special protective equipment for firefighters
 Do not inhale explosion and combustion gases. Use suitable breathing apparatus.

### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures No special measures are necessary.
- 6.2 Environmental precautions Do not allow to enter into surface water or drains.
- 6.3 Methods and material for containment and cleaning up For containment Soak up inert absorbent and dispose as waste requiring special attention. Do not dry up the product.

# **6.4 Reference to other sections** Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13



Trade name : Article number : Revision date : 
 Gewebekleber Silikat GS mineral

 0115\_\_000
 Version :

 25.06.2020
 Print date :

1.0.0 25.06.2020

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

#### **Protective measures**

Avoid contact with skin and eyes. Keep away from food, drink and animal feeding stuffs. **Measures to prevent fire** 

No special measures are necessary.

# 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

#### Further information on storage conditions

Do not store outside. Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Please note safety instructions and directions for use on the drum.

Do not store at temperatures below : Avoid cooling to under 0°C.

### 7.3 Specific end use(s)

#### Recommendation

Observe technical data sheet.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### None

# 8.2 Exposure controls

#### Personal protection equipment

Eye/face protection

#### Suitable eye protection

Eye protection: not required.

### Skin protection

#### Hand protection

Hand protection is not required

#### **Body protection**

Wearing of closed working clothes. Remove contaminated, saturated clothing.

# Respiratory protection

# Suitable respiratory protection apparatus

Usually no personal respirative protection necessary.

#### **General information**

The usual precautionary measures for the handling of chemicals have to be observed. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

#### **Environmental exposure controls**

See also section 6 and 12.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state : liquid: viscous



	Gewebekleber Silikat GS mineral			100	
	0115000 25.06.2020	Version : Print date :		1.0.0 25.06.2020	
Colour : white					
Odour					
characteristic					
Safety characteristics					
Melting point/freezing point :	( 1013 hPa )	approx.	0	°C	
Initial boiling point and boiling	(1013 hPa)	approx.	100	°C	
range :	(1015 11 8)	approx.		C	
Flash point :			not applicable		Brookfield
Auto-ignition temperature :			not applicable		
Lower explosion limit :			No data available		
Upper explosion limit :			No data available	h Da	
Vapour pressure :	(50 °C)	approx.	123,5	hPa a/cm <sup>3</sup>	
Density : Solvent separation test :	(20 ℃) (20 ℃)		not applicable	g/cm <sup>3</sup>	
Water solubility :	(20°C)		not applicable not determined		
pH :	(20 0)	approx.	11		
Flow time :	(23 °C)	approxi	not applicable		ISO cup 6 mm
Viscosity :	(20 °C)	approx.	10000	mPa*s	
Cinematic viscosity :	(40 °C)		not relevant		
VOC-value :	. ,	<	1	g/l	
.2 Other information					
None					
None					
ECTION 10: Stability and rea	activity				
0.1 Reactivity					
No information available.					
0.2 Chemical stability		a diti ana (			
Stable under recommended stora		naitions (see se	ection /).		
0.3 Possibility of hazardous	reactions				
No information available.					
0.4 Conditions to avoid					
No information available.					
0.5 Incompatible materials	or.				
0.5 Incompatible materials None, if handled according to ord					
<ul> <li>0.5 Incompatible materials</li> <li>None, if handled according to ord</li> <li>0.6 Hazardous decompositio</li> </ul>	n products				
<b>0.5 Incompatible materials</b> None, if handled according to ord	n products				
.0.5 Incompatible materials None, if handled according to ord .0.6 Hazardous decompositio	<b>n products</b> er.				

Acute toxicity No data available Corrosion No data available Respiratory or skin sensitisation No information available. Repeated dose toxicity (subacute, subchronic, chronic) No data available

Page : 4 / 7



Trade name : Article number : Revision date : 
 Weisher Silikat GS mineral

 0115\_000
 Version :

 25.06.2020
 Print date :

1.0.0 25.06.2020

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity No data available Germ cell mutagenicity No data available Reproductive toxicity

No data available

# STOT-single exposure

No data available

# STOT-repeated exposure

No data available

# Aspiration hazard

No data available

# 11.5 Additional information

This product is unlikely to harm health, given normal and proper handling and hygienic precautions. Not an irritant.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

No information available.

### Sewage treatment plant

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge.

#### **12.2 Persistence and degradability** No information available.

### **12.3 Bioaccumulative potential** No information available.

**12.4 Mobility in soil** No information available.

# 12.5 Results of PBT and vPvB assessment

No information available.

# 12.6 Other adverse effects

No information available.

# 12.7 Additional ecotoxicological information

Additional information

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

### Product/Packaging disposal

Dispose according to legislation. Or deposit together with household garbage after hardening. Handle contaminated packages in the same way as the substance itself.

Waste codes/waste designations according to EWC/AVV

Waste code product 08 04 10

00 04 1 0r

17 09 04



Trade name :	Gewebekleber Silikat GS mineral				
Article number :	0115000	Version :	1.0.0		
Revision date :	25.06.2020	Print date :	25.06.2020		

#### Waste name

waste adhesives and sealants other than those mentioned in 08 04 09

or

mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03 Waste code packaging 15 01 02

Waste name plastic packaging

#### **SECTION 14: Transport information**

#### 14.1 UN number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

#### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

#### 14.4 Packing group

No dangerous good in sense of these transport regulations.

#### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

#### 14.6 Special precautions for user None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code not applicable

#### **SECTION 15: Regulatory information**

# $_{15.1}$ Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

Other regulations (EU)

Labelling for contents according to regulation (EC) No. 648/2004

- this product is not subject to EC Detergent regulation no. 648/2004.

- Directive 2004/42/EC on the limitation of emissions of volatile organic compounds
- out of scope

# 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **15.3 Additional information**

None

# **SECTION 16: Other information**

#### 16.1 Indication of changes

None

# 16.2 Abbreviations and acronyms

None

16.3 Key literature references and sources for data None



Trade name :	Gewebeklebe		
Article number :	0115_000		
Revision date :	25.06.2020		

ebekleber Silikat GS mineral 5\_\_000 Version : 6.2020 Print date :

1.0.0 25.06.2020

# <sup>16.4</sup> Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

 16.5 Relevant H- and EUH-phrases (Number and full text) None
 16.6 Training advice None

### 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.