# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Tinting Paints – Painter's Quality

(Vollton- und Abtönfarben - Maler-Qualität)

 Article number :
 12
 Version (Revision) :
 5.0.0 (4.2.0)

 Revision date :
 24.01.2019
 Print date :
 24.01.2019

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Tinting Paints – Painter's Quality (Vollton- und Abtönfarben - Maler-Qualität) (12)

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

## **Product Categories [PC]**

PC9a - Coatings and paints, thinners, paint removers

## Sector of uses [SU]

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU21 - Consumer uses: Private households (= general public = consumers)

#### 1.3 Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor)

PUFAS Werk KG

**Street:** Im Schedetal 1

Postal code/city: 34346 Hann. Münden

**Telephone:** +49 (0)5541 7003-01 **Telefax:** +49 (0)5541 7003-50 **Information contact:** 

E-mail (competent person): sds@pufas.de

Website: www.pufas.de

## 1.4 Emergency telephone number

+49 (0)5541 7003-41/-64 Only available during office hours.

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

None

# 2.2 Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

# Special rules for supplemental label elements for certain mixtures

EUH208 Contains 2-METHYL-2H-ISOTHIAZOL-3-ONE; 1,2-BENZISOTHIAZOL-3(2H)-ONE.

May produce an allergic reaction.

# 2.3 Other hazards

None

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Description

Consist of: Synthetic resin dispersion in water, water, extenders, pigments, preservative and additives

### **Hazardous ingredients**

None

Page: 1 / 7

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Tinting Paints – Painter's Quality

(Vollton- und Abtönfarben - Maler-Qualität)

 Article number :
 12
 Version (Revision) :
 5.0.0 (4.2.0)

 Revision date :
 24.01.2019
 Print date :
 24.01.2019

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General information**

Notice the directions for use on the label. When in doubt or if symptoms are observed, get medical advice. Change contaminated, saturated clothing.

#### **Following inhalation**

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap.

#### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician in any case!

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

# 4.3 Indication of any immediate medical attention and special treatment needed

None

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

## Suitable extinguishing media

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

# 5.2 Special hazards arising from the substance or mixture

# **Hazardous combustion products**

No information available.

#### **5.3** Advice for firefighters

# Special protective equipment for firefighters

Do not inhale explosion and combustion gases. Use suitable breathing apparatus.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

No particular measures required.

# 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3 Methods and material for containment and cleaning up

#### For containment

Soak up inert absorbent and dispose as waste requiring special attention. Do not dry up the product.

# 6.4 Reference to other sections

Safe handling: see section 7. Personal protection equipment: see section 8. Disposal: see section 13.

Page: 2 / 7

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Tinting Paints – Painter's Quality

(Vollton- und Abtönfarben - Maler-Qualität)

 Article number :
 12
 Version (Revision) :
 5.0.0 (4.2.0)

 Revision date :
 24.01.2019
 Print date :
 24.01.2019

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### **Protective measures**

Avoid contact with skin and eyes. Keep away from food, drink and animal feeding stuffs.

# Measures to prevent fire

No special measures are necessary.

#### 7.2 Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed.

## Hints on joint storage

No special measures are necessary.

## Further information on storage conditions

Do not store outside. Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Please note safety instructions and directions for use on the drum.

Do not store at temperatures below: Avoid cooling to under 0°C.

# 7.3 Specific end use(s)

#### Recommendation

Observe technical data sheet.

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

None

#### 8.2 Exposure controls

# **Personal protection equipment**

#### **Eye/face protection**

Suitable eye protection

goggles

# **Skin protection**

Hand protection

By long-term hand contact: rubber gloves. PVC (Polyvinyl chloride)

**Body protection** 

Wearing of closed working clothes. Remove contaminated, saturated clothing.

# **Respiratory protection**

# Suitable respiratory protection apparatus

Usually no personal respirative protection necessary.

# General health and safety measures

The usual precautionary measures for the handling of chemicals have to be observed. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

# **Environmental exposure controls**

See also section 6 and 12.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state: liquid: viscous

Page: 3 / 7

(EN / GB)

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Tinting Paints – Painter's Quality

(Vollton- und Abtönfarben - Maler-Qualität)

 Article number :
 12
 Version (Revision) :
 5.0.0 (4.2.0)

 Revision date :
 24.01.2019
 Print date :
 24.01.2019

Colour: Coloured.

#### **Odour**

characteristic

#### Safety relevant basis data

Melting point/melting range : ( 1013 hPa ) approx. 0 °C Initial boiling point and boiling range : (1013 hPa) approx. 100 °C

Flash point : not applicable Brookfield

Ignition temperature: not applicable (20°C) Density: approx. 1,4 q/cm<sup>3</sup> (20°C) Solvent separation test: none (20°C) Water solubility: dispergierbar pH value: ( 20 °C / 91 g/l ) 8,5 approx.

**Viscosity:** (23 °C) 9,5 - 11,5 Pa.s Haake E30/45 rpm

 $\begin{tabular}{lll} \textbf{VOC-value:} & & & 1 & g/l \\ \end{tabular}$ 

#### 9.2 Other information

None

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No information available.

## 10.2 Chemical stability

Stable under recommended storage and handling conditions (see section 7).

# 10.3 Possibility of hazardous reactions

Reactions with acids possible Development of CO2.

## 10.4 Conditions to avoid

Avoid cooling to under 0°C.

#### 10.5 Incompatible materials

None, if handled according to order.

# 10.6 Hazardous decomposition products

None, if handled according to order.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

No information available.

# **Acute effects**

No data available

#### **Irritant and corrosive effects**

No information available.

# Primary irritation to the skin

No information available.

# **Sensitisation**

This product contains as a protective agent against microbial deterioration (e.g. mold) during storage in the container in small amounts preservatives (Isothiazolinones). This can cause allergies, see also chapter 2.

#### Repeated dose toxicity (subacute, subchronic, chronic)

No data available

Page: 4 / 7

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Tinting Paints – Painter's Quality

(Vollton- und Abtönfarben - Maler-Qualität)

 Article number :
 12
 Version (Revision) :
 5.0.0 (4.2.0)

 Revision date :
 24.01.2019
 Print date :
 24.01.2019

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

#### Carcinogenicity

No information available.

#### Germ cell mutagenicity

No data available

#### Reproductive toxicity

No data available

## **STOT-single exposure**

No data available

# **STOT-repeated exposure**

No data available

#### Aspiration hazard

No data available

#### 11.5 Additional information

This product is unlikely to harm health, given normal and proper handling and hygienic precautions.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

No information available.

## **Effects in sewage plants**

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge.

# 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential

No information available.

# 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

No information available.

# 12.6 Other adverse effects

No information available.

#### 12.7 Additional ecotoxicological information

# **Additional information**

Do not allow to enter into surface water or drains.

#### **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

# **Product/Packaging disposal**

Dispose according to legislation. Or deposit together with household garbage after hardening. Handle contaminated packages in the same way as the substance itself.

## Waste codes/waste designations according to EWC/AVV

## Waste code product

08 01 12 or 17 09 04

Page: 5 / 7

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Tinting Paints – Painter's Quality

(Vollton- und Abtönfarben - Maler-Qualität)

 Article number :
 12
 Version (Revision) :
 5.0.0 (4.2.0)

 Revision date :
 24.01.2019
 Print date :
 24.01.2019

#### **Waste name**

waste paint and varnish other than those mentioned in 08 01 11

or

mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

#### Waste code packaging

15 01 02

#### **Waste name**

plastic packaging

# **SECTION 14: Transport information**

#### 14.1 UN number

No dangerous good in sense of these transport regulations.

# 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

#### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

## 14.4 Packing group

No dangerous good in sense of these transport regulations.

#### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

# 14.6 Special precautions for user

None

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** legislation

Other regulations (EU)

#### Labelling for contents according to regulation (EC) No. 648/2004

- this product is not subject to EC Detergent regulation no. 648/2004.

# Directive 2004/42/EC on the limitation of emissions of volatile organic compounds $\frac{1}{2}$

- EU limit value for this product (cat. A/a, WB): 30 g/l (2010)
- This product contains max 1 g/l VOC

#### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# 15.3 Additional information

None

# **SECTION 16: Other information**

## 16.1 Indication of changes

02. Classification of the substance or mixture \* 02. Label elements \* 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] \* 02. Special rules for supplemental label elements for certain mixtures \* 07. Hints on joint storage - Storage class

#### 16.2 Abbreviations and acronyms

None

Page: 6 / 7

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Tinting Paints – Painter's Quality

(Vollton- und Abtönfarben - Maler-Qualität)

 Article number :
 12
 Version (Revision) :
 5.0.0 (4.2.0)

 Revision date :
 24.01.2019
 Print date :
 24.01.2019

# 16.3 Key literature references and sources for data

None

# <sup>16.4</sup> Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

# 16.5 Relevant H- and EUH-phrases (Number and full text)

None

# 16.6 Training advice

None

# 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 7 / 7