,

Page 1/8

	entifier
Trade name: D	: Glutoclean Schimmel Entferner chlorhaltig
	B: Glutoclean Mould Remover chlorine
	entified uses of the substance or mixture and uses advised against
	ant information available. the substance / the mixture Biocide
Manufacturer/S Glutolin Renovie Im Schedetal 1 D-34346 Hann.I Telefon: +49 (0) www.glutolin.de info@glutolin.de Pufas Werk KG Im Schedetal 1 D-34346 Hann.I Telefon: +49 (0) www.pufas.de info@pufas.de Informing depa Research & Dev Tel +49 (0) 554 1.4 Emergency Medizinische No +49 (0)551-1943	Averagesprodukte GmbH Münden) 55 41-70 03-03 Münden) 55 41 - 70 03 - 01 Artment: velopment 1-7003-491 telephone number: portufnummer Deutschland: 20
Vergiftungsinfor +43 1 406 43 43	mationszentrale der Gesundheit Österreich GmbH:
+43 1 400 43 43	5
	Hazards identification
2.1 Classificati	on of the substance or mixture
2.1 Classificati	
2.1 Classificati Classification a	on of the substance or mixture
2.1 Classificati Classification a	on of the substance or mixture according to Regulation (EC) No 1272/2008
2.1 Classificati Classification a GHS0 Skin Corr. 1B	on of the substance or mixture according to Regulation (EC) No 1272/2008 5 corrosion H314 Causes severe skin burns and eye damage.
2.1 Classificati Classification a GHS0 Skin Corr. 1B	on of the substance or mixture according to Regulation (EC) No 1272/2008 5 corrosion
2.1 Classification a Classification a GHS0 Skin Corr. 1B Eye Dam. 1	on of the substance or mixture according to Regulation (EC) No 1272/2008 5 corrosion H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
2.1 Classification a Classification a GHS0 Skin Corr. 1B Eye Dam. 1	on of the substance or mixture according to Regulation (EC) No 1272/2008 5 corrosion H314 Causes severe skin burns and eye damage.
2.1 Classification a Classification a GHS0 Skin Corr. 1B Eye Dam. 1	on of the substance or mixture according to Regulation (EC) No 1272/2008 5 corrosion H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. 9 environment
2.1 Classification a Classification a GHS0 Skin Corr. 1B Eye Dam. 1	on of the substance or mixture according to Regulation (EC) No 1272/2008 5 corrosion H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
2.1 Classification a Classification a GHS0 Skin Corr. 1B Eye Dam. 1 Control Control Control GHS0 Aquatic Acute 1 2.2 Label elemont Labelling acco The product is control Contr	on of the substance or mixture according to Regulation (EC) No 1272/2008 5 corrosion H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. 9 environment H400 Very toxic to aquatic life. ents rding to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation. rams GHS05, GHS09
2.1 Classification a Classification a GHS0 Skin Corr. 1B Eye Dam. 1 Control Control Control Aquatic Acute 1 2.2 Label element Labelling acco The product is control Control Control Control Control Control Co	on of the substance or mixture according to Regulation (EC) No 1272/2008 5 corrosion H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. 9 environment H400 Very toxic to aquatic life. ents rding to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation. rams GHS05, GHS09
2.1 Classification a Classification a GHS0 Skin Corr. 1B Eye Dam. 1 Control Control Control GHS0 Aquatic Acute 1 2.2 Label element Labelling acco The product is control Hazard pictogr Signal word Data Hazard-determ sodium hypochl	on of the substance or mixture according to Regulation (EC) No 1272/2008 5 corrosion H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. 9 environment H400 Very toxic to aquatic life. ents rding to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation. rams GHS05, GHS09 anger ining components of labelling: orite, solution
2.1 Classification a Classification a GHS0 Skin Corr. 1B Eye Dam. 1 Control Control Control Aquatic Acute 1 2.2 Label element Labelling acco The product is control Hazard pictogr Signal word Da Hazard-determ sodium hypochl Schwefelsäure,	on of the substance or mixture according to Regulation (EC) No 1272/2008 5 corrosion H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. 9 environment H400 Very toxic to aquatic life. ents rding to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation. rams GHS05, GHS09 anger ining components of labelling: orite, solution mono-C8-C10-alkylester, Na-Salz
2.1 Classification a Classification a GHS0 Skin Corr. 1B Eye Dam. 1 Control Control Control Aquatic Acute 1 2.2 Label element Labelling acco The product is control Hazard pictogr Signal word Da Hazard-determ sodium hypochl Schwefelsäure, Hazard statement	on of the substance or mixture according to Regulation (EC) No 1272/2008 5 corrosion H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. 9 environment H400 Very toxic to aquatic life. ents rding to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation. rams GHS05, GHS09 anger ining components of labelling: orite, solution mono-C8-C10-alkylester, Na-Salz

	(Contd. of page 1)			
· Precautionary statements				
P101	If medical advice is needed, have product container or label at hand.			
P102	Keep out of reach of children.			
P103	Read label before use.			
P260	Do not breathe dust/fume/gas/mist/vapours/spray.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P310	Immediately call a POISON CENTER/doctor.			
P321	Specific treatment (see on this label).			
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
P363	Wash contaminated clothing before reuse.			
P405	Store locked up.			
P501	Dispose of contents/container in accordance with local/regional/national/			
	international regulations.			
· Additional information:				
EUH031 Contact with acids liberates toxic gas.				
2.3 Other hazards				

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:			
CAS: 7681-52-9	sodium hypochlorite, solution	3 - < 5%	
	📀 Skin Corr. 1B, H314; 🕸 Aquatic Acute 1, H400		
CAS: 497-19-8	sodium carbonate	1 - < 5%	
	♦ Eye Irrit. 2, H319		
CAS: 1310-73-2	sodium hydroxide	0.5 - < 2%	
EINECS: 215-185-5	📀 Skin Corr. 1A, H314		
CAS: 85338-42-7	Schwefelsäure, mono-C8-C10-alkylester, Na-Salz	1 - < 3%	
	 Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302; Skin Irrit. 2, H315		
 Regulation (EC) No 648/2004 on detergents / Labelling for contents 			
anionic surfactants,	Phosphonate, Bleichmittel auf Chlorbasis	< 5%	

· Additional information For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information

Instantly remove any clothing soiled by the product.

Take affected persons out of danger area and instruct to lie down.

· After inhalation

In case of unconsciousness bring patient into stable side position for transport. Seek medical treatment in case of complaints. Supply fresh air.

After skin contact

Instantly wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

(Contd. on page 3)

GB

- After eye contact
 - Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. After swallowing
 - Do not induce vomiting; instantly call for medical help. Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents
 CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **5.2 Special hazards arising from the substance or mixture** Formation of toxic gases is possible during heating or in case of fire. Chlorine.
- · 5.3 Advice for firefighters
- · Protective equipment:
- Put on breathing apparatus.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Use breathing protection against the effects of fumes/dust/aerosol.
- · 6.2 Environmental precautions: Dilute with much water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling
 See Section 8 for information on personal protection equipment.
 See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep breathing equipment ready. Filter A2-B2-E2-P2.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

(Contd. of page 2)

(Contd. of page 3)

Additional information ab	out design of technical systems: No further data; see item 7.
The product does not conta monitored at the workplace	values that require monitoring at the workplace: in any relevant quantities of materials with critical values that have ne lists that were valid during the compilation were used as basis.
8.2 Exposure controls	
Personal protective equip General protective and hy	
Keep away from foodstuffs	
	and impregnated garments.
Wash hands during breaks	
Avoid contact with the eyes	and skin.
Breathing equipment:	
	or low pollution use breathing filter apparatus. In case of intens
Protection of hands:	ing apparatus that is independent of circulating air.
Protective gloves.	
	be impermeable and resistant to the product/ the substanc
preparation.	· ·
	rial on consideration of the penetration times, rates of diffusion a
degradation	
Material of gloves Butyl ru Penetration time of glove	
	e has to be found out by the manufacturer of the protective glove
has to be observed.	
Eye protection: Tightly sea	iled safety glasses

General Information		
Appearance: Form:	Liquid	
Colour:	Transparent	
Smell:	Characteristic	
Odour threshold:	Not determined.	
pH-value at 20 ℃:	13	
Change in condition		
Melting point/Melting range:	Not determined	
Boiling point/Boiling range:	100 ℃	
Flash point:	Not applicable	
Inflammability (solid, gaseous)	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Self-inflammability:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive.	

		(Contd. of page
· Critical values for explosion:		
Lower:	Not determined.	
Upper:	Not determined.	
Steam pressure at 20 ℃:	23 hPa	
· Density at 20 ℃	1.1 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible	
· Partition coefficient (n-octanol/	water): Not determined.	
· Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0,0 %	
Water:	58,0 %	
9.2 Other information	No further relevant information available).

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Contact with acids releases toxic gases
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Chlorine

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 20.07.2016 Revision: 20.07.2016 Version number 1

Trade name: D: Glutoclean Schimmel Entferner chlorhaltig GB: Glutoclean Mould Remover chlorine

(Contd. of page 5)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water.

Danger to drinking water if even small quantities leak into soil.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to disposers of hazardous waste.

Must be specially treated under adherence to official regulations.

Uncleaned packagings:

· Recommendation:

Packaging can be reused or recycled after cleaning.

Dispose of packaging according to regulations on the disposal of packagings.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

· 14.1 UN-Number	
· ADR, IMDG, IATA	UN3082
· 14.2 UN proper shipping name	
ADR	UN3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. mixture
·IMDG	ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S.
ΙΑΤΑ	Environmentally hazardous substance, liquid, n.o.s

Page 7/8

Trade name: D: Glutoclean Schimmel Entferner chlorhaltig GB: Glutoclean Mould Remover chlorine

	(Contd. of page
 14.3 Transport hazard class(es) 	
· ADR	
· Class	9 Miscellaneous dangerous substances an articles.
· Label	9
· 14.4 Packing group	
· ADR	III
 14.5 Environmental hazards: Special marking (ADR): 	Symbol (fish and tree)
 14.6 Special precautions for user 	Warning: Miscellaneous dangerous substanc and articles.
· Kemler Number:	8
· EMS Number:	F-A,S-F
 Stowage Category 	А
· 14.7 Transport in bulk according to A	nnex II
of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
 Excepted quantities (EQ) 	Code: E1
	Maximum net quantity per inner packaging: 30 m
	Maximum net quantity per outer packaging: 10 ml
· Transport category	3
· Tunnel restriction code	Ē
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. MIXTURE, 9, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- Information about limitation of use: Employment restrictions concerning young persons must be observed. Employment restrictions concerning pregnant and lactating women must be observed.
- Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

(Contd. on page 8)

GB

(Contd. of page 7)

H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.	(Conto. of page 7)
 Department issuing data specification sheet: Department of Manufacture. Abteilung Forschung und Entwicklung Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par R Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereu de fer (Regulations Concerning the International Transport of Dangerous Goods by IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Associ ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (IC GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) * Data compared to the previous version altered. 	uses par chemin Rail) ciation" (IATA)