according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 1 Schwarz

Revision date: 06.04.2022 Product code: PES52 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 1 Schwarz

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 1 Schwarz

Revision date: 06.04.2022 Product code: PES52 Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	GHS Classification	•			
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		5 - < 10 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3; H315 H400 H412				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411				
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
	-	613-167-00-5	01-2120764691-48		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 1 Schwarz

Revision date: 06.04.2022 Product code: PES52 Page 3 of 11

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1333-86-4	Carbon black	-	3.5		TWA (8 h)	WEL
		-	7		STEL (15 min)	WEL

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 1 Schwarz

Revision date: 06.04.2022 Product code: PES52 Page 4 of 11

DNEL/DMEL values

CAS No	Substance	Substance					
DNEL type		Exposure route	Effect	Value			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³			
Worker DNEL,	long-term	dermal	systemic	0,966 mg/kg bw/day			
Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m³			
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	I-3-one (3:1)				
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³			
Worker DNEL,	acute	inhalation	local	0,04 mg/m³			
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³			
Consumer DN	EL, acute	inhalation	local	0,04 mg/m³			
Consumer DNI	EL, long-term	oral	systemic	0,11 mg/kg bw/day			
Consumer DNI	EL, acute	oral	systemic	0,09 mg/kg bw/day			

PNEC values

CAS No	Substance			
Environmenta	compartment	Value		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Freshwater		0,00403 mg/l		
Freshwater (in	eshwater (intermittent releases)			
Marine water	farine water			
Marine water (intermittent releases)	0,0011 mg/l		
Freshwater se	diment	0,0499 mg/kg		
Marine sedime	Marine sediment			
Micro-organisms in sewage treatment plants (STP) 1,03 mg/l				
Soil		3 mg/kg		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			
Freshwater		0,00339 mg/l		
Freshwater (in	termittent releases)	0,00339 mg/l		
Marine water		0,00339 mg/l		
Marine water (intermittent releases)	0,00339 mg/l		
Freshwater se	diment	0,027 mg/kg		
Marine sedime	Marine sediment 0,			
Micro-organisi	ns in sewage treatment plants (STP)	0,23 mg/l		
Soil		0,01 mg/kg		

8.2. Exposure controls





according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 1 Schwarz

Revision date: 06.04.2022 Product code: PES52 Page 5 of 11

Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: black
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas. not applicable not determined Lower explosion limits: not determined Upper explosion limits: not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: Density (at 20 °C): 1,20 g/cm³ Water solubility: miscible

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 1 Schwarz

Revision date: 06.04.2022 Product code: PES52 Page 6 of 11

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 1 Schwarz

Revision date: 06.04.2022 Product code: PES52 Page 7 of 11

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
2634-33-5	1,2-benzisothiazol-3(2H	l)-one; 1,2-b	enzisothiazolii	n-3-one				
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401		
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300		
55965-84-9	reaction mass of 5-chlo	ro-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2H-	isothiazol-3-one (3:1)			
	oral	LD50	64 mg/kg	Rat	Manufacturer			
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of

5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021	MIXOL® Nr. 1 Schwarz	
Revision date: 06.04.2022	Product code: PES52	Page 8 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
	Acute algae toxicity	ErC50 mg/l	0,155		Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21		Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-	2-methyl-2H	-isothiazol-3	-one and	d 2-methyl-2H-isothiazol-3	-one (3:1)	
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 1 Schwarz

Revision date: 06.04.2022 Product code: PES52 Page 9 of 11

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): < 0,1 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 1 Schwarz

Revision date: 06.04.2022 Product code: PES52 Page 10 of 11

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H301	l oxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 1 Schwarz
Revision date: 06.04.2022 Product code: PES52

Page 11 of 11

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 2 Umbra
Revision date: 06.05.2022 Product code: PES53

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 2 Umbra

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 2 Umbra

Revision date: 06.05.2022 Product code: PES53 Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	GHS Classification		•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		5 - < 10 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3; H315 H400 H412				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411				
55965-84-9	reaction mass of 5-chloro-2-methyl-	2H-isothiazol-3-one and 2-methyl-2h	H-isothiazol-3-one (3:1)	< 0.1 %	
	-	613-167-00-5 01-2120764691-48			
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 2 Umbra

Revision date: 06.05.2022 Product code: PES53 Page 3 of 11

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 2 Umbra

Revision date: 06.05.2022 Product code: PES53 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1333-86-4	Carbon black	-	3.5		TWA (8 h)	WEL
		-	7		STEL (15 min)	WEL
1309-37-1	Iron oxide, fume (as Fe)	-	5	·	TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL
-	Manganese: its inorganic compounds (as Mn, inhalable fraction)	-	0.2		TWA (8 h)	WEL
-	Manganese: its inorganic compounds (as Mn, respirable fraction)	-	0.05		TWA (8 h)	WEL
1309-37-1	Rouge, respirable	-	4		TWA (8 h)	WEL
1309-37-1	Rouge, total inhalable	-	10		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DNI	EL, long-term	dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	I-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL,	acute	inhalation	local	0,04 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³
Consumer DN	EL, acute	inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DNI	Consumer DNEL, acute		systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 2 Umbra

Revision date: 06.05.2022 Product code: PES53 Page 5 of 11

PNEC values

CAS No	Substance			
Environmenta	al compartment	Value		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Freshwater		0,00403 mg/l		
Freshwater (i	eshwater (intermittent releases)			
Marine water		0,000403 mg/l		
Marine water	(intermittent releases)	0,0011 mg/l		
Freshwater s	ediment	0,0499 mg/kg		
Marine sedim	nent	0,00499 mg/kg		
Micro-organis	sms in sewage treatment plants (STP)	1,03 mg/l		
Soil		3 mg/kg		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3	3-one (3:1)		
Freshwater		0,00339 mg/l		
Freshwater (i	ntermittent releases)	0,00339 mg/l		
Marine water		0,00339 mg/l		
Marine water	(intermittent releases)	0,00339 mg/l		
Freshwater s	0,027 mg/kg			
Marine sedim	0,027 mg/kg			
Micro-organis	flicro-organisms in sewage treatment plants (STP)			
Soil		0,01 mg/kg		

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 2 Umbra

Revision date: 06.05.2022 Product code: PES53 Page 6 of 11

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: grey-brown
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

: > 100 °C
Flash point: not determined

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: > 100 °C Decomposition temperature: not determined Vapour pressure: Density (at 20 °C): 1,96 g/cm³ Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 2 Umbra
Revision date: 06.05.2022 Product code: PES53

Page 7 of 11

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one							
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401		
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)							
	oral	LD50	64 mg/kg	Rat	Manufacturer			
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of

5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 2 Umbra

Revision date: 06.05.2022 Product code: PES53 Page 8 of 11

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-	ol-3(2H)-one; 1,2-benzisothiazolin-3-one					
	Acute algae toxicity	ErC50 mg/l	0,155		Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 2 Umbra

Revision date: 06.05.2022 Product code: PES53 Page 9 of 11

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): < 30 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 2 Umbra

Revision date: 06.05.2022 Product code: PES53 Page 10 of 11

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.	
H310 Fatal in contact with skin.	
H314 Causes severe skin burns and eye damage	
H315 Causes skin irritation.	
H317 May cause an allergic skin reaction.	
H318 Causes serious eye damage.	
H330 Fatal if inhaled.	
H400 Very toxic to aquatic life.	
H410 Very toxic to aquatic life with long lasting eff	ects
H411 Toxic to aquatic life with long lasting effects	
H412 Harmful to aquatic life with long lasting effect	ts.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 2 Umbra

Revision date: 06.05.2022 Product code: PES53 Page 11 of 11

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 06.04.2022 Product code: PES54 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 3 Oxyd-Rehbraun

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 06.04.2022 Product code: PES54 Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	GHS Classification	•	•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		10 - < 15 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412			
112-02-7	Cetrimonium chloride				
	203-928-6				
	Acute Tox. 3, Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H311 H302 H314 H318 H400 H410				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411				
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
	-	613-167-00-5	01-2120764691-48		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 06.04.2022 Product code: PES54 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 06.04.2022 Product code: PES54 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1309-37-1	Iron oxide, fume (as Fe)	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL
-	Iron salts (as Fe)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
-	Manganese: its inorganic compounds (as Mn, inhalable fraction)	-	0.2		TWA (8 h)	WEL
-	Manganese: its inorganic compounds (as Mn, respirable fraction)	-	0.05		TWA (8 h)	WEL
1309-37-1	Rouge, respirable	-	4		TWA (8 h)	WEL
1309-37-1	Rouge, total inhalable	-	10		TWA (8 h)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
112-02-7	Cetrimonium chloride						
Worker DNEL, long-term		inhalation	systemic	3,32 mg/m³			
Worker DNEL,	long-term	dermal	systemic	4,7 mg/kg bw/day			
Consumer DNI	EL, long-term	inhalation	systemic	0,98 mg/m³			
Consumer DNI	EL, long-term	dermal	systemic	2,83 mg/kg bw/day			
Consumer DNEL, long-term		oral	systemic	2,83 mg/kg bw/day			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
Worker DNEL, long-term		inhalation	systemic	6,81 mg/m³			
Worker DNEL,	long-term	dermal	systemic	0,966 mg/kg bw/day			
Consumer DNI	EL, long-term	inhalation	systemic	1,2 mg/m³			
Consumer DNI	EL, long-term	dermal	systemic	0,345 mg/kg bw/day			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	l-3-one (3:1)				
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³			
Worker DNEL,	acute	inhalation	local	0,04 mg/m³			
Consumer DNI	EL, long-term	inhalation	local	0,02 mg/m³			
Consumer DNEL, acute		inhalation	local	0,04 mg/m³			
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day			
Consumer DNI	EL, acute	oral	systemic	0,09 mg/kg bw/day			

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 06.04.2022 Product code: PES54 Page 5 of 11

PNEC values

CAS No	Substance			
Environmen	tal compartment	Value		
112-02-7	Cetrimonium chloride			
Freshwater		0,00063 mg/l		
Freshwater	(intermittent releases)	0,0008 mg/l		
Marine wate	arine water			
Freshwater	sediment	9,27 mg/kg		
Marine sedi	ment	0,927 mg/kg		
Micro-organ	isms in sewage treatment plants (STP)	0,4 mg/l		
Soil	oil			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Freshwater		0,00403 mg/l		
Freshwater	0,0011 mg/l			
Marine wate	0,000403 mg/l			
Marine wate	er (intermittent releases)	0,0011 mg/l		
Freshwater	sediment	0,0499 mg/kg		
Marine sedi	ment	0,00499 mg/kg		
Micro-organ	isms in sewage treatment plants (STP)	1,03 mg/l		
Soil		3 mg/kg		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-	-isothiazol-3-one (3:1)		
Freshwater		0,00339 mg/l		
Freshwater	(intermittent releases)	0,00339 mg/l		
Marine water	Marine water			
Marine wate	0,00339 mg/l			
Freshwater	0,027 mg/kg			
Marine sedi	0,027 mg/kg			
Micro-organ	isms in sewage treatment plants (STP)	0,23 mg/l		
Soil		0,01 mg/kg		

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 06.04.2022 Product code: PES54 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: brown Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: 1,65 g/cm³ Density (at 20 °C): Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 06.04.2022 Product code: PES54 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
112-02-7	Cetrimonium chloride							
	oral	LD50 mg/kg	699	Rat	Manufacturer			
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer			
2634-33-5	1,2-benzisothiazol-3(2)	H)-one; 1,2-b	enzisothiazoli	n-3-one				
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401		
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)							
	oral	LD50	64 mg/kg	Rat	Manufacturer			
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer			

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 06.04.2022 Product code: PES54 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
112-02-7	Cetrimonium chloride						
	Acute algae toxicity	Acute algae toxicity ErC50 0,08 mg/l		72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,09	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
	Crustacea toxicity	NOEC mg/l	0,0068	21 d	Daphnia magna (Big water flea)	Manufacturer	OECD 211
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
	Acute algae toxicity ErC50 0,155 mg/l			72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021	MIXOL® Nr. 3 Oxyd-Rehbraun	
Revision date: 06.04.2022	Product code: PES54	Page 9 of 11

CAS No	Chemical name				
	Method Value d Source				
	Evaluation				
112-02-7	Cetrimonium chloride				
	OECD 301B	93,5 %	28	Manufacturer	
	Readily biodegradable (according to OECD criteria).				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

according to UK REACH Regulation

14.1 LIN number:	No dangerous good in sense of this transport regulation	
Revision date: 06.04.2022	Product code: PES54	Page 10 of 11
replaces vers.frm:23.03.2021	MIXOL® Nr. 3 Oxyd-Rehbraun	

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 34 %

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 3 Oxyd-Rehbraun

Revision date: 06.04.2022 Product code: PES54 Page 11 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	l oxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
⊔ 31 <i>/</i> 1	Causes severe skin hurns

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 4 Oxyd-Rot

Revision date: 06.04.2022 Product code: PES55 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 4 Oxyd-Rot

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 4 Oxyd-Rot

Revision date: 06.04.2022 Product code: PES55 Page 2 of 11

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	GHS Classification	•	•	
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated			15 - < 20 %
	500-236-9			
	Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3; H315 H400 H412			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0.1 %
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 2, Acute Tox. 4, Skin Irri Chronic 2; H330 H302 H315 H318	atic Acute 1, Aquatic		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %
	-	613-167-00-5	01-2120764691-48	
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 4 Oxyd-Rot

Revision date: 06.04.2022 Product code: PES55 Page 3 of 11

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 4 Oxyd-Rot

Revision date: 06.04.2022 Product code: PES55 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1309-37-1	Iron oxide, fume (as Fe)	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL
1309-37-1	Rouge, respirable	-	4		TWA (8 h)	WEL
1309-37-1	Rouge, total inhalable	-	10		TWA (8 h)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type	•	Exposure route	Effect	Value		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
Worker DNEL	, long-term	inhalation	systemic	6,81 mg/m³		
Worker DNEL	, long-term	dermal	systemic	0,966 mg/kg bw/day		
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³		
Consumer DN	EL, long-term	dermal	systemic	0,345 mg/kg bw/day		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one ar	and 2-methyl-2H-isothiazol-3-one (3:1)				
Worker DNEL	, long-term	inhalation	local	0,02 mg/m³		
Worker DNEL	, acute	inhalation	local	0,04 mg/m³		
Consumer DN	IEL, long-term	inhalation	local	0,02 mg/m³		
Consumer DN	EL, acute	inhalation	local	0,04 mg/m³		
Consumer DN	EL, long-term	oral	systemic	0,11 mg/kg bw/day		
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day		

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 4 Oxyd-Rot

Revision date: 06.04.2022 Product code: PES55 Page 5 of 11

PNEC values

CAS No	Substance			
Environmental	compartment	Value		
2634-33-5				
Freshwater		0,00403 mg/l		
Freshwater (in	termittent releases)	0,0011 mg/l		
Marine water		0,000403 mg/l		
Marine water (intermittent releases)	0,0011 mg/l		
Freshwater se	diment	0,0499 mg/kg		
Marine sediment		0,00499 mg/kg		
Micro-organisms in sewage treatment plants (STP)		1,03 mg/l		
Soil		3 mg/kg		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	2H-isothiazol-3-one (3:1)		
Freshwater		0,00339 mg/l		
Freshwater (in	termittent releases)	0,00339 mg/l		
Marine water		0,00339 mg/l		
Marine water (intermittent releases)	0,00339 mg/l		
Freshwater se	diment	0,027 mg/kg		
Marine sedime	nt	0,027 mg/kg		
Micro-organisr	ns in sewage treatment plants (STP)	0,23 mg/l		
Soil		0,01 mg/kg		

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 4 Oxyd-Rot

Revision date: 06.04.2022 Product code: PES55 Page 6 of 11

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: red
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: > 100 °C Decomposition temperature: not determined Vapour pressure: Density (at 20 °C): 1,59 g/cm³ Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 4 Oxyd-Rot

Revision date: 06.04.2022 Product code: PES55 Page 7 of 11

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name	Chemical name						
	Exposure route	Dose		Species	Source	Method		
2634-33-5	1,2-benzisothiazol-3(2	2H)-one; 1,2-b	enzisothiazoli	n-3-one				
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401		
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)							
	oral	LD50	64 mg/kg	Rat	Manufacturer			
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50	0,171	Rat	Manufacturer			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of

5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 4 Oxyd-Rot

Revision date: 06.04.2022 Product code: PES55 Page 8 of 11

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-o	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
	Acute algae toxicity	xicity ErC50 0,155 72 h Selenastrum M		Manufacturer	OECD 201		
	Fish toxicity	NOEC mg/l	0,21	_	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 4 Oxyd-Rot

Revision date: 06.04.2022 Product code: PES55 Page 9 of 11

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 50 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 4 Oxyd-Rot

Revision date: 06.04.2022 Product code: PES55 Page 10 of 11

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.

according to UK REACH Regulation

replaces vers.frm:23.03.2021	MIXOL® Nr. 4 Oxyd-Rot	
Revision date: 06.04.2022	Product code: PES55	Page 11 of 11

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 5 Oxyd-Ocker

Revision date: 06.04.2022 Product code: PES56 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 5 Oxyd-Ocker

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 5 Oxyd-Ocker

Revision date: 06.04.2022 Product code: PES56 Page 2 of 11

Hazardous components

CAS No	Chemical name							
	EC No	Index No	REACH No					
	GHS Classification	•	•					
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		10 - < 15 %				
	500-236-9							
	Skin Irrit. 2, Aquatic Acute 1, Aquat	Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3; H315 H400 H412						
112-02-7	Cetrimonium chloride			< 1 %				
	203-928-6							
	Acute Tox. 3, Acute Tox. 4, Skin Co H302 H314 H318 H400 H410	, Aquatic Chronic 1; H311						
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-b		< 0.1 %					
	220-120-9	613-088-00-6	01-2120761540-60					
	Acute Tox. 2, Acute Tox. 4, Skin Irr Chronic 2; H330 H302 H315 H318	atic Acute 1, Aquatic						
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %				
	-	613-167-00-5	01-2120764691-48					
	I	ox. 3, Skin Corr. 1C, Eye Dam. 1, S I310 H301 H314 H318 H317 H400 F	•					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician. After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 5 Oxyd-Ocker

Revision date: 06.04.2022 Product code: PES56 Page 3 of 11

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 5 Oxyd-Ocker

Revision date: 06.04.2022 Product code: PES56 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin	
-	Iron salts (as Fe)	-	1		TWA (8 h)	WEL	
		-	2		STEL (15 min)	WEL	ĺ
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL	ĺ
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL	ĺ

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
112-02-7	Cetrimonium chloride			
Worker DNEL,	long-term	inhalation	systemic	3,32 mg/m³
Worker DNEL,	long-term	dermal	systemic	4,7 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,98 mg/m³
Consumer DN	EL, long-term	dermal	systemic	2,83 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	2,83 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	ol-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL,	acute	inhalation	local	0,04 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³
Consumer DN	EL, acute	inhalation	local	0,04 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,11 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 5 Oxyd-Ocker

Revision date: 06.04.2022 Product code: PES56 Page 5 of 11

PNEC values

CAS No	Substance	
Environmen	tal compartment	Value
112-02-7	Cetrimonium chloride	
Freshwater		0,00063 mg/l
Freshwater	(intermittent releases)	0,0008 mg/l
Marine wate	r	0,000068 mg/l
Freshwater	sediment	9,27 mg/kg
Marine sedir	ment	0,927 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,4 mg/l
Soil		7 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater	(intermittent releases)	0,0011 mg/l
Marine wate	r	0,000403 mg/l
Marine wate	r (intermittent releases)	0,0011 mg/l
Freshwater	sediment	0,0499 mg/kg
Marine sedir	ment	0,00499 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H	l-isothiazol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater	(intermittent releases)	0,00339 mg/l
Marine wate	r	0,00339 mg/l
Marine wate	r (intermittent releases)	0,00339 mg/l
Freshwater	sediment	0,027 mg/kg
Marine sedir	ment	0,027 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 5 Oxyd-Ocker

Revision date: 06.04.2022 Product code: PES56 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: yellow Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: 1,69 g/cm³ Density (at 20 °C): Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 5 Oxyd-Ocker

Revision date: 06.04.2022 Product code: PES56 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
112-02-7	Cetrimonium chloride					
	oral	LD50 mg/kg	699	Rat	Manufacturer	
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer	
2634-33-5	1,2-benzisothiazol-3(2)	H)-one; 1,2-b	enzisothiazoli	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 5 Oxyd-Ocker

Revision date: 06.04.2022 Product code: PES56 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
112-02-7	Cetrimonium chloride						
	Acute algae toxicity	ErC50 mg/l	0,08	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,09	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
	Crustacea toxicity	NOEC mg/l	0,0068		Daphnia magna (Big water flea)	Manufacturer	OECD 211
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ber	nzisothiazolin	-3-one			
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro	-2-methyl-2h	H-isothiazol-3	-one and	d 2-methyl-2H-isothiazol-	3-one (3:1)	
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm:23.03.2021	MIXOL® Nr. 5 Oxyd-Ocker	
Revision date: 06.04.2022	Product code: PES56	Page 9 of 11

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
112-02-7	Cetrimonium chloride						
	OECD 301B	93,5 %	28	Manufacturer			
	Readily biodegradable (according to OECD criteria).						

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

according to UK REACH Regulation

Revision date: 06.04.2022	Product code: PES56	Page 10 of 11
replaces vers.frm:23.03.2021	MIXOL® Nr. 5 Oxyd-Ocker	Dogo 10 of 11

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 17 %

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 5 Oxyd-Ocker Product code: PES56 Revision date: 06.04.2022 Page 11 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: verv persistent, verv bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	roxic ii swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns

and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. H412

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 6 Maisgelb

Revision date: 06.04.2022 Product code: PES57 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 6 Maisgelb

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 6 Maisgelb

Revision date: 06.04.2022 Product code: PES57 Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	GHS Classification	•	•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		10 - < 15 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquati	c Chronic 3; H315 H400 H412			
97862-59-4	1-Propanaminium, 3-amino-N-(carb inner salts	oxymethyl)-N,N-dimethyl-, N-C8-18	acyl derivs., hydroxides,	1 - < 5 %	
	308-107-7				
	Eye Dam. 1; H318				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0.1 %	
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411				
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %	
	-	613-167-00-5	01-2120764691-48		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 6 Maisgelb

Revision date: 06.04.2022 Product code: PES57 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 6 Maisgelb

Revision date: 06.04.2022 Product code: PES57 Page 4 of 11

DNEL/DMEL values

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,	N-dimethyl-, N-C8-18 acyl de	erivs., hydroxides, inr	ner salts
Worker DNEI	_, long-term	inhalation	systemic	44 mg/m³
Worker DNEL	., long-term	dermal	systemic	12,5 mg/kg bw/day
Consumer Di	NEL, long-term	dermal	systemic	7,5 mg/kg bw/day
Consumer Di	NEL, long-term	oral	systemic	7,5 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazoli	n-3-one		
Worker DNEL	_, long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL	_, long-term	dermal	systemic	0,966 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-	3-one and 2-methyl-2H-isoth	iazol-3-one (3:1)	
Worker DNEI	_, long-term	inhalation	local	0,02 mg/m³
Worker DNEL	_, acute	inhalation	local	0,04 mg/m³
Consumer Di	NEL, long-term	inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer Di	NEL, long-term	oral	systemic	0,11 mg/kg bw/day
Consumer Di	NEL, acute	oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 6 Maisgelb

Revision date: 06.04.2022 Product code: PES57 Page 5 of 11

PNEC values

CAS No	Substance	
Environmenta	al compartment	Value
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 ad	cyl derivs., hydroxides, inner salts
Freshwater		0,013 mg/l
Marine water		0,001 mg/l
Freshwater se	ediment	1 mg/kg
Marine sedim	ent	0,1 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	3000 mg/l
Soil		0,8 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater (ii	ntermittent releases)	0,0011 mg/l
Marine water		0,000403 mg/l
Marine water	(intermittent releases)	0,0011 mg/l
Freshwater sediment		0,0499 mg/kg
Marine sedim	ent	0,00499 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-	isothiazol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater (ii	ntermittent releases)	0,00339 mg/l
Marine water		0,00339 mg/l
Marine water	(intermittent releases)	0,00339 mg/l
Freshwater sediment		0,027 mg/kg
Marine sedim	ent	0,027 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 6 Maisgelb

Revision date: 06.04.2022 Product code: PES57 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: yellow Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined not determined Upper explosion limits: not determined Auto-ignition temperature: > 100 °C Decomposition temperature: Vapour pressure: not determined 1,18 g/cm³ Density (at 20 °C): Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 6 Maisgelb

Revision date: 06.04.2022 Product code: PES57 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 6 Maisgelb

Revision date: 06.04.2022 Product code: PES57 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
	Acute algae toxicity	ErC50 mg/l	0,155	I . — · ·	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21		Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

according to UK REACH Regulation

replaces vers.frm:23.03.2021	MIXOL® Nr. 6 Maisgelb	
Revision date: 06.04.2022	Product code: PES57	Page 9 of 11

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

I and	transport		D١
∟anu	เเลเเรยยเเ	IAUR/NI	u

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of this transport regulation.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 6 Maisgelb

Revision date: 06.04.2022 Product code: PES57 Page 10 of 11

14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 12 %

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 6 Maisgelb

Revision date: 06.04.2022 Product code: PES57 Page 11 of 11

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 7 Pirolgelb

Revision date: 06.04.2022 Product code: PES84 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 7 Pirolgelb

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains Amines, rosin, 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction

mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).

May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 7 Pirolgelb

Revision date: 06.04.2022 Product code: PES84 Page 2 of 11

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	GHS Classification	•	•	
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		1 - < 5 %
	500-236-9			
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412		
97862-59-4	1-Propanaminium, 3-amino-N-(carbinner salts	poxymethyl)-N,N-dimethyl-, N-C8-18	acyl derivs., hydroxides,	1 - < 5 %
	308-107-7			
	Eye Dam. 1; H318			
61790-47-4	Amines, rosin			< 0.1 %
	263-139-8		01-2120780340-61	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam H315 H318 H317 H400 H410	. 1, Skin Sens. 1A, Aquatic Acute 1,	Aquatic Chronic 1; H302	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0.1 %
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 2, Acute Tox. 4, Skin Irr Chronic 2; H330 H302 H315 H318	it. 2, Eye Dam. 1, Skin Sens. 1, Aqua H317 H400 H411	atic Acute 1, Aquatic	
55965-84-9	reaction mass of 5-chloro-2-methyl-	-2H-isothiazol-3-one and 2-methyl-2h	H-isothiazol-3-one (3:1)	< 0.1 %
	-	613-167-00-5	01-2120764691-48	
		ox. 3, Skin Corr. 1C, Eye Dam. 1, Sl I310 H301 H314 H318 H317 H400 H		

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 7 Pirolgelb

Revision date: 06.04.2022 Product code: PES84 Page 3 of 11

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx), Hydrogen chloride (HCI).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 7 Pirolgelb

Revision date: 06.04.2022 Product code: PES84 Page 4 of 11

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts			
Worker DNEL,	long-term	inhalation	systemic	44 mg/m³
Worker DNEL, long-term		dermal	systemic	12,5 mg/kg bw/day
Consumer DN	EL, long-term	dermal	systemic	7,5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	7,5 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			
Worker DNEL, long-term		inhalation	local	0,02 mg/m³
Worker DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 7 Pirolgelb

Revision date: 06.04.2022 Product code: PES84 Page 5 of 11

PNEC values

CAS No	Substance	
Environmental	compartment	Value
97862-59-4	62-59-4 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts	
Freshwater 0,013		0,013 mg/l
Marine water		0,001 mg/l
Freshwater sediment 1 m		1 mg/kg
Marine sedime	ent	0,1 mg/kg
Micro-organisms in sewage treatment plants (STP)		3000 mg/l
Soil		0,8 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	•
Freshwater		0,00403 mg/l
Freshwater (in	termittent releases)	0,0011 mg/l
Marine water		0,000403 mg/l
Marine water (intermittent releases)		0,0011 mg/l
Freshwater sediment		0,0499 mg/kg
Marine sediment 0,		0,00499 mg/kg
Micro-organisms in sewage treatment plants (STP) 1,03 mg		1,03 mg/l
Soil 3 mg/k		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothia.	zol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater (intermittent releases)		0,00339 mg/l
Marine water		0,00339 mg/l
Marine water (intermittent releases)		0,00339 mg/l
Freshwater sediment		0,027 mg/kg
Marine sediment		0,027 mg/kg
Micro-organisms in sewage treatment plants (STP) 0,23		0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 7 Pirolgelb

Revision date: 06.04.2022 Product code: PES84 Page 6 of 11

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: yellow Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable not determined Lower explosion limits: not determined Upper explosion limits: not determined Auto-ignition temperature: > 100 °C Decomposition temperature: not determined Vapour pressure: Density (at 20 °C): 1,22 g/cm³ Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 7 Pirolgelb

Revision date: 06.04.2022 Product code: PES84

Revision date: 06.04.2022 Product code: PES84 Page 7 of 11

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
61790-47-4	Amines, rosin							
	oral	ATE mg/kg	500					
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	OECD 402		
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ben	zisothiazolir	n-3-one				
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401		
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)							
	oral	LD50	64 mg/kg	Rat	Manufacturer			
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer			

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 7 Pirolgelb

Revision date: 06.04.2022 Product code: PES84 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains Amines, rosin, 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
61790-47-4	Amines, rosin						
	Acute algae toxicity	ErC50 mg/l	0,071	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Algae toxicity	NOEC mg/l	0,011	3 d	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ben	zisothiazolin	-3-one			
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro	-2-methyl-2H	l-isothiazol-3	one and	d 2-methyl-2H-isothiazol-	3-one (3:1)	
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

The product has not been tested.							
CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
61790-47-4	Amines, rosin						
	OECD 301B	9 %	28	Manufacturer			
	Not readily biodegradable (according to OECD criteria)						

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 7 Pirolgelb

Revision date: 06.04.2022 Product code: PES84 Page 9 of 11

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
61790-47-4	Amines, rosin	5,74
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 7 Pirolgelb

Revision date: 06.04.2022 Product code: PES84 Page 10 of 11

14.3. Transport hazard class(es):14.4. Packing group:No dangerous good in sense of this transport regulation.No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): < 12 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 7 Pirolgelb

Revision date: 06.04.2022 Product code: PES84 Page 11 of 11

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

11004	T : 16
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains Amines, rosin, 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction
	mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).
	May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 8 Grün

Revision date: 06.04.2022 Product code: PES58

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 8 Grün

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 8 Grün

Revision date: 06.04.2022 Product code: PES58 Page 2 of 11

Hazardous components

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	GHS Classification	•	•			
97862-59-4	1-Propanaminium, 3-amino-N-(carb inner salts	oxymethyl)-N,N-dimethyl-, N-C8-18	acyl derivs., hydroxides,	1 - < 5 %		
	308-107-7					
	Eye Dam. 1; H318					
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
	220-120-9	613-088-00-6	01-2120761540-60			
	Acute Tox. 2, Acute Tox. 4, Skin Irr Chronic 2; H330 H302 H315 H318	atic Acute 1, Aquatic				
55965-84-9	reaction mass of 5-chloro-2-methyl-	H-isothiazol-3-one (3:1)	< 0.1 %			
	-	613-167-00-5	01-2120764691-48			
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 8 Grün

Revision date: 06.04.2022 Product code: PES58 Page 3 of 11

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 8 Grün

Revision date: 06.04.2022 Product code: PES58 Page 4 of 11

DNEL/DMEL values

CAS No	Substance					
DNEL type	•	Exposure route	Effect	Value		
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dim	dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts				
Worker DNEL	, long-term	inhalation	systemic	44 mg/m³		
Worker DNEL	, long-term	dermal	systemic	12,5 mg/kg bw/day		
Consumer DN	EL, long-term	dermal	systemic	7,5 mg/kg bw/day		
Consumer DN	EL, long-term	oral	systemic	7,5 mg/kg bw/day		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-or	ne				
Worker DNEL	, long-term	inhalation	systemic	6,81 mg/m³		
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day		
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³		
Consumer DN	EL, long-term	dermal	systemic	0,345 mg/kg bw/day		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one	and 2-methyl-2H-isotl	hiazol-3-one (3:1)			
Worker DNEL	, long-term	inhalation	local	0,02 mg/m³		
Worker DNEL	, acute	inhalation	local	0,04 mg/m³		
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³		
Consumer DN	EL, acute	inhalation	local	0,04 mg/m³		
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day		
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day		

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 8 Grün

Revision date: 06.04.2022 Product code: PES58 Page 5 of 11

PNEC values

CAS No	Substance				
Environmenta	al compartment	Value			
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 ad	cyl derivs., hydroxides, inner salts			
Freshwater		0,013 mg/l			
Marine water		0,001 mg/l			
Freshwater se	ediment	1 mg/kg			
Marine sedim	ent	0,1 mg/kg			
Micro-organis	Micro-organisms in sewage treatment plants (STP)				
Soil		0,8 mg/kg			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
Freshwater		0,00403 mg/l			
Freshwater (ii	ntermittent releases)	0,0011 mg/l			
Marine water		0,000403 mg/l			
Marine water	0,0011 mg/l				
Freshwater se	ediment	0,0499 mg/kg			
Marine sedim	ent	0,00499 mg/kg			
Micro-organis	ms in sewage treatment plants (STP)	1,03 mg/l			
Soil		3 mg/kg			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-	isothiazol-3-one (3:1)			
Freshwater		0,00339 mg/l			
Freshwater (ii	ntermittent releases)	0,00339 mg/l			
Marine water		0,00339 mg/l			
Marine water	(intermittent releases)	0,00339 mg/l			
Freshwater se	ediment	0,027 mg/kg			
Marine sedim	ent	0,027 mg/kg			
Micro-organis	ms in sewage treatment plants (STP)	0,23 mg/l			
Soil		0,01 mg/kg			

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 8 Grün
Revision date: 06.04.2022 Product code: PES58

Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: green
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined not determined Upper explosion limits: not determined Auto-ignition temperature: > 100 °C Decomposition temperature: Vapour pressure: not determined 1,23 g/cm³ Density (at 20 °C): Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 8 Grün

Revision date: 06.04.2022 Product code: PES58 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)	one; 1,2-ber	nzisothiazolir	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-chloro	-2-methyl-2l	H-isothiazol-	3-one and 2-methyl-2H-iso	othiazol-3-one (3:1)	
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 8 Grün

Revision date: 06.04.2022 Product code: PES58 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
	Acute algae toxicity	ErC50 mg/l	0,155		Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21		Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

according to UK REACH Regulation

replaces vers.frm:23.03.2021	MIXOL® Nr. 8 Grün	
Revision date: 06.04.2022	Product code: PES58	Page 9 of 11

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 8 Grün

Revision date: 06.04.2022 Product code: PES58 Page 10 of 11

14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): < 25 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 8 Grün Revision date: 06.04.2022 Product code: PES58 Page 11 of 11

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye

damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eve damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 9 Blau

Revision date: 06.04.2022 Product code: PES59 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 9 Blau

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm:7.04.2021 MIXOL® Nr. 9 Blau
Revision date: 06.04.2022 Product code: PES59 Page 2 of 11

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification		•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		5 - < 10 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412	•		
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts		acyl derivs., hydroxides,	1 - < 5 %	
	308-107-7				
	Eye Dam. 1; H318				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	220-120-9	613-088-00-6	01-2120761540-60		
		x. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic 2; H330 H302 H315 H318 H317 H400 H411			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		H-isothiazol-3-one (3:1)	< 0.1 %	
	-	613-167-00-5	01-2120764691-48		
		ute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic ute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm:7.04.2021 MIXOL® Nr. 9 Blau

Revision date: 06.04.2022 Product code: PES59 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 9 Blau

Revision date: 06.04.2022 Product code: PES59 Page 4 of 11

DNEL/DMEL values

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,	N-dimethyl-, N-C8-18 acyl de	erivs., hydroxides, inr	ner salts
Worker DNEI	_, long-term	inhalation	systemic	44 mg/m³
Worker DNEL	., long-term	dermal	systemic	12,5 mg/kg bw/day
Consumer Di	NEL, long-term	dermal	systemic	7,5 mg/kg bw/day
Consumer Di	NEL, long-term	oral	systemic	7,5 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazoli	n-3-one		
Worker DNEL	_, long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer Di	NEL, long-term	inhalation	systemic	1,2 mg/m³
Consumer Di	NEL, long-term	dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-	3-one and 2-methyl-2H-isoth	iazol-3-one (3:1)	
Worker DNEI	_, long-term	inhalation	local	0,02 mg/m³
Worker DNEL	_, acute	inhalation	local	0,04 mg/m³
Consumer Di	NEL, long-term	inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer Di	NEL, acute	oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 9 Blau

Revision date: 06.04.2022 Product code: PES59 Page 5 of 11

PNEC values

CAS No	Substance	
Environmenta	al compartment	Value
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 ad	cyl derivs., hydroxides, inner salts
Freshwater		0,013 mg/l
Marine water		0,001 mg/l
Freshwater se	ediment	1 mg/kg
Marine sedim	ent	0,1 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	3000 mg/l
Soil		0,8 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater (ii	ntermittent releases)	0,0011 mg/l
Marine water		0,000403 mg/l
Marine water	(intermittent releases)	0,0011 mg/l
Freshwater se	ediment	0,0499 mg/kg
Marine sedim	ent	0,00499 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-	isothiazol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater (ii	ntermittent releases)	0,00339 mg/l
Marine water		0,00339 mg/l
Marine water	(intermittent releases)	0,00339 mg/l
Freshwater se	ediment	0,027 mg/kg
Marine sedim	ent	0,027 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 9 Blau

Revision date: 06.04.2022 Product code: PES59 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: blue Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined not determined Upper explosion limits: not determined Auto-ignition temperature: > 100 °C Decomposition temperature: Vapour pressure: not determined 1,22 g/cm³ Density (at 20 °C): Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 9 Blau

Revision date: 06.04.2022 Product code: PES59 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2h	l)-one; 1,2-b	enzisothiazolii	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-chlo	ro-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2H-i	sothiazol-3-one (3:1)	
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 9 Blau
Revision date: 06.04.2022 Product code: PES59

evision date: 06.04.2022 Product code: PES59 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

	The product is not. Zeotoxio.						
CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
	Acute algae toxicity ErC50 0,155 72 h Selenastrum capricornutum Manufacturer OECD 201						OECD 201
	Fish toxicity	NOEC mg/l	0,21		Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute bacteria toxicity (EC50 7,92 3 h Activated sludge Manufacturer OECD 209 mg/l)						

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

according to UK REACH Regulation

replaces vers.frm:7.04.2021	MIXOL® Nr. 9 Blau	
Revision date: 06.04.2022	Product code: PES59	Page 9 of 11

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 9 Blau

Revision date: 06.04.2022 Product code: PES59 Page 10 of 11

14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): < 0.1 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 9 Blau
Revision date: 06.04.2022 Product code: PES59 Page 11 of 11

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eve damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 10 Rot
Revision date: 06.04.2022 Product code: PES60

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 10 Rot

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 3-hydroxy-2'-methyl-2-naphthanilide, 1,2-benzisothiazol-3(2H)-one; 1,2

-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2

-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 10 Rot

Revision date: 06.04.2022 Product code: PES60 Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•	•	
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		15 - < 20 %
	500-236-9			
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412		
135-61-5	3-hydroxy-2'-methyl-2-naphthanilide			< 1 %
	205-205-0		01-2119473801-38	
	Skin Sens. 1, Aquatic Chronic 2; H			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0.1 %
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %
	-	613-167-00-5	01-2120764691-48	
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 10 Rot

Revision date: 06.04.2022 Product code: PES60 Page 3 of 11

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm:7.04.2021 MIXOL® Nr. 10 Rot

Revision date: 06.04.2022 Product code: PES60 Page 4 of 11

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	l-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL,	acute	inhalation	local	0,04 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,09 mg/kg bw/day

PNEC values

CAS No	Substance				
Environmental	Environmental compartment				
2634-33-5	33-5 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
Freshwater		0,00403 mg/l			
Freshwater (in	termittent releases)	0,0011 mg/l			
Marine water		0,000403 mg/l			
Marine water (intermittent releases)	0,0011 mg/l			
Freshwater se	diment	0,0499 mg/kg			
Marine sedime	nt	0,00499 mg/kg			
Micro-organisr	Micro-organisms in sewage treatment plants (STP) 1,03 mg/l				
Soil 3 mg.					
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
Freshwater 0,00339 mg/l		0,00339 mg/l			
Freshwater (intermittent releases) 0,00339 r		0,00339 mg/l			
Marine water		0,00339 mg/l			
Marine water (intermittent releases)	0,00339 mg/l			
Freshwater sediment		0,027 mg/kg			
Marine sediment 0,					
Micro-organisms in sewage treatment plants (STP) 0,23 mg/l					
Soil 0,01 mg/kg					

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 10 Rot
Revision date: 06.04.2022 Product code: PES60

date: 06.04.2022 Product code: PES60 Page 5 of 11





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: red
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined
Auto-ignition temperature: not determined
Decomposition temperature: > 100 °C

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 10 Rot

Revision date: 06.04.2022 Product code: PES60 Page 6 of 11

Vapour pressure: not determined

Density (at 20 °C): 1,17 g/cm³

Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 10 Rot

Revision date: 06.04.2022 Product code: PES60 Page 7 of 11

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
135-61-5	3-hydroxy-2'-methyl-2-na	phthanilide				
	oral	LD50 mg/kg	> 5000	Rat	Manufacturer	OECD 401
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ben	zisothiazolir	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-chloro	-2-methyl-2H	l-isothiazol-	3-one and 2-methyl-2H-isc	othiazol-3-one (3:1)	
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 3-hydroxy-2'-methyl-2-naphthanilide, 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 10 Rot

Revision date: 06.04.2022 Product code: PES60 Page 8 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
135-61-5	3-hydroxy-2'-methyl-2-naphthanilide						
	Acute fish toxicity	LC50 3,25 mg/l	1,33 -	96 h	Danio rerio (zebrafish)	Manufacturer	OECD 203
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Manufacturer	OECD 209
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation	•	-			
135-61-5	3-hydroxy-2'-methyl-2-naphthanilide					
	OECD 301B	12 %	28	Manufacturer		
	Not readily biodegradable (according to OECD criteria)		-			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
135-61-5	3-hydroxy-2'-methyl-2-naphthanilide	2,55
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 10 Rot
Revision date: 06.04.2022 Product code: PES60

Revision date: 06.04.2022 Product code: PES60 Page 9 of 11

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 0,1 %

according to UK REACH Regulation

replaces vers.frm: 7.04.2021 MIXOL® Nr. 10 Rot

Revision date: 06.04.2022 Product code: PES60 Page 10 of 11

Information according to 2012/18/EU

to 2012/18/EU Not subje

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure		
Aquatic Chronic 3; H412	Calculation method		

Relevant H and EUH statements (number and full text)

H301 Toxic if swallowed. H302 Harmful if swallowed.

according to UK REACH Regulation

	3 3	
replaces vers.frm:7.04.2021	MIXOL® Nr. 10 Rot	
Revision date: 06.04.2022	Product code: PES60	Page 11 of 11
H310	Fatal in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH071	Corrosive to the respiratory tract.	
EUH208	Contains 3-hydroxy-2'-methyl-2-naphthanilide, 1,2-benzisothiazol-3(2H)-one; 1,2 -benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2 -methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.	
Further Information		
product properties and	sed on the present level of our knowledge. It does not, however, give assurance of d establishes no contract legal rights. The receiver of our product is singularly responsible g laws and regulations.	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 11 Violett

Revision date: 06.04.2022 Product code: PES61 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 11 Violett

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 11 Violett

Revision date: 06.04.2022 Product code: PES61 Page 2 of 11

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification	•		
97862-59-4	1-Propanaminium, 3-amino-N-(carb inner salts	oxymethyl)-N,N-dimethyl-, N-C8-18	acyl derivs., hydroxides,	1 - < 5 %
	308-107-7			
	Eye Dam. 1; H318			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411			
55965-84-9	reaction mass of 5-chloro-2-methyl-	2H-isothiazol-3-one and 2-methyl-2F	1-isothiazol-3-one (3:1)	< 0.1 %
	-	613-167-00-5	01-2120764691-48	
	Acute Tox. 2, Acute Tox. 2, Acute T Acute 1, Aquatic Chronic 1; H330 F			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 11 Violett

Revision date: 06.04.2022 Product code: PES61 Page 3 of 11

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 11 Violett

Revision date: 06.04.2022 Product code: PES61 Page 4 of 11

DNEL/DMEL values

CAS No	Substance				
DNEL type	•	Exposure route	Effect	Value	
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dime	-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts			
Worker DNEL	, long-term	inhalation	systemic	44 mg/m³	
Worker DNEL	, long-term	dermal	systemic	12,5 mg/kg bw/day	
Consumer DN	EL, long-term	dermal	systemic	7,5 mg/kg bw/day	
Consumer DN	EL, long-term	oral	systemic	7,5 mg/kg bw/day	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	е			
Worker DNEL	long-term	inhalation	systemic	6,81 mg/m³	
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m³	
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one	and 2-methyl-2H-isoth	iazol-3-one (3:1)		
Worker DNEL	, long-term	inhalation	local	0,02 mg/m³	
Worker DNEL, acute		inhalation	local	0,04 mg/m³	
Consumer DNEL, long-term		inhalation	local	0,02 mg/m³	
Consumer DNEL, acute		inhalation	local	0,04 mg/m³	
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day	
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day	

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 11 Violett

Revision date: 06.04.2022 Product code: PES61 Page 5 of 11

PNEC values

CAS No	Substance	
Environmenta	al compartment	Value
97862-59-4	hydroxides, inner salts	
Freshwater		0,013 mg/l
Marine water		0,001 mg/l
Freshwater s	ediment	1 mg/kg
Marine sedim	ent	0,1 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	3000 mg/l
Soil		0,8 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater (i	ntermittent releases)	0,0011 mg/l
Marine water		0,000403 mg/l
Marine water	0,0011 mg/l	
Freshwater s	0,0499 mg/kg	
Marine sedim	0,00499 mg/kg	
Micro-organis	1,03 mg/l	
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3	3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater (i	ntermittent releases)	0,00339 mg/l
Marine water		0,00339 mg/l
Marine water	0,00339 mg/l	
Freshwater s	0,027 mg/kg	
Marine sediment		
Micro-organis	sms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 11 Violett

Revision date: 06.04.2022 Product code: PES61 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: violet
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined not determined Upper explosion limits: not determined Auto-ignition temperature: > 100 °C Decomposition temperature: Vapour pressure: not determined 1,22 g/cm³ Density (at 20 °C): Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 11 Violett

Revision date: 06.04.2022 Product code: PES61 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)	one; 1,2-ber	nzisothiazolir	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	-9 reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 11 Violett

Revision date: 06.04.2022 Product code: PES61 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ber	nzisothiazolin	-3-one			
	Acute algae toxicity	ErC50 mg/l	0,155	I . — · ·	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21		Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

according to UK REACH Regulation

replaces vers.frm:23.03.2021	MIXOL® Nr. 11 Violett	
Revision date: 06.04.2022	Product code: PES61	Page 9 of 11

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.

Page 10 of 11

Safety Data Sheet

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 11 Violett

Revision date: 06.04.2022 Product code: PES61

14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): < 5 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 11 Violett

Revision date: 06.04.2022 Product code: PES61 Page 11 of 11

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eve damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm:08.04.2021 MIXOL® Nr. 12 Tannengrün

Revision date: 06.04.2022 Product code: PES87 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 12 Tannengrün

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 08.04.2021 MIXOL® Nr. 12 Tannengrün

Revision date: 06.04.2022 Product code: PES87 Page 2 of 11

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•	•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		5 - < 10 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412			
112-02-7	Cetrimonium chloride			< 1 %	
	203-928-6				
	Acute Tox. 3, Acute Tox. 4, Skin Co H302 H314 H318 H400 H410	orr. 1C, Eye Dam. 1, Aquatic Acute 1	, Aquatic Chronic 1; H311		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-b		< 0.1 %		
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irr Chronic 2; H330 H302 H315 H318	it. 2, Eye Dam. 1, Skin Sens. 1, Aqua H317 H400 H411	atic Acute 1, Aquatic		
55965-84-9	reaction mass of 5-chloro-2-methyl-	H-isothiazol-3-one (3:1)	< 0.1 %		
	-	613-167-00-5	01-2120764691-48		
	Acute Tox. 2, Acute Tox. 2, Acute T Acute 1, Aquatic Chronic 1; H330 F	•			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm: 08.04.2021 MIXOL® Nr. 12 Tannengrün

Revision date: 06.04.2022 Product code: PES87 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx), Hydrogen chloride (HCI).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 08.04.2021 MIXOL® Nr. 12 Tannengrün

Revision date: 06.04.2022 Product code: PES87 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1333-86-4	Carbon black	-	3.5		TWA (8 h)	WEL
		-	7		STEL (15 min)	WEL
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL
-	Iron salts (as Fe)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
112-02-7	Cetrimonium chloride			
Worker DNEL,	long-term	inhalation	systemic	3,32 mg/m³
Worker DNEL,	long-term	dermal	systemic	4,7 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,98 mg/m³
Consumer DN	EL, long-term	dermal	systemic	2,83 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	2,83 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one ar	d 2-methyl-2H-isothiaz	zol-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL,	acute	inhalation	local	0,04 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 08.04.2021 MIXOL® Nr. 12 Tannengrün

Revision date: 06.04.2022 Product code: PES87 Page 5 of 11

PNEC values

CAS No	Substance	
Environmen	tal compartment	Value
112-02-7	Cetrimonium chloride	
Freshwater		0,00063 mg/l
Freshwater	(intermittent releases)	0,0008 mg/l
Marine wate	r	0,000068 mg/l
Freshwater	sediment	9,27 mg/kg
Marine sedi	ment	0,927 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,4 mg/l
Soil		7 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater	(intermittent releases)	0,0011 mg/l
Marine wate	r	0,000403 mg/l
Marine wate	er (intermittent releases)	0,0011 mg/l
Freshwater	sediment	0,0499 mg/kg
Marine sedi	ment	0,00499 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-	-isothiazol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater	(intermittent releases)	0,00339 mg/l
Marine wate	ır	0,00339 mg/l
Marine wate	er (intermittent releases)	0,00339 mg/l
Freshwater	sediment	0,027 mg/kg
Marine sedi	ment	0,027 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 08.04.2021 MIXOL® Nr. 12 Tannengrün

Revision date: 06.04.2022 Product code: PES87 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: green
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: 1,46 g/cm³ Density (at 20 °C): Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 08.04.2021 MIXOL® Nr. 12 Tannengrün

Revision date: 06.04.2022 Product code: PES87 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
112-02-7	Cetrimonium chloride					
	oral	LD50 mg/kg	699	Rat	Manufacturer	
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer	
2634-33-5	1,2-benzisothiazol-3(2)	H)-one; 1,2-b	enzisothiazoli	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-chlo	oro-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2H-i	sothiazol-3-one (3:1)	
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm:08.04.2021 MIXOL® Nr. 12 Tannengrün

Revision date: 06.04.2022 Product code: PES87 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
112-02-7	Cetrimonium chloride							
	Acute algae toxicity	ErC50 mg/l	0,08	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	0,09	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202	
	Crustacea toxicity	NOEC mg/l	0,0068	21 d	Daphnia magna (Big water flea)	Manufacturer	OECD 211	
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ben	zisothiazolin	-3-one				
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201	
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215	
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209	
55965-84-9	reaction mass of 5-chloro-	2-methyl-2F	l-isothiazol-3	3-one and	d 2-methyl-2H-isothiazol-	3-one (3:1)		
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209	

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm:08.04.2021	MIXOL® Nr. 12 Tannengrün	
Revision date: 06.04.2022	Product code: PES87	Page 9 of 11

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
112-02-7	Cetrimonium chloride			
	OECD 301B	93,5 %	28	Manufacturer
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

according to UK REACH Regulation

replaces vers.frm:08.04.2021	MIXOL® Nr. 12 Tannengrün	
Revision date: 06.04.2022	Product code: PES87	Page 10 of 11
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	

No dangerous good in sense of this transport regulation.

14.4. Packing group:

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 21 %

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

according to UK REACH Regulation

replaces vers.frm: 08.04.2021 MIXOL® Nr. 12 Tannengrün

Revision date: 06.04.2022 Product code: PES87 Page 11 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H31/I	Causes severe skin hurns

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 13 Grasgrün

Revision date: 06.04.2022 Product code: PES88 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 13 Grasgrün

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, Amines, rosin, reaction

mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).

May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 13 Grasgrün

Revision date: 06.04.2022 Product code: PES88 Page 2 of 11

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification	•	•			
97862-59-4	1-Propanaminium, 3-amino-N-(carl inner salts	poxymethyl)-N,N-dimethyl-, N-C8-18	acyl derivs., hydroxides,	1 - < 5 %		
	308-107-7					
	Eye Dam. 1; H318					
68920-66-1	Alcohols, C16-18 and C18-unsatd.	, ethoxylated		1 - < 5 %		
	500-236-9					
	Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3; H315 H400 H412					
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
	220-120-9	613-088-00-6	01-2120761540-60			
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411					
61790-47-4	Amines, rosin					
	263-139-8		01-2120780340-61			
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H302 H315 H318 H317 H400 H410					
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
	-	613-167-00-5	01-2120764691-48			
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 13 Grasgrün

Revision date: 06.04.2022 Product code: PES88 Page 3 of 11

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx), Hydrogen chloride (HCI), Sulphur oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 13 Grasgrün

Revision date: 06.04.2022 Product code: PES88 Page 4 of 11

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1333-86-4	Carbon black	-	3.5		TWA (8 h)	WEL
		-	7		STEL (15 min)	WEL
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL
1309-37-1	Iron oxide, fume (as Fe)	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL
-	Manganese: its inorganic compounds (as Mn, inhalable fraction)	-	0.2		TWA (8 h)	WEL
-	Manganese: its inorganic compounds (as Mn, respirable fraction)	-	0.05		TWA (8 h)	WEL
1309-37-1	Rouge, respirable	-	4		TWA (8 h)	WEL
1309-37-1	Rouge, total inhalable	-	10		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimeth	ıyl-, N-C8-18 acyl deriv	s., hydroxides, inner s	alts
Worker DNEL	, long-term	inhalation	systemic	44 mg/m³
Worker DNEL	, long-term	dermal	systemic	12,5 mg/kg bw/day
Consumer DN	EL, long-term	dermal	systemic	7,5 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	7,5 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL	, long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one an	d 2-methyl-2H-isothiaz	ol-3-one (3:1)	
Worker DNEL	, long-term	inhalation	local	0,02 mg/m³
Worker DNEL	, acute	inhalation	local	0,04 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 13 Grasgrün

Revision date: 06.04.2022 Product code: PES88 Page 5 of 11

PNEC values

CAS No	Substance	
Environmenta	al compartment	Value
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 ad	cyl derivs., hydroxides, inner salts
Freshwater		0,013 mg/l
Marine water		0,001 mg/l
Freshwater se	ediment	1 mg/kg
Marine sedim	ent	0,1 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	3000 mg/l
Soil		0,8 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater (ii	ntermittent releases)	0,0011 mg/l
Marine water		0,000403 mg/l
Marine water	(intermittent releases)	0,0011 mg/l
Freshwater se	ediment	0,0499 mg/kg
Marine sedim	ent	0,00499 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-	isothiazol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater (ii	ntermittent releases)	0,00339 mg/l
Marine water		0,00339 mg/l
Marine water	(intermittent releases)	0,00339 mg/l
Freshwater se	ediment	0,027 mg/kg
Marine sedim	ent	0,027 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 13 Grasgrün

Revision date: 06.04.2022 Product code: PES88 Page 6 of 11

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: green
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable not determined Lower explosion limits: not determined Upper explosion limits: not determined Auto-ignition temperature: > 100 °C Decomposition temperature: not determined Vapour pressure: Density (at 20 °C): 1,27 g/cm³ Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 13 Grasgrün

Revision date: 06.04.2022 Product code: PES88 Page 7 of 11

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx), Hydrogen chloride (HCI), Sulphur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2	H)-one; 1,2-b	enzisothiazolii	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
61790-47-4	-4 Amines, rosin					
	oral	ATE mg/kg	500			
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	OECD 402
55965-84-9	reaction mass of 5-chl	oro-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2H-is	sothiazol-3-one (3:1)	
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 13 Grasgrün

Revision date: 06.04.2022 Product code: PES88 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, Amines, rosin, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one								
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201		
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215		
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209		
61790-47-4	Amines, rosin								
	Acute algae toxicity	ErC50 mg/l	0,071	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201		
	Algae toxicity	NOEC mg/l	0,011	3 d	Pseudokirchneriella subcapitata	Manufacturer	OECD 201		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)								
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209		

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
61790-47-4	Amines, rosin			
	OECD 301B	9 %	28	Manufacturer
	Not readily biodegradable (according to OECD criteria)		•	

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 13 Grasgrün

Revision date: 06.04.2022 Product code: PES88 Page 9 of 11

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
61790-47-4	Amines, rosin	5,74
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 13 Grasgrün

Revision date: 06.04.2022 Product code: PES88 Page 10 of 11

14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): < 21 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 13 Grasgrün Product code: PES88 Revision date: 06.04.2022 Page 11 of 11

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, Amines, rosin, reaction

mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).

May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 8.042021 MIXOL® Nr. 14 Oxyd-Grün

Revision date: 06.04.2022 Product code: PES89 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 14 Oxyd-Grün

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 8.042021 MIXOL® Nr. 14 Oxyd-Grün

Revision date: 06.04.2022 Product code: PES89 Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	GHS Classification	•	•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		5 - < 10 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquati	c Chronic 3; H315 H400 H412			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411				
55965-84-9	reaction mass of 5-chloro-2-methyl-	2H-isothiazol-3-one and 2-methyl-2F	H-isothiazol-3-one (3:1)	< 0.1 %	
	-	613-167-00-5	01-2120764691-48		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

according to UK REACH Regulation

replaces vers.frm: 8.042021 MIXOL® Nr. 14 Oxyd-Grün

Revision date: 06.04.2022 Product code: PES89 Page 3 of 11

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 8.042021 MIXOL® Nr. 14 Oxyd-Grün

Revision date: 06.04.2022 Product code: PES89 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1333-86-4	Carbon black	-	3.5		TWA (8 h)	WEL
		-	7		STEL (15 min)	WEL
-	Chromium (III) compounds (as Cr)	-	0.5		TWA (8 h)	WEL
-	Iron salts (as Fe)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazo	lin-3-one				
Worker DNEL, long-term		inhalation	systemic	6,81 mg/m³		
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day		
Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m³		
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazo	l-3-one and 2-methyl-2H-isothia	azol-3-one (3:1)			
Worker DNE	L, long-term	inhalation	local	0,02 mg/m³		
Worker DNE	L, acute	inhalation	local	0,04 mg/m³		
Consumer D	NEL, long-term	inhalation	local	0,02 mg/m³		
Consumer D	NEL, acute	inhalation	local	0,04 mg/m³		
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day		
Consumer D	Consumer DNEL, acute		systemic	0,09 mg/kg bw/day		

according to UK REACH Regulation

replaces vers.frm: 8.042021 MIXOL® Nr. 14 Oxyd-Grün

Revision date: 06.04.2022 Product code: PES89 Page 5 of 11

PNEC values

	-			
CAS No	Substance			
Environmenta	al compartment	Value		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Freshwater		0,00403 mg/l		
Freshwater (i	reshwater (intermittent releases)			
Marine water		0,000403 mg/l		
Marine water	(intermittent releases)	0,0011 mg/l		
Freshwater s	ediment	0,0499 mg/kg		
Marine sedim	Marine sediment			
Micro-organis	1,03 mg/l			
Soil		3 mg/kg		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-o	ne (3:1)		
Freshwater		0,00339 mg/l		
Freshwater (i	ntermittent releases)	0,00339 mg/l		
Marine water		0,00339 mg/l		
Marine water	(intermittent releases)	0,00339 mg/l		
Freshwater s	ediment	0,027 mg/kg		
Marine sedim	nent	0,027 mg/kg		
Micro-organis	sms in sewage treatment plants (STP)	0,23 mg/l		
Soil		0,01 mg/kg		

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

according to UK REACH Regulation

replaces vers.frm: 8.042021 MIXOL® Nr. 14 Oxyd-Grün

Revision date: 06.04.2022 Product code: PES89 Page 6 of 11

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: green
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: > 100 °C Decomposition temperature: not determined Vapour pressure: Density (at 20 °C): 1,69 g/cm³ Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

according to UK REACH Regulation

replaces vers.frm: 8.042021 MIXOL® Nr. 14 Oxyd-Grün

Revision date: 06.04.2022 Product code: PES89 Page 7 of 11

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name	Chemical name						
	Exposure route	Dose		Species	Source	Method		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-			n-3-one				
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401		
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300		
55965-84-9	reaction mass of 5-chl	loro-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2H-i	sothiazol-3-one (3:1)			
	oral	LD50	64 mg/kg	Rat	Manufacturer			
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of

5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

according to UK REACH Regulation

replaces vers.frm: 8.042021 MIXOL® Nr. 14 Oxyd-Grün

Revision date: 06.04.2022 Product code: PES89 Page 8 of 11

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
2634-33-5	1,2-benzisothiazol-3(2H)-c	risothiazol-3(2H)-one; 1,2-benzisothiazolir			-3-one				
	Acute algae toxicity	ErC50 mg/l				Manufacturer	OECD 201		
	Fish toxicity	NOEC mg/l	C 0,21		Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215		
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209		
55965-84-9	reaction mass of 5-chloro-	2-methyl-2H	l-isothiazol-3	one and	d 2-methyl-2H-isothiazol-3	-one (3:1)			
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209		

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

according to UK REACH Regulation

replaces vers.frm:8.042021 MIXOL® Nr. 14 Oxyd-Grün

Revision date: 06.04.2022 Product code: PES89 Page 9 of 11

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): < 26 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

according to UK REACH Regulation

ı	replaces vers.frm:8.042021	MIXOL® Nr. 14 Oxyd-Grün	
	Revision date: 06.04.2022	Product code: PES89	Page 10 of 11

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

11301	TOXIC II SWallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

according to UK REACH Regulation

replaces vers.frm: 8.042021 MIXOL® Nr. 14 Oxyd-Grün

Revision date: 06.04.2022 Product code: PES89 Page 11 of 11

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 15 Olivgrün

Revision date: 06.04.2022 Product code: PES90 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 15 Olivgrün

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 15 Olivgrün

Revision date: 06.04.2022 Product code: PES90 Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	GHS Classification	•	•			
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated					
	500-236-9					
	Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3; H315 H400 H412					
112-02-7	Cetrimonium chloride		< 1 %			
	203-928-6					
	Acute Tox. 3, Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H311 H302 H314 H318 H400 H410					
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
	220-120-9	613-088-00-6	01-2120761540-60			
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411					
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
	-	613-167-00-5	01-2120764691-48			
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm:8.04.2021 MIXOL® Nr. 15 Olivgrün

Revision date: 06.04.2022 Product code: PES90 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Print date: 09.05.2022

Safety Data Sheet

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 15 Olivgrün

Revision date: 06.04.2022 Product code: PES90 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1333-86-4	Carbon black	-	3.5		TWA (8 h)	WEL
		-	7		STEL (15 min)	WEL
1309-37-1	Iron oxide, fume (as Fe)	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL
-	Iron salts (as Fe)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
-	Manganese: its inorganic compounds (as Mn, inhalable fraction)	-	0.2		TWA (8 h)	WEL
-	Manganese: its inorganic compounds (as Mn, respirable fraction)	-	0.05		TWA (8 h)	WEL
1309-37-1	Rouge, respirable	-	4		TWA (8 h)	WEL
1309-37-1	Rouge, total inhalable	-	10		TWA (8 h)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
112-02-7	Cetrimonium chloride			
Worker DNEL,	long-term	inhalation	systemic	3,32 mg/m³
Worker DNEL,	long-term	dermal	systemic	4,7 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,98 mg/m³
Consumer DN	EL, long-term	dermal	systemic	2,83 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	2,83 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	l-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL,	acute	inhalation	local	0,04 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³
Consumer DN	EL, acute	inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 15 Olivgrün

Revision date: 06.04.2022 Product code: PES90 Page 5 of 11

PNEC values

CAS No	Substance	
Environmenta	al compartment	Value
112-02-7	Cetrimonium chloride	
Freshwater		0,00063 mg/l
Freshwater (i	intermittent releases)	0,0008 mg/l
Marine water		0,000068 mg/l
Freshwater s	ediment	9,27 mg/kg
Marine sedim	nent	0,927 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	0,4 mg/l
Soil		7 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater (i	intermittent releases)	0,0011 mg/l
Marine water		0,000403 mg/l
Marine water	(intermittent releases)	0,0011 mg/l
Freshwater s	ediment	0,0499 mg/kg
Marine sedim	nent	0,00499 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-	isothiazol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater (i	intermittent releases)	0,00339 mg/l
Marine water		0,00339 mg/l
Marine water	(intermittent releases)	0,00339 mg/l
Freshwater s	ediment	0,027 mg/kg
Marine sedim	nent	0,027 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 15 Olivgrün

Revision date: 06.04.2022 Product code: PES90 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: green
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: 1,66 g/cm³ Density (at 20 °C): Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 15 Olivgrün

Revision date: 06.04.2022 Product code: PES90 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
112-02-7	Cetrimonium chloride					
	oral	LD50 mg/kg	699	Rat	Manufacturer	
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer	
2634-33-5	1,2-benzisothiazol-3(2)	H)-one; 1,2-b	enzisothiazoli	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-chlo	oro-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2H-i	sothiazol-3-one (3:1)	
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 15 Olivgrün

Revision date: 06.04.2022 Product code: PES90 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
112-02-7	Cetrimonium chloride						
	Acute algae toxicity	ErC50 mg/l	0,08	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,09	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
	Crustacea toxicity	NOEC mg/l	0,0068		Daphnia magna (Big water flea)	Manufacturer	OECD 211
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ber	nzisothiazolin	-3-one			
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro	-2-methyl-2H	H-isothiazol-3	-one and	d 2-methyl-2H-isothiazol-	3-one (3:1)	
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm:8.04.2021	MIXOL® Nr. 15 Olivgrün	
Revision date: 06.04.2022	Product code: PES90	Page 9 of 11

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
112-02-7	Cetrimonium chloride					
	OECD 301B	93,5 %	28	Manufacturer		
	Readily biodegradable (according to OECD criteria).					

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

according to UK REACH Regulation

replaces vers.frm:8.04.2021	MIXOL® Nr. 15 Olivgrün	
Revision date: 06.04.2022	Product code: PES90	Page 10 of 11
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 13 %

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 15 Olivgrün

Revision date: 06.04.2022 Product code: PES90 Page 11 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin hurns

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 16 Lindgrün

Revision date: 06.04.2022 Product code: PES91 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 16 Lindgrün

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 16 Lindgrün

Revision date: 06.04.2022 Product code: PES91 Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•	•	
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		10 - < 15 %
	500-236-9			
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412	•	
112-02-7	Cetrimonium chloride			< 1 %
	203-928-6			
	Acute Tox. 3, Acute Tox. 4, Skin Co H302 H314 H318 H400 H410	, Aquatic Chronic 1; H311		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0.1 %
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2, H330 H302 H315 H318 H317 H400 H411			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %
	-	613-167-00-5	01-2120764691-48	
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 16 Lindgrün

Revision date: 06.04.2022 Product code: PES91 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 16 Lindgrün

Revision date: 06.04.2022 Product code: PES91 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
-	Iron salts (as Fe)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
112-02-7	Cetrimonium chloride					
Worker DNEL,	long-term	inhalation	systemic	3,32 mg/m³		
Worker DNEL,	long-term	dermal	systemic	4,7 mg/kg bw/day		
Consumer DNI	EL, long-term	inhalation	systemic	0,98 mg/m³		
Consumer DNI	EL, long-term	dermal	systemic	2,83 mg/kg bw/day		
Consumer DNI	EL, long-term	oral	systemic	2,83 mg/kg bw/day		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³		
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day		
Consumer DNI	EL, long-term	inhalation	systemic	1,2 mg/m³		
Consumer DNI	EL, long-term	dermal	systemic	0,345 mg/kg bw/day		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	ol-3-one (3:1)			
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³		
Worker DNEL,	acute	inhalation	local	0,04 mg/m³		
Consumer DNEL, long-term		inhalation	local	0,02 mg/m³		
Consumer DNEL, acute		inhalation	local	0,04 mg/m³		
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day		
Consumer DNI	EL, acute	oral	systemic	0,09 mg/kg bw/day		

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 16 Lindgrün

Revision date: 06.04.2022 Product code: PES91 Page 5 of 11

PNEC values

CAS No	Substance	
Environmen	tal compartment	Value
112-02-7	Cetrimonium chloride	
Freshwater		0,00063 mg/l
Freshwater	(intermittent releases)	0,0008 mg/l
Marine wate	r	0,000068 mg/l
Freshwater	sediment	9,27 mg/kg
Marine sedi	ment	0,927 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,4 mg/l
Soil		7 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater	(intermittent releases)	0,0011 mg/l
Marine wate	r	0,000403 mg/l
Marine wate	er (intermittent releases)	0,0011 mg/l
Freshwater	sediment	0,0499 mg/kg
Marine sedi	ment	0,00499 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-	-isothiazol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater	(intermittent releases)	0,00339 mg/l
Marine wate	ır	0,00339 mg/l
Marine wate	er (intermittent releases)	0,00339 mg/l
Freshwater	sediment	0,027 mg/kg
Marine sedi	ment	0,027 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 16 Lindgrün

Revision date: 06.04.2022 Product code: PES91 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: green
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: Density (at 20 °C): 1,58 g/cm³ Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 16 Lindgrün

Revision date: 06.04.2022 Product code: PES91 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
112-02-7	Cetrimonium chloride					
	oral	LD50 mg/kg	699	Rat	Manufacturer	
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer	
2634-33-5	1,2-benzisothiazol-3(2H)	one; 1,2-ber	nzisothiazolir	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-chloro	-2-methyl-2l	H-isothiazol-	3-one and 2-methyl-2H-isc	othiazol-3-one (3:1)	
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 16 Lindgrün

Revision date: 06.04.2022 Product code: PES91 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
112-02-7	Cetrimonium chloride						
	Acute algae toxicity	ErC50 mg/l	0,08	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,09	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
	Crustacea toxicity	NOEC mg/l	0,0068	21 d	Daphnia magna (Big water flea)	Manufacturer	OECD 211
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ber	nzisothiazolin	-3-one			
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021	MIXOL® Nr. 16 Lindgrün	
Revision date: 06.04.2022	Product code: PES91	Page 9 of 11

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
112-02-7	Cetrimonium chloride					
	OECD 301B	93,5 %	28	Manufacturer		
	Readily biodegradable (according to OECD criteria).					

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

according to UK REACH Regulation

replaces vers.frm:8.04.2021	MIXOL® Nr. 16 Lindgrün	
Revision date: 06.04.2022	Product code: PES91	Page 10 of 11
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	

No dangerous good in sense of this transport regulation.

14.4. Packing group:
14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 33 %

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 16 Lindgrün

Revision date: 06.04.2022 Product code: PES91 Page 11 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin hurns

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 17 Senf

Revision date: 06.04.2022 Product code: PES92 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 17 Senf

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 17 Senf

Revision date: 06.04.2022 Product code: PES92 Page 2 of 11

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•			
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated				
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3; H315 H400 H412				
112-02-7	Cetrimonium chloride				
	203-928-6				
	Acute Tox. 3, Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H311 H302 H314 H318 H400 H410				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411				
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
	-	613-167-00-5	01-2120764691-48		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 17 Senf

Revision date: 06.04.2022 Product code: PES92 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 17 Senf

Revision date: 06.04.2022 Product code: PES92 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1333-86-4	Carbon black	-	3.5		TWA (8 h)	WEL
		-	7		STEL (15 min)	WEL
1309-37-1	Iron oxide, fume (as Fe)	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL
-	Iron salts (as Fe)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
-	Manganese: its inorganic compounds (as Mn, inhalable fraction)	-	0.2		TWA (8 h)	WEL
-	Manganese: its inorganic compounds (as Mn, respirable fraction)	-	0.05		TWA (8 h)	WEL
1309-37-1	Rouge, respirable	-	4		TWA (8 h)	WEL
1309-37-1	Rouge, total inhalable	-	10		TWA (8 h)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
112-02-7	Cetrimonium chloride						
Worker DNEL, long-term		inhalation	systemic	3,32 mg/m³			
Worker DNEL, long-term		dermal	systemic	4,7 mg/kg bw/day			
Consumer DNEL, long-term		inhalation	systemic	0,98 mg/m³			
Consumer DNEL, long-term		dermal	systemic	2,83 mg/kg bw/day			
Consumer DNEL, long-term		oral	systemic	2,83 mg/kg bw/day			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
Worker DNEL, long-term		inhalation	systemic	6,81 mg/m³			
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day			
Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m³			
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day			
55965-84-9	-9 reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
Worker DNEL, long-term		inhalation	local	0,02 mg/m³			
Worker DNEL, acute		inhalation	local	0,04 mg/m³			
Consumer DNEL, long-term		inhalation	local	0,02 mg/m³			
Consumer DNEL, acute		inhalation	local	0,04 mg/m³			
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day			
Consumer DNEL, acute		oral	systemic	0,09 mg/kg bw/day			

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 17 Senf

Revision date: 06.04.2022 Product code: PES92 Page 5 of 11

PNEC values

CAS No	Substance	
Environmen	tal compartment	Value
112-02-7	Cetrimonium chloride	
Freshwater		0,00063 mg/l
Freshwater	(intermittent releases)	0,0008 mg/l
Marine wate	r	0,000068 mg/l
Freshwater	sediment	9,27 mg/kg
Marine sedi	ment	0,927 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,4 mg/l
Soil		7 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater	(intermittent releases)	0,0011 mg/l
Marine wate	r	0,000403 mg/l
Marine wate	er (intermittent releases)	0,0011 mg/l
Freshwater	sediment	0,0499 mg/kg
Marine sedi	ment	0,00499 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-	-isothiazol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater	(intermittent releases)	0,00339 mg/l
Marine wate	ır	0,00339 mg/l
Marine wate	er (intermittent releases)	0,00339 mg/l
Freshwater	sediment	0,027 mg/kg
Marine sedi	ment	0,027 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 17 Senf
Revision date: 06.04.2022 Product code: PES92

Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)
Colour: yellow - green
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: Density (at 20 °C): 1,49 g/cm³ Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 17 Senf

Revision date: 06.04.2022 Product code: PES92 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
112-02-7	Cetrimonium chloride					
	oral	LD50 mg/kg	699	Rat	Manufacturer	
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer	
2634-33-5	1,2-benzisothiazol-3(2)	H)-one; 1,2-b	enzisothiazoli	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-chlo	oro-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2H-i	sothiazol-3-one (3:1)	
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 17 Senf

Revision date: 06.04.2022 Product code: PES92 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
112-02-7	Cetrimonium chloride								
	Acute algae toxicity	ErC50 mg/l	0,08	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201		
	Acute crustacea toxicity	EC50 mg/l	0,09	48 h Daphnia magna (Big Ma		Manufacturer	OECD 202		
	Crustacea toxicity	NOEC mg/l	0,0068	21 d	Daphnia magna (Big water flea)	Manufacturer	OECD 211		
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ber	nzisothiazolin	-3-one					
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201		
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215		
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209		
55965-84-9	reaction mass of 5-chloro	-2-methyl-2l	H-isothiazol-3	-one and	d 2-methyl-2H-isothiazol-	3-one (3:1)			
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209		

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm:8.04.2021	MIXOL® Nr. 17 Senf	
Revision date: 06.04.2022	Product code: PES92	Page 9 of 11

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation							
112-02-7	Cetrimonium chloride							
	OECD 301B	93,5 %	28	Manufacturer				
	Readily biodegradable (according to OECD criteria).							

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 Revision date: 06.04.2022	MIXOL® Nr. 17 Senf Product code: PES92	Page 10 of 11
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

14.4. Packing group:
Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.3. Transport hazard class(es):

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 37 %

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 17 Senf

Revision date: 06.04.2022 Product code: PES92 Page 11 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 18 Orange

Revision date: 06.04.2022 Product code: PES93 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 18 Orange

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains Amines, rosin, 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction

mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).

May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 18 Orange

Revision date: 06.04.2022 Product code: PES93 Page 2 of 11

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•	•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		5 - < 10 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412	•		
61790-47-4	Amines, rosin		< 0.1 %		
	263-139-8		01-2120780340-61		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam H315 H318 H317 H400 H410	Aquatic Chronic 1; H302			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-b		< 0.1 %		
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irr Chronic 2; H330 H302 H315 H318	it. 2, Eye Dam. 1, Skin Sens. 1, Aqua H317 H400 H411	atic Acute 1, Aquatic		
55965-84-9	reaction mass of 5-chloro-2-methyl-	H-isothiazol-3-one (3:1)	< 0.1 %		
	-	613-167-00-5	01-2120764691-48		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 18 Orange

Revision date: 06.04.2022 Product code: PES93 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 18 Orange

Revision date: 06.04.2022 Product code: PES93 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³		
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day		
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³		
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	I-3-one (3:1)			
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³		
Worker DNEL,	acute	inhalation	local	0,04 mg/m³		
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³		
Consumer DN	EL, acute	inhalation	local	0,04 mg/m³		
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day		
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day		

PNEC values

CAS No	Substance			
Environmental	compartment	Value		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Freshwater		0,00403 mg/l		
Freshwater (in	reshwater (intermittent releases)			
Marine water		0,000403 mg/l		
Marine water (ntermittent releases)	0,0011 mg/l		
Freshwater se	diment	0,0499 mg/kg		
Marine sedime	0,00499 mg/kg			
Micro-organisms in sewage treatment plants (STP) 1,03 mg/l				
Soil		3 mg/kg		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			
Freshwater		0,00339 mg/l		
Freshwater (in	termittent releases)	0,00339 mg/l		
Marine water		0,00339 mg/l		
Marine water (ntermittent releases)	0,00339 mg/l		
Freshwater se	diment	0,027 mg/kg		
Marine sedime	Marine sediment 0,027 mg/kg			
Micro-organisr	ns in sewage treatment plants (STP)	0,23 mg/l		
Soil		0,01 mg/kg		

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 18 Orange

Revision date: 06.04.2022 Product code: PES93 Page 5 of 11

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: orange Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined
Auto-ignition temperature: not determined

according to UK REACH Regulation

replaces vers.frm:8.04.2021	MIXOL® Nr. 18 Orange	
Revision date: 06.04.2022	Product code: PES93	Page 6 of 11

Decomposition temperature: > 100 °C

Vapour pressure: not determined

Density (at 20 °C): 1,21 g/cm³

Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 18 Orange

Revision date: 06.04.2022 Product code: PES93 Page 7 of 11

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
61790-47-4	Amines, rosin						
	oral	ATE mg/kg	500				
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	OECD 402	
2634-33-5	1,2-benzisothiazol-3(2H)	one; 1,2-b	enzisothiazoliı	n-3-one			
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401	
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer		
	inhalation vapour	ATE	0,5 mg/l				
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300	
55965-84-9	reaction mass of 5-chlor	o-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2H-is	othiazol-3-one (3:1)		
	oral	LD50	64 mg/kg	Rat	Manufacturer		
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer		
	inhalation vapour	ATE	0,5 mg/l				
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains Amines, rosin, 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 18 Orange
Revision date: 06.04.2022 Product code: PES93 Page 8 of 11

CAS No	Chemical name	Chemical name						
	Aquatic toxicity	Dose	Dose		Species	Source	Method	
61790-47-4	Amines, rosin							
	Acute algae toxicity	ErC50 mg/l			Manufacturer	OECD 201		
	Algae toxicity	NOEC mg/l	0,011	,011 3 d Pseudokirchneriella N		Manufacturer	OECD 201	
2634-33-5	1,2-benzisothiazol-3(2H)-	ne; 1,2-ben	zisothiazolin	-3-one				
	Acute algae toxicity	ErC50 mg/l	0,155	l	Selenastrum capricornutum	Manufacturer	OECD 201	
	Fish toxicity	NOEC mg/l	0,21		Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215	
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209	
55965-84-9	reaction mass of 5-chloro-	2-methyl-2H	l-isothiazol-3	s-one and	d 2-methyl-2H-isothiazol-3	-one (3:1)		
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
61790-47-4	Amines, rosin					
	OECD 301B	9 %	28	Manufacturer		
	Not readily biodegradable (according to OECD criteria)					

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
61790-47-4	Amines, rosin	5,74
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

according to UK REACH Regulation

replaces vers.frm:8.04.2021 MIXOL® Nr. 18 Orange

Revision date: 06.04.2022 Product code: PES93 Page 9 of 11

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): < 11 %

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 18 Orange

Revision date: 06.04.2022 Product code: PES93 Page 10 of 11

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
11044	

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

according to UK REACH Regulation

	usestaing to envice term regulation					
replaces vers.frm: 8.04.2021	MIXOL® Nr. 18 Orange					
Revision date: 06.04.2022	Product code: PES93	Page 11 of 11				
H317	May cause an allergic skin reaction.					
H318	Causes serious eye damage.					
H330	Fatal if inhaled.					
H400	Very toxic to aquatic life.					
H410	Very toxic to aquatic life with long lasting effects.					
H411	Toxic to aquatic life with long lasting effects.					
H412	Harmful to aquatic life with long lasting effects.					
EUH071	Corrosive to the respiratory tract.					
EUH208	Contains Amines, rosin, 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reacti	on				
	mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).					
	May produce an allergic reaction.					
EUH210	Safety data sheet available on request.					
Further Information	Further Information					
The information is bas	sed on the present level of our knowledge. It does not, however, give assurance of					
product properties and	product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.					

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 19 Oxyd-Kamel

Revision date: 06.04.2022 Product code: PES95 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 19 Oxyd-Kamel

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 19 Oxyd-Kamel

Revision date: 06.04.2022 Product code: PES95 Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	GHS Classification	•	•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		10 - < 15 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412			
112-02-7	Cetrimonium chloride			< 1 %	
	203-928-6				
	Acute Tox. 3, Acute Tox. 4, Skin Co H302 H314 H318 H400 H410	, Aquatic Chronic 1; H311			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irr Chronic 2; H330 H302 H315 H318	atic Acute 1, Aquatic			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %	
	-	613-167-00-5	01-2120764691-48		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 19 Oxyd-Kamel

Revision date: 06.04.2022 Product code: PES95 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 19 Oxyd-Kamel

Revision date: 06.04.2022 Product code: PES95 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1309-37-1	Iron oxide, fume (as Fe)	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL
-	Iron salts (as Fe)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
1309-37-1	Rouge, respirable	-	4		TWA (8 h)	WEL
1309-37-1	Rouge, total inhalable	-	10		TWA (8 h)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
112-02-7	Cetrimonium chloride			
Worker DNEL,	long-term	inhalation	systemic	3,32 mg/m³
Worker DNEL,	long-term	dermal	systemic	4,7 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	systemic	0,98 mg/m³
Consumer DNI	EL, long-term	dermal	systemic	2,83 mg/kg bw/day
Consumer DNI	EL, long-term	oral	systemic	2,83 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,966 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DNI	EL, long-term	dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	ol-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL,	acute	inhalation	local	0,04 mg/m³
Consumer DNI	EL, long-term	inhalation	local	0,02 mg/m³
Consumer DNI	EL, acute	inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DNI	EL, acute	oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 19 Oxyd-Kamel

Revision date: 06.04.2022 Product code: PES95 Page 5 of 11

PNEC values

CAS No	Substance	
Environmen	tal compartment	Value
112-02-7	Cetrimonium chloride	
Freshwater		0,00063 mg/l
Freshwater	(intermittent releases)	0,0008 mg/l
Marine wate	r	0,000068 mg/l
Freshwater	sediment	9,27 mg/kg
Marine sedir	ment	0,927 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,4 mg/l
Soil		7 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater	(intermittent releases)	0,0011 mg/l
Marine wate	r	0,000403 mg/l
Marine wate	r (intermittent releases)	0,0011 mg/l
Freshwater	sediment	0,0499 mg/kg
Marine sedir	ment	0,00499 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H	l-isothiazol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater	(intermittent releases)	0,00339 mg/l
Marine wate	r	0,00339 mg/l
Marine wate	r (intermittent releases)	0,00339 mg/l
Freshwater	sediment	0,027 mg/kg
Marine sedir	ment	0,027 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 19 Oxyd-Kamel

Revision date: 06.04.2022 Product code: PES95 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: brown Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: Density (at 20 °C): 1,68 g/cm³ Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 19 Oxyd-Kamel

Revision date: 06.04.2022 Product code: PES95 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	CAS No Chemical name					
	Exposure route	Dose		Species	Source	Method
112-02-7	Cetrimonium chloride					
	oral	LD50 mg/kg	699	Rat	Manufacturer	
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer	
2634-33-5	1,2-benzisothiazol-3(2)	H)-one; 1,2-b	enzisothiazoli	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-chlo	oro-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2H-i	sothiazol-3-one (3:1)	
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 19 Oxyd-Kamel

Revision date: 06.04.2022 Product code: PES95 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
112-02-7	Cetrimonium chloride						
	Acute algae toxicity	ErC50 mg/l	0,08	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,09	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
	Crustacea toxicity	NOEC mg/l	0,0068	21 d	Daphnia magna (Big water flea)	Manufacturer	OECD 211
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ber	nzisothiazolin	-3-one			
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro	-2-methyl-2l	H-isothiazol-3	-one and	d 2-methyl-2H-isothiazol-	3-one (3:1)	
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm:8.04.2021	MIXOL® Nr. 19 Oxyd-Kamel	
Revision date: 06.04.2022	Product code: PES95	Page 9 of 11

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
112-02-7	Cetrimonium chloride					
	OECD 301B	93,5 %	28	Manufacturer		
	Readily biodegradable (according to OECD criteria).					

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021	MIXOL® Nr. 19 Oxyd-Kamel	
Revision date: 06.04.2022	Product code: PES95	Page 10 of 11
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

14.4. Packing group:
14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.3. Transport hazard class(es):

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 21 %

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 19 Oxyd-Kamel

Revision date: 06.04.2022 Product code: PES95 Page 11 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	l oxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
⊔ 21/	Causes severe skin hurns

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 20 Oxyd-Kastanie

Revision date: 06.04.2022 Product code: PES96 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 20 Oxyd-Kastanie

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 20 Oxyd-Kastanie

Revision date: 06.04.2022 Product code: PES96 Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•	•	
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		10 - < 15 %
	500-236-9			
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412		
112-02-7	Cetrimonium chloride			< 0.1 %
	203-928-6			
	Acute Tox. 3, Acute Tox. 4, Skin Co H302 H314 H318 H400 H410	, Aquatic Chronic 1; H311		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0.1 %
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 2, Acute Tox. 4, Skin Irr Chronic 2; H330 H302 H315 H318	it. 2, Eye Dam. 1, Skin Sens. 1, Aqua H317 H400 H411	atic Acute 1, Aquatic	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %
	-	613-167-00-5	01-2120764691-48	
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 20 Oxyd-Kastanie

Revision date: 06.04.2022 Product code: PES96 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 20 Oxyd-Kastanie

Revision date: 06.04.2022 Product code: PES96 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1309-37-1	Iron oxide, fume (as Fe)	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL
-	Iron salts (as Fe)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
-	Manganese: its inorganic compounds (as Mn, inhalable fraction)	-	0.2		TWA (8 h)	WEL
-	Manganese: its inorganic compounds (as Mn, respirable fraction)	-	0.05		TWA (8 h)	WEL
1309-37-1	Rouge, respirable	-	4		TWA (8 h)	WEL
1309-37-1	Rouge, total inhalable	-	10		TWA (8 h)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
112-02-7	Cetrimonium chloride			
Worker DNEL,	long-term	inhalation	systemic	3,32 mg/m³
Worker DNEL, long-term		dermal	systemic	4,7 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,98 mg/m³
Consumer DNEL, long-term		dermal	systemic	2,83 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	2,83 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	ol-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 20 Oxyd-Kastanie

Revision date: 06.04.2022 Product code: PES96 Page 5 of 11

PNEC values

CAS No	Substance		
Environmen	tal compartment	Value	
112-02-7	Cetrimonium chloride		
Freshwater		0,00063 mg/l	
Freshwater	(intermittent releases)	0,0008 mg/l	
Marine wate	r	0,000068 mg/l	
Freshwater sediment		9,27 mg/kg	
Marine sedi	0,927 mg/kg		
Micro-organ	Micro-organisms in sewage treatment plants (STP)		
Soil		7 mg/kg	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one		
Freshwater		0,00403 mg/l	
Freshwater	0,0011 mg/l		
Marine wate	0,000403 mg/l		
Marine wate	0,0011 mg/l		
Freshwater	sediment	0,0499 mg/kg	
Marine sedi	ment	0,00499 mg/kg	
Micro-organisms in sewage treatment plants (STP) 1,03		1,03 mg/l	
Soil		3 mg/kg	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H	I-isothiazol-3-one (3:1)	
Freshwater		0,00339 mg/l	
Freshwater	0,00339 mg/l		
Marine wate	0,00339 mg/l		
Marine wate	0,00339 mg/l		
Freshwater	0,027 mg/kg		
Marine sedi	0,027 mg/kg		
Micro-organisms in sewage treatment plants (STP)		0,23 mg/l	
Soil		0,01 mg/kg	

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 20 Oxyd-Kastanie

Revision date: 06.04.2022 Product code: PES96 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: brown Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: 1,65 g/cm³ Density (at 20 °C): Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 20 Oxyd-Kastanie

Revision date: 06.04.2022 Product code: PES96 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name	Chemical name						
	Exposure route	Dose		Species	Source	Method		
112-02-7	Cetrimonium chloride							
	oral	LD50 mg/kg	699	Rat	Manufacturer			
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one							
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401		
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)							
	oral	LD50	64 mg/kg	Rat	Manufacturer			
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer			

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 20 Oxyd-Kastanie

Revision date: 06.04.2022 Product code: PES96 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
112-02-7	Cetrimonium chloride						
	Acute algae toxicity	ErC50 mg/l	0,08	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,09	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
	Crustacea toxicity	NOEC mg/l	0,0068	21 d	Daphnia magna (Big water flea)	Manufacturer	OECD 211
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ber	nzisothiazolin	-3-one			
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-	-2-methyl-2l	H-isothiazol-3	3-one and	d 2-methyl-2H-isothiazol-	3-one (3:1)	
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm:8.04.2021	MIXOL® Nr. 20 Oxyd-Kastanie	
Revision date: 06.04.2022	Product code: PES96	Page 9 of 11

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
112-02-7	Cetrimonium chloride					
	OECD 301B	93,5 %	28	Manufacturer		
	Readily biodegradable (according to OECD criteria).					

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

according to UK REACH Regulation

replaces vers.frm:8.04.2021	MIXOL® Nr. 20 Oxyd-Kastanie	
Revision date: 06.04.2022	Product code: PES96	Page 10 of 11
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	

No dangerous good in sense of this transport regulation.

14.4. Packing group:

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 35 %

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 20 Oxyd-Kastanie

Revision date: 06.04.2022 Product code: PES96 Page 11 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	l oxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
⊔ 21/	Causes severe skin hurns

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 21 Oxyd-Terrabraun

Revision date: 06.04.2022 Product code: PES97 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 21 Oxyd-Terrabraun

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 21 Oxyd-Terrabraun

Revision date: 06.04.2022 Product code: PES97 Page 2 of 11

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•	•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		10 - < 15 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412			
112-02-7	Cetrimonium chloride		< 1 %		
	203-928-6				
	Acute Tox. 3, Acute Tox. 4, Skin Co H302 H314 H318 H400 H410	orr. 1C, Eye Dam. 1, Aquatic Acute 1	, Aquatic Chronic 1; H311		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irr Chronic 2; H330 H302 H315 H318	it. 2, Eye Dam. 1, Skin Sens. 1, Aqua H317 H400 H411	atic Acute 1, Aquatic		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
	-	613-167-00-5	01-2120764691-48		
	I	ox. 3, Skin Corr. 1C, Eye Dam. 1, S I310 H301 H314 H318 H317 H400 H	-		

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 21 Oxyd-Terrabraun

Revision date: 06.04.2022 Product code: PES97 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 21 Oxyd-Terrabraun

Revision date: 06.04.2022 Product code: PES97 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1309-37-1	Iron oxide, fume (as Fe)	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL
-	Iron salts (as Fe)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
-	Manganese: its inorganic compounds (as Mn, inhalable fraction)	-	0.2		TWA (8 h)	WEL
-	Manganese: its inorganic compounds (as Mn, respirable fraction)	-	0.05		TWA (8 h)	WEL
1309-37-1	Rouge, respirable	-	4		TWA (8 h)	WEL
1309-37-1	Rouge, total inhalable	-	10		TWA (8 h)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
112-02-7	Cetrimonium chloride					
Worker DNEL,	long-term	inhalation	systemic	3,32 mg/m³		
Worker DNEL,	long-term	dermal	systemic	4,7 mg/kg bw/day		
Consumer DNI	EL, long-term	inhalation	systemic	0,98 mg/m³		
Consumer DNI	EL, long-term	dermal	systemic	2,83 mg/kg bw/day		
Consumer DNI	EL, long-term	oral	systemic	2,83 mg/kg bw/day		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³		
Worker DNEL,	long-term	dermal	systemic	0,966 mg/kg bw/day		
Consumer DNI	EL, long-term	inhalation	systemic	1,2 mg/m³		
Consumer DNI	EL, long-term	dermal	systemic	0,345 mg/kg bw/day		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	l-3-one (3:1)			
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³		
Worker DNEL,	acute	inhalation	local	0,04 mg/m³		
Consumer DNEL, long-term		inhalation	local	0,02 mg/m³		
Consumer DNEL, acute		inhalation	local	0,04 mg/m³		
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day		
Consumer DNI	EL, acute	oral	systemic	0,09 mg/kg bw/day		

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 21 Oxyd-Terrabraun

Revision date: 06.04.2022 Product code: PES97 Page 5 of 11

PNEC values

CAS No	Substance	
Environment	al compartment	Value
112-02-7	Cetrimonium chloride	·
Freshwater	•	0,00063 mg/l
Freshwater (intermittent releases)	0,0008 mg/l
Marine water		0,000068 mg/l
Freshwater s	sediment	9,27 mg/kg
Marine sedin	nent	0,927 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	0,4 mg/l
Soil		7 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater (intermittent releases)	0,0011 mg/l
Marine water		0,000403 mg/l
Marine water	r (intermittent releases)	0,0011 mg/l
Freshwater s	sediment	0,0499 mg/kg
Marine sedin	nent	0,00499 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-	isothiazol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater (intermittent releases)	0,00339 mg/l
Marine water		0,00339 mg/l
Marine water	r (intermittent releases)	0,00339 mg/l
Freshwater s	sediment	0,027 mg/kg
Marine sedin	nent	0,027 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 21 Oxyd-Terrabraun

Revision date: 06.04.2022 Product code: PES97 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: brown Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: 1,69 g/cm³ Density (at 20 °C): Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 21 Oxyd-Terrabraun

Revision date: 06.04.2022 Product code: PES97 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
112-02-7	Cetrimonium chloride					
	oral	LD50 mg/kg	699	Rat	Manufacturer	
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer	
2634-33-5	1,2-benzisothiazol-3(2)	H)-one; 1,2-b	enzisothiazoli	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-chlo	oro-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2H-i	sothiazol-3-one (3:1)	
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 21 Oxyd-Terrabraun

Revision date: 06.04.2022 Product code: PES97 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
112-02-7	Cetrimonium chloride						
	Acute algae toxicity	ErC50 mg/l	0,08	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,09	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
	Crustacea toxicity	NOEC mg/l	0,0068		Daphnia magna (Big water flea)	Manufacturer	OECD 211
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ber	nzisothiazolin	-3-one			
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro	-2-methyl-2h	H-isothiazol-3	-one and	d 2-methyl-2H-isothiazol-	3-one (3:1)	
	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Acute bacteria toxicity (EC50 7,92 3 h Activated sludge Manufacturer OECD 209 mg/l)						

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm:24.03.2021	MIXOL® Nr. 21 Oxyd-Terrabraun	
Revision date: 06.04.2022	Product code: PES97	Page 9 of 11

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation	-	-			
112-02-7	Cetrimonium chloride					
	OECD 301B	93,5 %	28	Manufacturer		
	Readily biodegradable (according to OECD criteria).		-			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

according to UK REACH Regulation

replaces vers.frm:24.03.2021	MIXOL® Nr. 21 Oxyd-Terrabraun	
Revision date: 06.04.2022	Product code: PES97	Page 10 of 11

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 30 %

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 21 Oxyd-Terrabraun

Revision date: 06.04.2022 Product code: PES97 Page 11 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H31/	Causes severe skin hurns

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 22 Oxyd-Tabak

Revision date: 06.04.2022 Product code: PES99 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 22 Oxyd-Tabak

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 22 Oxyd-Tabak

Revision date: 06.04.2022 Product code: PES99 Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	GHS Classification	•	•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		10 - < 15 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412			
112-02-7	Cetrimonium chloride		< 1 %		
	203-928-6				
	Acute Tox. 3, Acute Tox. 4, Skin Co H302 H314 H318 H400 H410	, Aquatic Chronic 1; H311			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-b	< 0.1 %			
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irr Chronic 2; H330 H302 H315 H318	atic Acute 1, Aquatic			
55965-84-9	reaction mass of 5-chloro-2-methyl-	H-isothiazol-3-one (3:1)	< 0.1 %		
	-	613-167-00-5	01-2120764691-48		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 22 Oxyd-Tabak

Revision date: 06.04.2022 Product code: PES99 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 22 Oxyd-Tabak
Revision date: 06.04.2022 Product code: PES99

Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1309-37-1	Iron oxide, fume (as Fe)	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL
-	Iron salts (as Fe)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
-	Manganese: its inorganic compounds (as Mn, inhalable fraction)	-	0.2		TWA (8 h)	WEL
-	Manganese: its inorganic compounds (as Mn, respirable fraction)	-	0.05		TWA (8 h)	WEL
1309-37-1	Rouge, respirable	-	4		TWA (8 h)	WEL
1309-37-1	Rouge, total inhalable	-	10		TWA (8 h)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL
	l .	1		1		1

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
112-02-7	Cetrimonium chloride			
Worker DNEL,	long-term	inhalation	systemic	3,32 mg/m³
Worker DNEL,	long-term	dermal	systemic	4,7 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,98 mg/m³
Consumer DN	EL, long-term	dermal	systemic	2,83 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	2,83 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one an	d 2-methyl-2H-isothiaz	ol-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL,	acute	inhalation	local	0,04 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³
Consumer DN	EL, acute	inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 22 Oxyd-Tabak

Revision date: 06.04.2022 Product code: PES99 Page 5 of 11

PNEC values

CAS No	Substance	
Environmen	tal compartment	Value
112-02-7	Cetrimonium chloride	
Freshwater		0,00063 mg/l
Freshwater	(intermittent releases)	0,0008 mg/l
Marine wate	r	0,000068 mg/l
Freshwater	sediment	9,27 mg/kg
Marine sedi	ment	0,927 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,4 mg/l
Soil		7 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater	(intermittent releases)	0,0011 mg/l
Marine wate	r	0,000403 mg/l
Marine wate	er (intermittent releases)	0,0011 mg/l
Freshwater	sediment	0,0499 mg/kg
Marine sedi	ment	0,00499 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-	-isothiazol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater	(intermittent releases)	0,00339 mg/l
Marine wate	ır	0,00339 mg/l
Marine wate	er (intermittent releases)	0,00339 mg/l
Freshwater	sediment	0,027 mg/kg
Marine sedi	ment	0,027 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 22 Oxyd-Tabak

Revision date: 06.04.2022 Product code: PES99 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: brown Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: Density (at 20 °C): 1,72 g/cm³ Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 22 Oxyd-Tabak

Revision date: 06.04.2022 Product code: PES99 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name	Chemical name							
	Exposure route	Dose		Species	Source	Method			
112-02-7	Cetrimonium chloride								
	oral	LD50 mg/kg	699	Rat	Manufacturer				
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one								
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401			
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer				
	inhalation vapour	ATE	0,5 mg/l						
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300			
55965-84-9	reaction mass of 5-ch	loro-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2	H-isothiazol-3-one (3:1)				
	oral	LD50	64 mg/kg	Rat	Manufacturer				
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer				
	inhalation vapour	ATE	0,5 mg/l						
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer				

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 22 Oxyd-Tabak

Revision date: 06.04.2022 Product code: PES99 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
112-02-7	Cetrimonium chloride						
	Acute algae toxicity	ErC50 mg/l	0,08	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,09	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
	Crustacea toxicity	NOEC mg/l	0,0068	21 d	Daphnia magna (Big water flea)	Manufacturer	OECD 211
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ber	nzisothiazolin	-3-one			
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-	-2-methyl-2h	H-isothiazol-3	3-one and	d 2-methyl-2H-isothiazol-	3-one (3:1)	
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm:8.04.2021	MIXOL® Nr. 22 Oxyd-Tabak	
Revision date: 06.04.2022	Product code: PES99	Page 9 of 11

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
112-02-7	Cetrimonium chloride						
	OECD 301B	93,5 %	28	Manufacturer			
	Readily biodegradable (according to OECD criteria).						

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

according to UK REACH Regulation

44.4 LINI mumbani	No departure good in some of this transport regulation	
Revision date: 06.04.2022	Product code: PES99	Page 10 of 11
replaces vers.frm:8.04.2021	MIXOL® Nr. 22 Oxyd-Tabak	

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 29 %

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 22 Oxyd-Tabak

Revision date: 06.04.2022 Product code: PES99 Page 11 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin hurns

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 23 Oxyd-Dunkelbraun

Revision date: 06.04.2022 Product code: PES102 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 23 Oxvd-Dunkelbraun

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 23 Oxyd-Dunkelbraun

Revision date: 06.04.2022 Product code: PES102 Page 2 of 11

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•	•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		10 - < 15 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412	•		
112-02-7	Cetrimonium chloride			< 1 %	
	203-928-6				
	Acute Tox. 3, Acute Tox. 4, Skin Co H302 H314 H318 H400 H410	, Aquatic Chronic 1; H311			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-b		< 0.1 %		
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irr Chronic 2; H330 H302 H315 H318	atic Acute 1, Aquatic			
55965-84-9	reaction mass of 5-chloro-2-methyl-	H-isothiazol-3-one (3:1)	< 0.1 %		
	-	613-167-00-5	01-2120764691-48		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 23 Oxyd-Dunkelbraun

Revision date: 06.04.2022 Product code: PES102 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 23 Oxyd-Dunkelbraun

Revision date: 06.04.2022 Product code: PES102 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1309-37-1	Iron oxide, fume (as Fe)	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL
-	Iron salts (as Fe)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
-	Manganese: its inorganic compounds (as Mn, inhalable fraction)	-	0.2		TWA (8 h)	WEL
-	Manganese: its inorganic compounds (as Mn, respirable fraction)	-	0.05		TWA (8 h)	WEL
1309-37-1	Rouge, respirable	-	4		TWA (8 h)	WEL
1309-37-1	Rouge, total inhalable	-	10	l	TWA (8 h)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL
	•		ł			ı

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
112-02-7	Cetrimonium chloride			
Worker DNEL,	long-term	inhalation	systemic	3,32 mg/m³
Worker DNEL,	long-term	dermal	systemic	4,7 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,98 mg/m³
Consumer DN	EL, long-term	dermal	systemic	2,83 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	2,83 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one an	d 2-methyl-2H-isothiaz	ol-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 23 Oxyd-Dunkelbraun

Revision date: 06.04.2022 Product code: PES102 Page 5 of 11

PNEC values

FINEC Valu	cs		
CAS No	Substance		
Environment	tal compartment	Value	
112-02-7	Cetrimonium chloride		
Freshwater		0,00063 mg/l	
Freshwater ((intermittent releases)	0,0008 mg/l	
Marine wate	r	0,000068 mg/l	
Freshwater	sediment	9,27 mg/kg	
Marine sedir	ment	0,927 mg/kg	
Micro-organi	sms in sewage treatment plants (STP)	0,4 mg/l	
Soil		7 mg/kg	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one		
Freshwater		0,00403 mg/l	
Freshwater ((intermittent releases)	0,0011 mg/l	
Marine wate	0,000403 mg/l		
Marine wate	0,0011 mg/l		
Freshwater	0,0499 mg/kg		
Marine sedir	ment	0,00499 mg/kg	
Micro-organi	sms in sewage treatment plants (STP)	1,03 mg/l	
Soil		3 mg/kg	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-i	sothiazol-3-one (3:1)	
Freshwater		0,00339 mg/l	
Freshwater (0,00339 mg/l		
Marine water		0,00339 mg/l	
Marine water (intermittent releases)		0,00339 mg/l	
Freshwater sediment		0,027 mg/kg	
Marine sedir	0,027 mg/kg		
Micro-organi	Micro-organisms in sewage treatment plants (STP)		
Soil	Soil		

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 23 Oxyd-Dunkelbraun

Revision date: 06.04.2022 Product code: PES102 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: brown Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: Density (at 20 °C): 1,9 g/cm³ Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 23 Oxyd-Dunkelbraun

Revision date: 06.04.2022 Product code: PES102 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
112-02-7	Cetrimonium chloride	Cetrimonium chloride						
	oral	LD50 mg/kg	699	Rat	Manufacturer			
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer			
2634-33-5	1,2-benzisothiazol-3(2)	H)-one; 1,2-b	enzisothiazoli	n-3-one				
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401		
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300		
55965-84-9	reaction mass of 5-chlo	oro-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2H-	isothiazol-3-one (3:1)			
	oral	LD50	64 mg/kg	Rat	Manufacturer			
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer			

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 23 Oxyd-Dunkelbraun

Revision date: 06.04.2022 Product code: PES102 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
112-02-7	Cetrimonium chloride						
	Acute algae toxicity	ErC50 mg/l	0,08	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,09	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
	Crustacea toxicity	NOEC mg/l	0,0068	21 d	Daphnia magna (Big water flea)	Manufacturer	OECD 211
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm:8.04.2021	MIXOL® Nr. 23 Oxyd-Dunkelbraun	
Revision date: 06.04.2022	Product code: PES102	Page 9 of 11

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
112-02-7	Cetrimonium chloride				
	OECD 301B	93,5 %	28	Manufacturer	
	Readily biodegradable (according to OECD criteria).				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021	MIXOL® Nr. 23 Oxyd-Dunkelbraun	
Revision date: 06.04.2022	Product code: PES102	Page 10 of 11

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 22 %

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 23 Oxyd-Dunkelbraun Product code: PES102 Revision date: 06.04.2022 Page 11 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: verv persistent, verv bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	l oxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns

and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. H412

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 24 Oxyd-Steingrau

Revision date: 06.04.2022 Product code: PES103 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 24 Oxyd-Steingrau

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 24 Oxyd-Steingrau

Revision date: 06.04.2022 Product code: PES103 Page 2 of 11

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•	•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		10 - < 15 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412	•		
112-02-7	Cetrimonium chloride			< 1 %	
	203-928-6				
	Acute Tox. 3, Acute Tox. 4, Skin Co H302 H314 H318 H400 H410	orr. 1C, Eye Dam. 1, Aquatic Acute 1	, Aquatic Chronic 1; H311		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-b	enzisothiazolin-3-one		< 0.1 %	
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irr Chronic 2; H330 H302 H315 H318	it. 2, Eye Dam. 1, Skin Sens. 1, Aqua H317 H400 H411	atic Acute 1, Aquatic		
55965-84-9	reaction mass of 5-chloro-2-methyl-	-2H-isothiazol-3-one and 2-methyl-2h	H-isothiazol-3-one (3:1)	< 0.1 %	
	-	613-167-00-5	01-2120764691-48		
		Fox. 3, Skin Corr. 1C, Eye Dam. 1, Sl I310 H301 H314 H318 H317 H400 H			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 24 Oxyd-Steingrau

Revision date: 06.04.2022 Product code: PES103 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 24 Oxyd-Steingrau

Revision date: 06.04.2022 Product code: PES103 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1309-37-1	Iron oxide, fume (as Fe)	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL
-	Iron salts (as Fe)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
-	Manganese: its inorganic compounds (as Mn, inhalable fraction)	-	0.2		TWA (8 h)	WEL
-	Manganese: its inorganic compounds (as Mn, respirable fraction)	-	0.05		TWA (8 h)	WEL
1309-37-1	Rouge, respirable	-	4		TWA (8 h)	WEL
1309-37-1	Rouge, total inhalable	-	10		TWA (8 h)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
112-02-7	Cetrimonium chloride			
Worker DNEL,	long-term	inhalation	systemic	3,32 mg/m³
Worker DNEL,	long-term	dermal	systemic	4,7 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,98 mg/m³
Consumer DN	EL, long-term	dermal	systemic	2,83 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	2,83 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	ol-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL,	acute	inhalation	local	0,04 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,11 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 24 Oxyd-Steingrau

Revision date: 06.04.2022 Product code: PES103 Page 5 of 11

PNEC values

CAS No	Substance	
Environmen	tal compartment	Value
112-02-7	Cetrimonium chloride	
Freshwater		0,00063 mg/l
Freshwater	(intermittent releases)	0,0008 mg/l
Marine wate	r	0,000068 mg/l
Freshwater	sediment	9,27 mg/kg
Marine sedi	ment	0,927 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,4 mg/l
Soil		7 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater	(intermittent releases)	0,0011 mg/l
Marine wate	r	0,000403 mg/l
Marine wate	er (intermittent releases)	0,0011 mg/l
Freshwater	sediment	0,0499 mg/kg
Marine sedi	ment	0,00499 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-	-isothiazol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater	(intermittent releases)	0,00339 mg/l
Marine wate	ır	0,00339 mg/l
Marine wate	er (intermittent releases)	0,00339 mg/l
Freshwater	sediment	0,027 mg/kg
Marine sedi	ment	0,027 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 24 Oxyd-Steingrau

Revision date: 06.04.2022 Product code: PES103 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: grey
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: 2,0 g/cm³ Density (at 20 °C): Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm:8.04.2021 MIXOL® Nr. 24 Oxyd-Steingrau

Revision date: 06.04.2022 Product code: PES103 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
112-02-7	Cetrimonium chloride					
	oral	LD50 mg/kg	699	Rat	Manufacturer	
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer	
2634-33-5	1,2-benzisothiazol-3(2)	H)-one; 1,2-b	enzisothiazoli	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-chlo	oro-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2H-i	sothiazol-3-one (3:1)	
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 24 Oxyd-Steingrau

Revision date: 06.04.2022 Product code: PES103 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
112-02-7	Cetrimonium chloride						
	Acute algae toxicity	ErC50 mg/l	0,08	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,09	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
	Crustacea toxicity	NOEC mg/l	0,0068	21 d	Daphnia magna (Big water flea)	Manufacturer	OECD 211
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ber	nzisothiazolin	-3-one			
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro	-2-methyl-2l	H-isothiazol-3	-one and	d 2-methyl-2H-isothiazol-	3-one (3:1)	
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm:8.04.2021	MIXOL® Nr. 24 Oxyd-Steingrau	
Revision date: 06.04.2022	Product code: PES103	Page 9 of 11

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
112-02-7	Cetrimonium chloride					
	OECD 301B	93,5 %	28	Manufacturer		
	Readily biodegradable (according to OECD criteria).		•			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

according to UK REACH Regulation

replaces vers.frm:8.04.2021	MIXOL® Nr. 24 Oxyd-Steingrau	
Revision date: 06.04.2022	Product code: PES103	Page 10 of 11
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.4. Packing group:

14.3. Transport hazard class(es):

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 16 %

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 24 Oxyd-Steingrau

Revision date: 06.04.2022 Product code: PES103 Page 11 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin hurns

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 25 Oxyd-Weiss

Revision date: 06.04.2022 Product code: PES62 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 25 Oxvd-Weiss

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 25 Oxyd-Weiss

Revision date: 06.04.2022 Product code: PES62 Page 2 of 12

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification	•	•	
13463-67-7	titanium dioxide			45 - < 50 %
	236-675-5	022-006-00-2		
	Carc. 2; H351			
68920-66-1	Alcohols, C16-18 and C18-unsatd.	, ethoxylated		10 - < 15 %
	500-236-9			
	Skin Irrit. 2, Aquatic Acute 1, Aquat	tic Chronic 3; H315 H400 H412		
112-02-7	Cetrimonium chloride			< 1 %
	203-928-6			
	Acute Tox. 3, Acute Tox. 4, Skin Co H302 H314 H318 H400 H410	orr. 1C, Eye Dam. 1, Aquatic Acute 1	, Aquatic Chronic 1; H311	
55406-53-6	3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate			< 0.1 %
	259-627-5	616-212-00-7	01-2120762115-60	
	Acute Tox. 3, Acute Tox. 4, Eye Da Chronic 1; H331 H302 H318 H317	am. 1, Skin Sens. 1, STOT RE 1, Aqu H372 H400 H410	uatic Acute 1, Aquatic	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-b	penzisothiazolin-3-one		< 0.1 %
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 2, Acute Tox. 4, Skin Irr Chronic 2; H330 H302 H315 H318	rit. 2, Eye Dam. 1, Skin Sens. 1, Aqua H317 H400 H411	atic Acute 1, Aquatic	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %
	-	613-167-00-5	01-2120764691-48	
	Acute Tox. 2, Acute Tox. 2, Acute Acute 1, Aquatic Chronic 1; H330 H			

Full text of H and EUH statements: see section 16.

Further Information

titanium dioxide: Classification according to Regulation (EC) No 1272/2008 [CLP] 14. ATP: Note W, Note 10

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 25 Oxyd-Weiss

Revision date: 06.04.2022 Product code: PES62 Page 3 of 12

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 25 Oxyd-Weiss

Revision date: 06.04.2022 Product code: PES62 Page 4 of 12

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
112-02-7	Cetrimonium chloride			
Worker DNEL,	long-term	inhalation	systemic	3,32 mg/m³
Worker DNEL,	long-term	dermal	systemic	4,7 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	0,98 mg/m³
Consumer DNE	EL, long-term	dermal	systemic	2,83 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	2,83 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,966 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DNE	EL, long-term	dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	l 2-methyl-2H-isothiazo	I-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL,	acute	inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNE	EL, long-term	oral	systemic	0,11 mg/kg bw/day
Consumer DNE	EL, acute	oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 25 Oxyd-Weiss

Revision date: 06.04.2022 Product code: PES62 Page 5 of 12

PNEC values

CAS No	Substance	
Environmen	tal compartment	Value
112-02-7	Cetrimonium chloride	
Freshwater		0,00063 mg/l
Freshwater	(intermittent releases)	0,0008 mg/l
Marine wate	or .	0,000068 mg/l
Freshwater	sediment	9,27 mg/kg
Marine sedi	ment	0,927 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,4 mg/l
Soil		7 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater	(intermittent releases)	0,0011 mg/l
Marine wate	or .	0,000403 mg/l
Marine water	er (intermittent releases)	0,0011 mg/l
Freshwater	sediment	0,0499 mg/kg
Marine sedi	ment	0,00499 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H	I-isothiazol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater	(intermittent releases)	0,00339 mg/l
Marine water		0,00339 mg/l
Marine water	er (intermittent releases)	0,00339 mg/l
Freshwater	sediment	0,027 mg/kg
Marine sediment		0,027 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 25 Oxyd-Weiss

Revision date: 06.04.2022 Product code: PES62 Page 6 of 12

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: white Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: 1,80 g/cm³ Density (at 20 °C): Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 25 Oxyd-Weiss

Revision date: 06.04.2022 Product code: PES62 Page 7 of 12

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 25 Oxyd-Weiss

Revision date: 06.04.2022 Product code: PES62 Page 8 of 12

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
13463-67-7	titanium dioxide					
	oral	LD50 mg/kg	> 5000	Rat	Manufacturer	OECD 425
112-02-7	Cetrimonium chloride					
	oral	LD50 mg/kg	699	Rat	Manufacturer	
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer	
55406-53-6	3-iodo-2-propynyl butylca	arbamate; 3	3-iodoprop-2-y	n-1-yl butylcarbamate		
	oral	ATE mg/kg	500			
	inhalation vapour	ATE	3 mg/l			
	inhalation dust/mist	ATE	0,5 mg/l			
2634-33-5	1,2-benzisothiazol-3(2H)	-one; 1,2-b	enzisothiazolir	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-chlore	o-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2H	-isothiazol-3-one (3:1)	
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of

5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 25 Oxyd-Weiss

Revision date: 06.04.2022 Product code: PES62 Page 9 of 12

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
13463-67-7	titanium dioxide						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 203
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
112-02-7	Cetrimonium chloride						
	Acute algae toxicity	ErC50 mg/l	0,08	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,09	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
	Crustacea toxicity	NOEC mg/l	0,0068	21 d	Daphnia magna (Big water flea)	Manufacturer	OECD 211
55406-53-6	3-iodo-2-propynyl butylca	rbamate; 3-i	odoprop-2-yı	n-1-yl bu	tylcarbamate		
	Acute bacteria toxicity	(EC50 mg/l)	39,3	3 h	Activated sludge	Manufacturer	OECD 209
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ben	zisothiazolin	-3-one			
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro	-2-methyl-2H	H-isothiazol-3	3-one and	d 2-methyl-2H-isothiazol-	3-one (3:1)	
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

1110	riodadt nac not boon tootoa.			
CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation	•	-	
112-02-7	Cetrimonium chloride			
	OECD 301B	93,5 %	28	Manufacturer
	Readily biodegradable (according to OECD criteria).	_		

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

according to UK REACH Regulation

replaces vers.frm:8.04.2021	MIXOL® Nr. 25 Oxyd-Weiss	
Revision date: 06.04.2022	Product code: PES62	Page 10 of 12

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of this transport regulation.14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 25 Oxyd-Weiss

Revision date: 06.04.2022 Product code: PES62 Page 11 of 12

14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 30 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

according to UK REACH Regulation

re	places vers.frm:8.04.2021	MIXOL® Nr. 25 Oxyd-Weiss	
Re	evision date: 06.04.2022	Product code: PES62	Page 12 of 12

intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5
	-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce
	an allergic reaction.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe
	spray or mist.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 26 Echt-Gelb

Revision date: 22.04.2022 Product code: PES74 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 26 Echt-Gelb

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 26 Echt-Gelb

Revision date: 22.04.2022 Product code: PES74 Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	GHS Classification	•			
68920-66-1	Alcohols, C16-18 and C18-unsatd	, ethoxylated		5 - < 10 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aqua	tic Chronic 3; H315 H400 H412			
104376-75-2	Arylethylphenylpolyglykolether			5 - < 10 %	
	600-560-1				
	Aquatic Chronic 3; H412				
219756-63-5	Alkylether sulphate 7 EO, sodium	salt		1 - < 5 %	
	639-480-7				
	Skin Irrit. 2, Eye Dam. 1; H315 H3				
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts				
	308-107-7				
	Eye Dam. 1; H318				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-	benzisothiazolin-3-one		< 0.1 %	
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411				
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %	
	-	613-167-00-5	01-2120764691-48		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 26 Echt-Gelb

Revision date: 22.04.2022 Product code: PES74 Page 3 of 11

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 26 Echt-Gelb

Revision date: 22.04.2022 Product code: PES74 Page 4 of 11

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimeth	yl-, N-C8-18 acyl derivs	s., hydroxides, inner sa	lts
Worker DNEL,	long-term	inhalation	systemic	44 mg/m³
Worker DNEL,	long-term	dermal	systemic	12,5 mg/kg bw/day
Consumer DN	EL, long-term	dermal	systemic	7,5 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	7,5 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	ol-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL,	acute	inhalation	local	0,04 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 26 Echt-Gelb

Revision date: 22.04.2022 Product code: PES74 Page 5 of 11

PNEC values

CAS No	Substance				
Environment	al compartment	Value			
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl d	erivs., hydroxides, inner salts			
Freshwater	•	0,013 mg/l			
Marine water	•	0,001 mg/l			
Freshwater s	rediment	1 mg/kg			
Marine sedin	nent	0,1 mg/kg			
Micro-organia	sms in sewage treatment plants (STP)	3000 mg/l			
Soil		0,8 mg/kg			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
Freshwater	•	0,00403 mg/l			
Freshwater (intermittent releases)	0,0011 mg/l			
Marine water		0,000403 mg/l			
Marine water	0,0011 mg/l				
Freshwater s	0,0499 mg/kg				
Marine sedin	nent	0,00499 mg/kg			
Micro-organia	sms in sewage treatment plants (STP)	1,03 mg/l			
Soil		3 mg/kg			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isotl	niazol-3-one (3:1)			
Freshwater	•	0,00339 mg/l			
Freshwater (intermittent releases)	0,00339 mg/l			
Marine water		0,00339 mg/l			
Marine water	(intermittent releases)	0,00339 mg/l			
Freshwater sediment 0					
Marine sediment 0,027					
Micro-organia	sms in sewage treatment plants (STP)	0,23 mg/l			
Soil		0,01 mg/kg			

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 26 Echt-Gelb

Revision date: 22.04.2022 Product code: PES74 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: yellow Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined not determined Upper explosion limits: not determined Auto-ignition temperature: > 100 °C Decomposition temperature: Vapour pressure: not determined Density (at 20 °C): 1,21 g/cm³ Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 26 Echt-Gelb

Revision date: 22.04.2022 Product code: PES74

Revision date: 22.04.2022 Product code: PES74 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
104376-75-2	Arylethylphenylpolyglykolether						
	oral	LD50 mg/kg	> 5000	Rat	Manufacturer		
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ber	nzisothiazolir	n-3-one			
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401	
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer		
	inhalation vapour	ATE	0,5 mg/l				
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300	
55965-84-9	reaction mass of 5-chloro	-2-methyl-2l	H-isothiazol-	3-one and 2-methyl-2H-isc	othiazol-3-one (3:1)		
	oral	LD50	64 mg/kg	Rat	Manufacturer		
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer		
	inhalation vapour	ATE	0,5 mg/l				
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer		

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 26 Echt-Gelb

Revision date: 22.04.2022 Product code: PES74 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
104376-75-2	Arylethylphenylpolyglykolether						
	Acute fish toxicity	LC50 mg/l	17,8	96 h	Danio rerio (zebrafish)	Manufacturer	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

The product has not been tested.				
CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
104376-75-2	Arylethylphenylpolyglykolether			
	OECD 301D	< 10 %	28	Manufacturer
	Not readily biodegradable (according to OECD criteria)			

12.3. Bioaccumulative potential

according to UK REACH Regulation

replaces vers.frm:24.03.2021	MIXOL® Nr. 26 Echt-Gelb	
Revision date: 22.04.2022	Product code: PES74	Page 9 of 11

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 26 Echt-Gelb

Revision date: 22.04.2022 Product code: PES74 Page 10 of 11

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 0,1 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 26 Echt-Gelb Product code: PES74 Revision date: 22.04.2022 Page 11 of 11

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
11440	11

Harmful to aquatic life with long lasting effects. H412

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5 -chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 27 Echt-Rot

Revision date: 22.04.2022 Product code: PES76 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 27 Echt-Rot

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 27 Echt-Rot

Revision date: 22.04.2022 Product code: PES76 Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	GHS Classification	•	•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		1 - < 5 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412			
97862-59-4	1-Propanaminium, 3-amino-N-(carbinner salts	oxymethyl)-N,N-dimethyl-, N-C8-18	acyl derivs., hydroxides,	1 - < 5 %	
	308-107-7				
	Eye Dam. 1; H318				
70851-07-9	Amides, coco, N-[3-(dimethylamino)propyl], alkylation products with chloroacetic acid, sodium salts			1 - < 5 %	
	274-923-4				
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0.1 %	
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411				
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %	
	-	613-167-00-5	01-2120764691-48		
		ox. 3, Skin Corr. 1C, Eye Dam. 1, Sl I310 H301 H314 H318 H317 H400 H			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 27 Echt-Rot

Revision date: 22.04.2022 Product code: PES76 Page 3 of 11

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 27 Echt-Rot

Revision date: 22.04.2022 Product code: PES76 Page 4 of 11

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimet	hyl-, N-C8-18 acyl deri\	s., hydroxides, inner	salts
Worker DNEL,	long-term	inhalation	systemic	44 mg/m³
Worker DNEL,	long-term	dermal	systemic	12,5 mg/kg bw/day
Consumer DN	EL, long-term	dermal	systemic	7,5 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	7,5 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one ar	nd 2-methyl-2H-isothiaz	col-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL,	, acute	inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 27 Echt-Rot

Revision date: 22.04.2022 Product code: PES76 Page 5 of 11

PNEC values

CAS No	Substance	
Environment	al compartment	Value
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl d	erivs., hydroxides, inner salts
Freshwater	•	0,013 mg/l
Marine water	•	0,001 mg/l
Freshwater s	rediment	1 mg/kg
Marine sedin	nent	0,1 mg/kg
Micro-organia	sms in sewage treatment plants (STP)	3000 mg/l
Soil		0,8 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater	•	0,00403 mg/l
Freshwater (intermittent releases)	0,0011 mg/l
Marine water		0,000403 mg/l
Marine water (intermittent releases)		0,0011 mg/l
Freshwater sediment		0,0499 mg/kg
Marine sediment		0,00499 mg/kg
Micro-organia	sms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isotl	niazol-3-one (3:1)
Freshwater	•	0,00339 mg/l
Freshwater (intermittent releases)	0,00339 mg/l
Marine water		0,00339 mg/l
Marine water	(intermittent releases)	0,00339 mg/l
Freshwater sediment		0,027 mg/kg
Marine sedin	0,027 mg/kg	
Micro-organia	sms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 27 Echt-Rot

Revision date: 22.04.2022 Product code: PES76 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: red
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined not determined Upper explosion limits: not determined Auto-ignition temperature: > 100 °C Decomposition temperature: Vapour pressure: not determined 1,24 g/cm³ Density (at 20 °C): Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 27 Echt-Rot

Revision date: 22.04.2022 Product code: PES76 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 27 Echt-Rot

Revision date: 22.04.2022 Product code: PES76 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
	Acute algae toxicity	ErC50 mg/l	0,155		Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21		Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

according to UK REACH Regulation

replaces vers.frm:8.04.2021	MIXOL® Nr. 27 Echt-Rot	
Revision date: 22.04.2022	Product code: PES76	Page 9 of 11

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 27 Echt-Rot

Product code: PES76 Revision date: 22.04.2022 Page 10 of 11

14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): < 0.1 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 27 Echt-Rot

Revision date: 22.04.2022 Product code: PES76 Page 11 of 11

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 29 Oxyd-Brillant-Schwarz

Revision date: 22.04.2022 Product code: PES82 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 29 Oxyd-Brillant-Schwarz

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 29 Oxyd-Brillant-Schwarz

Revision date: 22.04.2022 Product code: PES82 Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•	•	
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		5 - < 10 %
	500-236-9			
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412		
112-02-7	Cetrimonium chloride			
	203-928-6			
	Acute Tox. 3, Acute Tox. 4, Skin Co H302 H314 H318 H400 H410	orr. 1C, Eye Dam. 1, Aquatic Acute 1	, Aquatic Chronic 1; H311	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 2, Acute Tox. 4, Skin Irr Chronic 2; H330 H302 H315 H318	it. 2, Eye Dam. 1, Skin Sens. 1, Aqua H317 H400 H411	atic Acute 1, Aquatic	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %
	-	613-167-00-5	01-2120764691-48	
		ox. 3, Skin Corr. 1C, Eye Dam. 1, Sl 310 H301 H314 H318 H317 H400 H	•	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 29 Oxyd-Brillant-Schwarz

Revision date: 22.04.2022 Product code: PES82 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 29 Oxyd-Brillant-Schwarz

Product code: PES82 Page 4 of 11

Exposure limits (EH40)

Revision date: 22.04.2022

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
-	Manganese: its inorganic compounds (as Mn, inhalable fraction)	-	0.2		TWA (8 h)	WEL
-	Manganese: its inorganic compounds (as Mn, respirable fraction)	-	0.05		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
112-02-7	Cetrimonium chloride			
Worker DNEL,	, long-term	inhalation	systemic	3,32 mg/m³
Worker DNEL,	, long-term	dermal	systemic	4,7 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,98 mg/m³
Consumer DN	EL, long-term	dermal	systemic	2,83 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	2,83 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	, long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DN	EL, long-term	dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	d 2-methyl-2H-isothiazo	ol-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL,	, acute	inhalation	local	0,04 mg/m³
Consumer DN	Consumer DNEL, long-term		local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 29 Oxyd-Brillant-Schwarz

Revision date: 22.04.2022 Product code: PES82 Page 5 of 11

PNEC values

CAS No	Substance	
Environmen	tal compartment	Value
112-02-7	Cetrimonium chloride	
Freshwater		0,00063 mg/l
Freshwater	(intermittent releases)	0,0008 mg/l
Marine wate	r	0,000068 mg/l
Freshwater	sediment	9,27 mg/kg
Marine sedi	ment	0,927 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,4 mg/l
Soil		7 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater	(intermittent releases)	0,0011 mg/l
Marine wate	r	0,000403 mg/l
Marine wate	er (intermittent releases)	0,0011 mg/l
Freshwater	sediment	0,0499 mg/kg
Marine sedi	ment	0,00499 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-	-isothiazol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater	(intermittent releases)	0,00339 mg/l
Marine wate	ır	0,00339 mg/l
Marine wate	er (intermittent releases)	0,00339 mg/l
Freshwater	sediment	0,027 mg/kg
Marine sedi	ment	0,027 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 29 Oxyd-Brillant-Schwarz

Revision date: 22.04.2022 Product code: PES82 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: black
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: Density (at 20 °C): 2,36 g/cm³ Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 29 Oxyd-Brillant-Schwarz

Revision date: 22.04.2022 Product code: PES82 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	No Chemical name						
	Exposure route	Dose		Species	Source	Method	
112-02-7	Cetrimonium chloride						
	oral	LD50 mg/kg	699	Rat	Manufacturer		
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer		
2634-33-5	1,2-benzisothiazol-3(2)	H)-one; 1,2-b	enzisothiazoli	n-3-one			
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401	
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer		
	inhalation vapour	ATE	0,5 mg/l				
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	oral	LD50	64 mg/kg	Rat	Manufacturer		
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer		
	inhalation vapour	ATE	0,5 mg/l				
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer		

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 29 Oxyd-Brillant-Schwarz

Revision date: 22.04.2022 Product code: PES82 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
112-02-7	Cetrimonium chloride						
	Acute algae toxicity	ErC50 mg/l	0,08	72 h	Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,09	48 h	Daphnia magna (Big water flea)	Manufacturer	OECD 202
	Crustacea toxicity	NOEC mg/l	0,0068	21 d	Daphnia magna (Big water flea)	Manufacturer	OECD 211
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ber	nzisothiazolin	-3-one			
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021	MIXOL® Nr. 29 Oxyd-Brillant-Schwarz	
Revision date: 22.04.2022	Product code: PES82	Page 9 of 11

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
112-02-7	12-02-7 Cetrimonium chloride OECD 301B 93,5 % 28 Manufacturer Readily biodegradable (according to OECD criteria).				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

according to UK REACH Regulation

replaces vers.frm:8.04.2021	MIXOL® Nr. 29 Oxyd-Brillant-Schwarz	
Revision date: 22.04.2022	Product code: PES82	Page 10 of 11

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 1 %

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 29 Oxyd-Brillant-Schwarz

Revision date: 22.04.2022 Product code: PES82 Page 11 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	l oxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
⊔ 31 <i>/</i> 1	Causes severe skin hurns

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 30 Oxyd-Brillant-Gelb

Revision date: 22.04.2022 Product code: PES80 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 30 Oxyd-Brillant-Gelb

Product group: Zwischenprodukt

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 30 Oxyd-Brillant-Gelb

Revision date: 22.04.2022 Product code: PES80 Page 2 of 11

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•	•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		5 - < 10 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412			
14059-33-7	Bismuth vanadium tetraoxide, parti	cle size <10 μm		5 - < 10 %	
	237-898-0		01-2119486965-17		
	STOT RE 2; H373				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-b	enzisothiazolin-3-one		< 0.1 %	
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411				
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
	-	613-167-00-5	01-2120764691-48		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 30 Oxyd-Brillant-Gelb

Revision date: 22.04.2022 Product code: PES80 Page 3 of 11

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 30 Oxyd-Brillant-Gelb

Revision date: 22.04.2022 Product code: PES80 Page 4 of 11

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
14059-33-7	Bismuth vanadium tetraoxide, particle size <10 µm			
Worker DNEL	., long-term	inhalation	local	0,02 mg/m³
Worker DNEL	., long-term	inhalation	systemic	6,81 mg/m³
Consumer DN	NEL, long-term	dermal	systemic	0,966 mg/kg bw/day
Consumer DN	NEL, long-term	inhalation	local	0,005 mg/m³
Consumer DN	NEL, long-term	oral	systemic	20 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-on	e		
Worker DNEL	, long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL	., long-term	dermal	systemic	0,966 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one	and 2-methyl-2H-isothi	azol-3-one (3:1)	
Worker DNEL	, long-term	inhalation	local	0,02 mg/m³
Worker DNEL	., acute	inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DN	NEL, acute	oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 30 Oxyd-Brillant-Gelb

Revision date: 22.04.2022 Product code: PES80 Page 5 of 11

PNEC values

CAS No	Substance	
Environment	al compartment	Value
14059-33-7	Bismuth vanadium tetraoxide, particle size <10 µm	
Micro-organis	sms in sewage treatment plants (STP)	10000 mg/l
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater (i	intermittent releases)	0,0011 mg/l
Marine water		0,000403 mg/l
Marine water	(intermittent releases)	0,0011 mg/l
Freshwater s	ediment	0,0499 mg/kg
Marine sediment		0,00499 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3	:1)
Freshwater		0,00339 mg/l
Freshwater (i	intermittent releases)	0,00339 mg/l
Marine water		0,00339 mg/l
Marine water (intermittent releases)		0,00339 mg/l
Freshwater sediment		0,027 mg/kg
Marine sedin	nent	0,027 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 30 Oxyd-Brillant-Gelb

Revision date: 22.04.2022 Product code: PES80 Page 6 of 11

recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: yellow Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable
Gas: not applicable

Explosive properties

The product is not: Explosive.

Lower explosion limits:

Upper explosion limits:

not determined

not determined

Auto-ignition temperature:

not determined

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: > 100 °C

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 2,01 g/cm³

Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / dynamic:

Viscosity / kinematic:

Relative vapour density:

Evaporation rate:

not determined

not determined

not determined

9.2. Other information

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 30 Oxyd-Brillant-Gelb

Revision date: 22.04.2022 Product code: PES80 Page 7 of 11

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	CAS No Chemical name					
	Exposure route	Dose		Species	Source	Method
14059-33-7	Bismuth vanadium tet	raoxide, partio	cle size <10 µr	n		
	oral	LD50 mg/kg	> 5000	Rat	Manufacturer	OECD 401
	inhalation (4 h) dust/mist	LC50 mg/l	> 5,1	Rat	Manufacturer	OECD 403
2634-33-5	1,2-benzisothiazol-3(2	2H)-one; 1,2-b	enzisothiazoli	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-ch	loro-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2	H-isothiazol-3-one (3:1)	
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 30 Oxyd-Brillant-Gelb

Revision date: 22.04.2022 Product code: PES80 Page 8 of 11

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of

5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic

reaction

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
14059-33-7	Bismuth vanadium tetraox	kide, particle	size <10 µm	1			
	Acute fish toxicity	LC50 mg/l	> 10000	96 h	Danio rerio (zebrafish)	Manufacturer	OECD 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia pulex (water flea)	Manufacturer	
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ber	nzisothiazolir	-3-one			
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm:24.03.2021	MIXOL® Nr. 30 Oxyd-Brillant-Gelb	
Revision date: 22.04.2022	Product code: PES80	Page 9 of 11

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
14059-33-7	Bismuth vanadium tetraoxide, particle size <10 µm	< 14	Oryzias latipes (Ricefish)	Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 30 Oxyd-Brillant-Gelb

Revision date: 22.04.2022 Product code: PES80 Page 10 of 11

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): < 0.1 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 30 Oxyd-Brillant-Gelb

Revision date: 22.04.2022 Product code: PES80 Page 11 of 11

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

e	ievani in and Eun Stat	ements (number and full text)
	H301	Toxic if swallowed.
	H302	Harmful if swallowed.
	H310	Fatal in contact with skin.
	H314	Causes severe skin burns and eye damage.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
	H330	Fatal if inhaled.
	H373	May cause damage to organs through prolonged or repeated exposure.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
	H411	Toxic to aquatic life with long lasting effects.
	H412	Harmful to aquatic life with long lasting effects.
	EUH071	Corrosive to the respiratory tract.
	EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5
		-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce
		an allergic reaction.
	EUH210	Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 31 Oxyd-Brillant-Grün

Revision date: 22.04.2022 Product code: PES78 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 31 Oxyd-Brillant-Grün

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 31 Oxyd-Brillant-Grün

Revision date: 22.04.2022 Product code: PES78 Page 2 of 11

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	GHS Classification			
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated			5 - < 10 %
	500-236-9			
	Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3; H315 H400 H412			
112-02-7	Cetrimonium chloride			< 1 %
	203-928-6			
	Acute Tox. 3, Acute Tox. 4, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H311 H302 H314 H318 H400 H410			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0.1 %
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411			
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %
	-	613-167-00-5	01-2120764691-48	
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 31 Oxyd-Brillant-Grün

Revision date: 22.04.2022 Product code: PES78 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 31 Oxyd-Brillant-Grün

Revision date: 22.04.2022 Product code: PES78 Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
-	Cobalt and cobalt compounds (as Co)	-	0.1		TWA (8 h)	WEL
-	Nickel and its inorganic compounds (except nickel tetracarbonyl): nickel and water-insoluble nickel compounds (as Ni)	-	0.5		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
112-02-7	12-02-7 Cetrimonium chloride						
Worker DNEL,	long-term	inhalation	systemic	3,32 mg/m³			
Worker DNEL, long-term		dermal	systemic	4,7 mg/kg bw/day			
Consumer DNEL, long-term		inhalation	systemic	0,98 mg/m³			
Consumer DNEL, long-term		dermal	systemic	2,83 mg/kg bw/day			
Consumer DNEL, long-term		oral	systemic	2,83 mg/kg bw/day			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³			
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day			
Consumer DNI	EL, long-term	inhalation	systemic	1,2 mg/m³			
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day			
55965-84-9 reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)							
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³			
Worker DNEL, acute		inhalation	local	0,04 mg/m³			
Consumer DNEL, long-term		inhalation	local	0,02 mg/m³			
Consumer DNEL, acute		inhalation	local	0,04 mg/m³			
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day			
Consumer DNEL, acute		oral	systemic	0,09 mg/kg bw/day			

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 31 Oxyd-Brillant-Grün

Revision date: 22.04.2022 Product code: PES78 Page 5 of 11

PNEC values

CAS No	Substance	
Environmen	tal compartment	Value
112-02-7	Cetrimonium chloride	
Freshwater		0,00063 mg/l
Freshwater	(intermittent releases)	0,0008 mg/l
Marine wate	or .	0,000068 mg/l
Freshwater	sediment	9,27 mg/kg
Marine sedi	ment	0,927 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,4 mg/l
Soil		7 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater	(intermittent releases)	0,0011 mg/l
Marine wate	or .	0,000403 mg/l
Marine water	er (intermittent releases)	0,0011 mg/l
Freshwater	sediment	0,0499 mg/kg
Marine sedi	ment	0,00499 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	1,03 mg/l
Soil		3 mg/kg
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H	I-isothiazol-3-one (3:1)
Freshwater		0,00339 mg/l
Freshwater	(intermittent releases)	0,00339 mg/l
Marine wate	er	0,00339 mg/l
Marine wate	er (intermittent releases)	0,00339 mg/l
Freshwater	sediment	0,027 mg/kg
Marine sedi	ment	0,027 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	0,23 mg/l
Soil		0,01 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 31 Oxyd-Brillant-Grün

Revision date: 22.04.2022 Product code: PES78 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: green
Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: 2,04 g/cm³ Density (at 20 °C): Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 31 Oxyd-Brillant-Grün

Revision date: 22.04.2022 Product code: PES78 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
112-02-7	Cetrimonium chloride					
	oral	LD50 mg/kg	699	Rat	Manufacturer	
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer	
2634-33-5	1,2-benzisothiazol-3(2)	H)-one; 1,2-b	enzisothiazoli	n-3-one		
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300
55965-84-9	reaction mass of 5-chlo	oro-2-methyl-	2H-isothiazol-	3-one and 2-methyl-2H-i	sothiazol-3-one (3:1)	
	oral	LD50	64 mg/kg	Rat	Manufacturer	
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer	

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm:23.03.2021 MIXOL® Nr. 31 Oxyd-Brillant-Grün

Revision date: 22.04.2022 Product code: PES78 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name								
	Aquatic toxicity	Dose [h] [d] Species S		Source	Method				
112-02-7	Cetrimonium chloride								
	Acute algae toxicity	Manufacturer	OECD 201						
	Acute crustacea toxicity EC50 0,09 48 h Daphnia magna (Big water flea)					Manufacturer	OECD 202		
	Crustacea toxicity	NOEC mg/l	0,0068	21 d	Daphnia magna (Big water flea)	Manufacturer	OECD 211		
2634-33-5	1,2-benzisothiazol-3(2H)-	one; 1,2-ber	nzisothiazolin	-3-one					
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201		
					Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215		
					Activated sludge	Manufacturer	OECD 209		
55965-84-9	reaction mass of 5-chloro	-2-methyl-2l	H-isothiazol-3	-one and	d 2-methyl-2H-isothiazol-	3-one (3:1)			
	Acute bacteria toxicity	Activated sludge	Manufacturer	OECD 209					

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm:23.03.2021	MIXOL® Nr. 31 Oxyd-Brillant-Grün	
Revision date: 22.04.2022	Product code: PES78	Page 9 of 11

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
112-02-7	Cetrimonium chloride						
	OECD 301B	93,5 %	28	Manufacturer			
	Readily biodegradable (according to OECD criteria).						

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

according to UK REACH Regulation

replaces vers.frm:23.03.2021	MIXOL® Nr. 31 Oxyd-Brillant-Grün	
Revision date: 22.04.2022	Product code: PES78	Page 10 of 11

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): < 19 %

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 31 Oxyd-Brillant-Grün

Revision date: 22.04.2022 Product code: PES78 Page 11 of 11

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H31/I	Causes severe skin hurns

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 32 Oxyd-Brillant-Blau

Revision date: 22.04.2022 Product code: PES83 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 32 Oxyd-Brillant-Blau

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 32 Oxyd-Brillant-Blau

Revision date: 22.04.2022 Product code: PES83 Page 2 of 11

Hazardous components

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	GHS Classification				
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		5 - < 10 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquati	•			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0.1 %	
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irri Chronic 2; H330 H302 H315 H318	atic Acute 1, Aquatic			
55965-84-9	reaction mass of 5-chloro-2-methyl-	2H-isothiazol-3-one and 2-methyl-2h	H-isothiazol-3-one (3:1)	< 0.1 %	
	- 613-167-00-5 01-2120764691-48				
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 32 Oxyd-Brillant-Blau

Revision date: 22.04.2022 Product code: PES83 Page 3 of 11

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
-	Cobalt and cobalt compounds (as Co)	-	0.1		TWA (8 h)	WEL

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 32 Oxyd-Brillant-Blau

Revision date: 22.04.2022 Product code: PES83 Page 4 of 11

DNEL/DMEL values

CAS No	Substance			
DNEL type	DNEL type		Effect	Value
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL,	long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,966 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	l 2-methyl-2H-isothiazo	I-3-one (3:1)	
Worker DNEL,	long-term	inhalation	local	0,02 mg/m³
Worker DNEL,	acute	inhalation	local	0,04 mg/m³
Consumer DN	EL, long-term	inhalation	local	0,02 mg/m³
Consumer DN	Consumer DNEL, acute		local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day

PNEC values

CAS No	Substance			
Environmenta	compartment	Value		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Freshwater	Freshwater			
Freshwater (ir	termittent releases)	0,0011 mg/l		
Marine water		0,000403 mg/l		
Marine water	(intermittent releases)	0,0011 mg/l		
Freshwater se	diment	0,0499 mg/kg		
Marine sedim	ent	0,00499 mg/kg		
Micro-organisms in sewage treatment plants (STP) 1,03 mg/l				
Soil		3 mg/kg		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			
Freshwater		0,00339 mg/l		
Freshwater (ir	termittent releases)	0,00339 mg/l		
Marine water		0,00339 mg/l		
Marine water	(intermittent releases)	0,00339 mg/l		
Freshwater sediment 0,02				
Marine sediment 0,027 mg/kg				
Micro-organis	ms in sewage treatment plants (STP)	0,23 mg/l		
Soil		0,01 mg/kg		

8.2. Exposure controls





according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 32 Oxyd-Brillant-Blau

Revision date: 22.04.2022 Product code: PES83 Page 5 of 11

Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: blue Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas. not applicable not determined Lower explosion limits: not determined Upper explosion limits: not determined Auto-ignition temperature: Decomposition temperature: > 100 °C not determined Vapour pressure: Density (at 20 °C): 1,99 g/cm³ Water solubility: miscible

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 32 Oxyd-Brillant-Blau

Revision date: 22.04.2022 Product code: PES83 Page 6 of 11

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h)

Inhalation (dust/mist): > 5 mg/L (4h)

according to UK REACH Regulation

replaces vers.frm: 24.03.2021 MIXOL® Nr. 32 Oxyd-Brillant-Blau

Revision date: 22.04.2022 Product code: PES83 Page 7 of 11

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-be	enzisothiazolir	n-3-one			
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401	
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer		
	inhalation vapour	ATE	0,5 mg/l				
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300	
55965-84-9	reaction mass of 5-chlor	o-2-methyl-2	2H-isothiazol-	3-one and 2-methyl-2H-is	othiazol-3-one (3:1)		
	oral	LD50	64 mg/kg	Rat	Manufacturer		
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer		
	inhalation vapour	ATE	0,5 mg/l				
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic

reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

according to UK REACH Regulation

replaces vers.frm:24.03.2021	MIXOL® Nr. 32 Oxyd-Brillant-Blau	
Revision date: 22.04.2022	Product code: PES83	Page 8 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
	Acute algae toxicity	ErC50 mg/l	0,155		Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21		Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 32 Oxyd-Brillant-Blau

Revision date: 22.04.2022 Product code: PES83 Page 9 of 11

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): < 0,1 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 32 Oxyd-Brillant-Blau

Revision date: 22.04.2022 Product code: PES83 Page 10 of 11

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H301	l oxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

according to UK REACH Regulation

replaces vers.frm:24.03.2021 MIXOL® Nr. 32 Oxyd-Brillant-Blau

Revision date: 22.04.2022 Product code: PES83 Page 11 of 11

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 99 Meerblau

Revision date: 22.04.2022 Product code: PES106 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 99 Meerblau

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: MIXOL-PRODUKTE Diebold GmbH

Street: Carl-Zeiss-Str. 17-19
Place: D-73230 Kirchheim/Teck

Telephone: +49/(0)7021 / 950090 Telefax: +49/(0)7021 / 56030

e-mail: info@mixol.de
e-mail (Contact person): Technik@mixol.de
Internet: www.mixol.de
Responsible Department: Technik

1.4. Emergency telephone Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 99 Meerblau

Revision date: 22.04.2022 Product code: PES106 Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	GHS Classification	•	•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		5 - < 10 %	
	500-236-9				
	Skin Irrit. 2, Aquatic Acute 1, Aquati	c Chronic 3; H315 H400 H412			
97862-59-4	1-Propanaminium, 3-amino-N-(carb inner salts	oxymethyl)-N,N-dimethyl-, N-C8-18	acyl derivs., hydroxides,	1 - < 5 %	
	308-107-7				
	Eye Dam. 1; H318				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	220-120-9	613-088-00-6	01-2120761540-60		
	Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2; H330 H302 H315 H318 H317 H400 H411				
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)				
	-	613-167-00-5	01-2120764691-48		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 99 Meerblau

Revision date: 22.04.2022 Product code: PES106 Page 3 of 11

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 99 Meerblau

Revision date: 22.04.2022 Product code: PES106 Page 4 of 11

DNEL/DMEL values

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,	N-dimethyl-, N-C8-18 acyl de	erivs., hydroxides, inr	ner salts
Worker DNEI	_, long-term	inhalation	systemic	44 mg/m³
Worker DNEL	., long-term	dermal	systemic	12,5 mg/kg bw/day
Consumer Di	NEL, long-term	dermal	systemic	7,5 mg/kg bw/day
Consumer Di	NEL, long-term	oral	systemic	7,5 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazoli	n-3-one		
Worker DNEL	_, long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer Di	NEL, long-term	inhalation	systemic	1,2 mg/m³
Consumer Di	NEL, long-term	dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-	3-one and 2-methyl-2H-isoth	iazol-3-one (3:1)	
Worker DNEI	_, long-term	inhalation	local	0,02 mg/m³
Worker DNEL	_, acute	inhalation	local	0,04 mg/m³
Consumer Di	NEL, long-term	inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer Di	NEL, acute	oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 99 Meerblau

Revision date: 22.04.2022 Product code: PES106 Page 5 of 11

PNEC values

CAS No	Substance		
Environmenta	al compartment	Value	
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs.,	hydroxides, inner salts	
Freshwater		0,013 mg/l	
Marine water		0,001 mg/l	
Freshwater s	ediment	1 mg/kg	
Marine sedim	ent	0,1 mg/kg	
Micro-organis	sms in sewage treatment plants (STP)	3000 mg/l	
Soil		0,8 mg/kg	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one		
Freshwater		0,00403 mg/l	
Freshwater (i	ntermittent releases)	0,0011 mg/l	
Marine water		0,000403 mg/l	
Marine water	0,0011 mg/l		
Freshwater s	0,0499 mg/kg		
Marine sedim	ent	0,00499 mg/kg	
Micro-organis	sms in sewage treatment plants (STP)	1,03 mg/l	
Soil		3 mg/kg	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3	3-one (3:1)	
Freshwater		0,00339 mg/l	
Freshwater (i	ntermittent releases)	0,00339 mg/l	
Marine water		0,00339 mg/l	
Marine water	(intermittent releases)	0,00339 mg/l	
Freshwater sediment 0,027 mg/kg			
Marine sediment 0,027 mg/kg			
Micro-organis	sms in sewage treatment plants (STP)	0,23 mg/l	
Soil		0,01 mg/kg	

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 99 Meerblau

Revision date: 22.04.2022 Product code: PES106 Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid (Dispersion)

Colour: blue Odour: odourless

pH-Value: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

100 °C

boiling range:

Flash point: > 100 °C

Flammability

Solid: not applicable Gas: not applicable Lower explosion limits: not determined not determined Upper explosion limits: not determined Auto-ignition temperature: > 100 °C Decomposition temperature: Vapour pressure: not determined 1,23 g/cm³ Density (at 20 °C): Water solubility: miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Viscosity / kinematic:

Relative vapour density:

not determined

not determined

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 99 Meerblau

Revision date: 22.04.2022 Product code: PES106 Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg

Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name	Chemical name							
	Exposure route	Dose		Species	Source	Method			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one								
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401			
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer				
	inhalation vapour	ATE	0,5 mg/l						
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300			
55965-84-9	reaction mass of 5-chloro	-2-methyl-2l	H-isothiazol-	3-one and 2-methyl-2H-iso	othiazol-3-one (3:1)				
	oral	LD50	64 mg/kg	Rat	Manufacturer				
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer				
	inhalation vapour	ATE	0,5 mg/l						
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer				

Irritation and corrosivity

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 99 Meerblau

Revision date: 22.04.2022 Product code: PES106 Page 8 of 11

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

The production and 200to her							
CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
	Acute algae toxicity	ErC50 mg/l	0,155		Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

according to UK REACH Regulation

replaces vers.frm: 8.04.2021	MIXOL® Nr. 99 Meerblau	
Revision date: 22.04.2022	Product code: PES106	Page 9 of 11

BCF

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 99 Meerblau

Revision date: 22.04.2022 Product code: PES106 Page 10 of 11

14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2004/42/EC (VOC): < 2 %

Information according to 2012/18/EU No.

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

according to UK REACH Regulation

replaces vers.frm: 8.04.2021 MIXOL® Nr. 99 Meerblau

Revision date: 22.04.2022 Product code: PES106 Page 11 of 11

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Toxic if swallowed.

Relevant H and EUH statements (number and full text)

LISOS	Harreful if awallowed
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

Contains 1,2-penzisotniazoi-3(ZH)-one; 1,2-penzisotniazoiin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

H301

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)