according to UK REACH Regulation

replaces vers.frm:23.03.2021
Revision date: 06.04.2022

MIXOL® Nr. 5 Oxyd-Ocker Product code: PES56

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIXOL® Nr. 5 Oxyd-Ocker

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name:	MIXOL-PRODUKTE Diebold GmbH	
Street:	Carl-Zeiss-Str. 17-19	
Place:	D-73230 Kirchheim/Teck	
Telephone:	+49/(0)7021 / 950090	Telefax: +49/(0)7021 / 56030
e-mail:	info@mixol.de	
e-mail (Contact person):	Technik@mixol.de	
Internet:	www.mixol.de	
Responsible Department:	Technik	
1.4. Emergency telephone	Emergency CONTACT (24 h) GBK G	mbH +49/(0)6132 / 84463
number:		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

H412

GB CLP Regulation

Hazard statements

Harmful to aquatic life with long lasting effects.

Precautionary statements

P273	Avoid release to the environment.
P501	Dispose of waste according to applicable legislation.

Special labelling of certain mixtures

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5 -chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3. Other hazards

EUH208

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to UK REACH Regulation

replaces vers.frm:23.03.2021 Revision date: 06.04.2022

MIXOL® Nr. 5 Oxyd-Ocker Product code: PES56

Page 2 of 11

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•		
68920-66-1	Alcohols, C16-18 and C18-unsatd.,	ethoxylated		10 - < 15 %
	500-236-9			
	Skin Irrit. 2, Aquatic Acute 1, Aquat	ic Chronic 3; H315 H400 H412	·	
112-02-7	Cetrimonium chloride			< 1 %
	203-928-6			
	Acute Tox. 3, Acute Tox. 4, Skin Co H302 H314 H318 H400 H410	, Aquatic Chronic 1; H311		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-b		< 0.1 %	
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 2, Acute Tox. 4, Skin Irr Chronic 2; H330 H302 H315 H318	atic Acute 1, Aquatic		
55965-84-9	reaction mass of 5-chloro-2-methyl-	H-isothiazol-3-one (3:1)	< 0.1 %	
	-	613-167-00-5	01-2120764691-48	
	Acute Tox. 2, Acute Tox. 2, Acute T Acute 1, Aquatic Chronic 1; H330 F	•		

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician. After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. @0405.B004145 Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

according to UK REACH Regulation

replaces vers.frm:23.03.2021 Revision date: 06.04.2022

MIXOL® Nr. 5 Oxyd-Ocker Product code: PES56

Page 3 of 11

Water spray jet, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

replaces vers.frm:23.03.2021 Revision date: 06.04.2022

MIXOL® Nr. 5 Oxyd-Ocker Product code: PES56

Page 4 of 11

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
-	Iron salts (as Fe)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
-	Silica, amorphous, inhalable dust	-	6		TWA (8 h)	WEL
-	Silica, amorphous, respirable dust	-	2.4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
112-02-7	Cetrimonium chloride			
Worker DNEL	, long-term	inhalation	systemic	3,32 mg/m ³
Worker DNEL	, long-term	dermal	systemic	4,7 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	0,98 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	2,83 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	2,83 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL	, long-term	inhalation	systemic	6,81 mg/m³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	1,2 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	0,345 mg/kg bw/day
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one ar	nd 2-methyl-2H-isothia	zol-3-one (3:1)	
Worker DNEL	, long-term	inhalation	local	0,02 mg/m³
Worker DNEL	, acute	inhalation	local	0,04 mg/m³
Consumer DN	IEL, long-term	inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	0,04 mg/m ³
Consumer DNEL, long-term		oral	systemic	0,11 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,09 mg/kg bw/day

according to UK REACH Regulation

replaces vers.frm:23.03.2021 Revision date: 06.04.2022

MIXOL® Nr. 5 Oxyd-Ocker Product code: PES56

Page 5 of 11

PNEC values

CAS No	Substance			
Environmenta	al compartment	Value		
112-02-7	Cetrimonium chloride			
Freshwater		0,00063 mg/l		
Freshwater (i	ntermittent releases)	0,0008 mg/l		
Marine water		0,000068 mg/l		
Freshwater s	ediment	9,27 mg/kg		
Marine sedim	ent	0,927 mg/kg		
Micro-organis	ms in sewage treatment plants (STP)	0,4 mg/l		
Soil		7 mg/kg		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Freshwater		0,00403 mg/l		
Freshwater (i	0,0011 mg/l			
Marine water	0,000403 mg/l			
Marine water	Marine water (intermittent releases)			
Freshwater s	0,0499 mg/kg			
Marine sedim	ent	0,00499 mg/kg		
Micro-organis	ms in sewage treatment plants (STP)	1,03 mg/l		
Soil		3 mg/kg		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-o	one (3:1)		
Freshwater		0,00339 mg/l		
Freshwater (i	ntermittent releases)	0,00339 mg/l		
Marine water		0,00339 mg/l		
Marine water	(intermittent releases)	0,00339 mg/l		
Freshwater s	ediment	0,027 mg/kg		
Marine sedim	ent	0,027 mg/kg		
Micro-organis	ms in sewage treatment plants (STP)	0,23 mg/l		
Soil		0,01 mg/kg		

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021

MIXOL® Nr. 5 Oxyd-Ocker

Revision date: 06.04.2022

Product code: PES56

Page 6 of 11

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid (Dispersion)	
Colour:	vellow	
Odour:	odourless	
pH-Value:		not determined
Changes in the physical state		
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		100 °C
Flash point:		> 100 °C
Flammability		
Solid:		not applicable
Gas:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Auto-ignition temperature:		not determined
Decomposition temperature:		> 100 °C
Vapour pressure:		not determined
Density (at 20 °C):		1,69 g/cm ³
Water solubility:		miscible
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:		not determined
Viscosity / kinematic:		not determined
Relative vapour density:		not determined
9.2. Other information		
No information available.		

SECTION 10: Stability and reactivity

according to UK REACH Regulation

replaces vers.frm:23.03.2021 Revision date: 06.04.2022

MIXOL® Nr. 5 Oxyd-Ocker Product code: PES56

Page 7 of 11

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met. ATEmix calculated: oral: > 2000 mg/kg dermal: > 2000 mg/kg Inhalation (vapour): >20 mg/L (4 h) Inhalation (dust/mist): > 5 mg/L (4h)

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
112-02-7	Cetrimonium chloride							
	oral	LD50 mg/kg	699	Rat	Manufacturer			
	dermal	LD50 mg/kg	528	Rabbit	Manufacturer			
2634-33-5	1,2-benzisothiazol-3(2	2H)-one; 1,2-b	enzisothiazoli	n-3-one				
	oral	LD50 mg/kg	670 - 784	Rat	Manufacturer	OECD 401		
	dermal	LD50 mg/kg	> 2000	Rat	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50	0,5 mg/l	Rat	Manufacturer	OPPTS 870.1300		
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)							
	oral	LD50	64 mg/kg	Rat	Manufacturer			
	dermal	LD50 mg/kg	92,4	Rabbit	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50 mg/l	0,171	Rat	Manufacturer			

Irritation and corrosivity

		according	to UK F	REACH Regulation		
replaces ver	rs.frm:23.03.2021	MIXOL®) Nr. 5	Oxyd-Ocker		
Revision dat	te: 06.04.2022			ode: PES56		Page 8 of 11
Skin Re Me	ed on available data, the cla corrosion/irritation: sult / Evaluation: non-irritar thod: OECD 404 st was carried out with a sir	nt. (Rabbit)				
Re: Me	ous eye damage/eye irritatio sult / Evaluation: non-irritar thod: OECD 405 st was carried out with a sir	nt. (Rabbit)	analogy	<i>.</i> .)		
Cont	ing effects ains 1,2-benzisothiazol-3(2 oro-2-methyl-2H-isothiazol· iion.					c
	genic/mutagenic/toxic effe	-		t.		
	ngle exposure ed on available data, the cla	ssification criteria are	not me	t.		
Base Aspirati o	peated exposure ed on available data, the cla on hazard ed on available data, the cla					
SECTION '	12: Ecological informati	ion				
<u>12.1. Toxici</u> Harm	ty nful to aquatic life with long	lasting effects.				
CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
112-02-7	Cetrimonium chloride					
	Acute algae toxicity	ErC50 0,08	72 h	Pseudokirchneriella	Manufacturer	OECD 201

	Acute algae toxicity	ErC50 mg/l	0,08		Pseudokirchneriella subcapitata	Manufacturer	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,09		Daphnia magna (Big water flea)	Manufacturer	OECD 202
	Crustacea toxicity	NOEC mg/l	0,0068		Daphnia magna (Big water flea)	Manufacturer	OECD 211
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one						
	Acute algae toxicity	ErC50 mg/l	0,155	72 h	Selenastrum capricornutum	Manufacturer	OECD 201
	Fish toxicity	NOEC mg/l	0,21	28 d	Oncorhynchus mykiss (Rainbow trout)	Manufacturer	OECD 215
	Acute bacteria toxicity	(EC50	23 mg/l)	3 h	Activated sludge	Manufacturer	OECD 209
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	Acute bacteria toxicity	(EC50 mg/l)	7,92	3 h	Activated sludge	Manufacturer	OECD 209

12.2. Persistence and degradability

The product has not been tested.

according to UK REACH Regulation

replaces vers.frm: 23.03.2021 MIXOL® Nr. 5 Oxyd-Ocker Revision date: 06.04.2022 Product code: PES56 Page 9 of 11 CAS No Chemical name Method Value d Source Evaluation 112-02-7 Cetrimonium chloride OECD 301B 93,5 % 28 Manufacturer Readily biodegradable (according to OECD criteria).

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-02-7	Cetrimonium chloride	3,08
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75

BCF

CAS No	Chemical name	BCF	Species	Source
112-02-7	Cetrimonium chloride	70,8		Manufacturer
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	6,62	Lepomis macrochirus (Bluegill)	Manufacturer
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6		Manufacturer

12.4. Mobility in soil

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

according to UK REACH Regulation

Devision date: 00.04.0000	MIXOL® Nr. 5 Oxyd-Ocker	
Revision date: 06.04.2022	Product code: PES56 F	Page 10 of 1
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No information available.		
14.7. Transport in bulk according to Annex I	l of Marpol and the IBC Code	
not applicable		
SECTION 15: Regulatory information		
	lations/logislation apositis for the substance or mixture	
	ations/legislation specific for the substance or mixture	
EU regulatory information		
Destrictions on use (DEACU annex X)/II)		
Restrictions on use (REACH, annex XVII):		
Entry 3, Entry 75	~ 17.0/	
Entry 3, Entry 75 2004/42/EC (VOC):	< 17 % Not subject to 2012/18/EU (SEVESO III)	
Entry 3, Entry 75 2004/42/EC (VOC): Information according to 2012/18/EU	< 17 % Not subject to 2012/18/EU (SEVESO III)	
Entry 3, Entry 75 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III):		
Entry 3, Entry 75 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): National regulatory information	Not subject to 2012/18/EU (SEVESO III)	٩
Entry 3, Entry 75 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III) Observe restrictions to employment for juveniles according to the 'juvenil	e
Entry 3, Entry 75 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): National regulatory information	Not subject to 2012/18/EU (SEVESO III)	e
Entry 3, Entry 75 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): National regulatory information Employment restrictions: Water hazard class (D):	Not subject to 2012/18/EU (SEVESO III) Observe restrictions to employment for juveniles according to the 'juvenil work protection guideline' (94/33/EC).	e
Entry 3, Entry 75 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): National regulatory information Employment restrictions: Water hazard class (D): <u>15.2. Chemical safety assessment</u>	Not subject to 2012/18/EU (SEVESO III) Observe restrictions to employment for juveniles according to the 'juvenil work protection guideline' (94/33/EC).	e

CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate

according to UK REACH Regulation

MIXOL® Nr. 5 Oxyd-Ocker

Revision date: 06.04.2022

Product code: PES56

Page 11 of 11

LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: verv persistent, verv bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5 -chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)