

**TECHNICAL DATA SHEET****1. Identification of the product and of the company/undertaking****Product identifier**

<b>Product:</b>	<b>Description</b>	<b>Product:</b>	<b>Description</b>
8299712111	115x230 mm 10H 1 pcs	8299522011	70x400 mm 14H 5 pcs
8299512011	115x230 mm 10H 5 pcs	8299102011	75x100 mm 33H 5 pcs
8295412111	125 mm 33H 1 pcs	8294712111	77 mm 6H 1 pcs
8295511011	125 mm 33H 5 pcs	8294710111	77 mm 6H 5 pcs
8295512111	125 mm 44H 1 pcs	8299512111	81x133 54H 1 pcs
8295510111	125 mm 44H 5 pcs	8299502011	81x133 mm 54H 5 pcs
8295611111	150 mm 57H 5 pcs	8293012111	90x90 mm 12H 1 pcs
8295612111	150 mm 67H 1 pcs	8299402011	93x180 mm 76H 5 pcs
8295610111	150 mm 67H 5 pcs	8295520111	125 mm 5 pcs
8296812111	200 mm 89H 1 pcs	8295620111	150 mm 5 pcs
8296810111	200 mm 89H 3 pcs	8294720111	77 mm 5 pcs
8296712111	225 mm 19H 1 pcs	8296401211	200x7 mm 89 H1 pcs
8299702011	70x198 mm 56H 5 pcs	8295911111	152 mm 7H 5 pcs

Disposable Pad Saver for mounting screen abrasives on pneumatic or electric sander backing pads to reduce wear on the backing pad.

**Details of the supplier:**

Company: Mirka Ltd  
Address: Pensalavägen 210  
FI-66850 Jeppo, Finland  
Phone: +358 20 760 2111  
E-mail: [sales@mirka.com](mailto:sales@mirka.com)

**Emergency telephone number:**

+358 20 760 2111  
Opening hours: Monday – Friday at 08:00 a.m. – 04:00 p.m. (UTC/GMT +2:00/+3:00)

**2. Physical appearance:**

Hook face with a loop backing in shapes that match various backing pads.



### 3. Size

Various, see sales literature.

### 4. Composition

PA 6 and PA 6.6 facing 4,4 diphenylmethane diisocyanate (MDI) based hot melt adhesive.  
Polyester thread loop back

### 5. Hazards

Products are classified as non-hazardous.

### 6. First aid measures

Inhalation - No hazard in normal use.  
Skin contact - No hazard in normal use.  
Eye contact - Wash with water to remove any particles.  
Ingestion - Wash mouth and seek medical attention.

### 7. Safety information

The wearing of a dust mask and safety glasses is recommended when using abrasives.

### 8. Handling and storage

Store flat with the face of the pad laying on a flat surface. Minimize sun and heat exposure. Avoid any sources of ignition.

### 9. Stability

Materials are inert and insoluble in water.

### 10. Environmental considerations

Landfill disposal recommended. No regulatory requirements noted.





## 11. Sales Literature.

Style	Actual Size		Weight gm (± 0.2)	Nom. Thickness	
	mm (± 0.2)	in (± .008)		mm (± 0.15)	in (± .006)
77 mm (3 in.) Screen Abrasive Pad Saver	72.19	2.84	2.5	3	.125
125 mm (5 in.) Screen Abrasive Pad Saver	123.19	4.85	7.0	3	.125
125 mm (5 in.) Delta Pad Saver	123.20	4.85	7.5	3	.125
125 mm (5 in.) Festo, Bosch, AEG, and Dewalt Pad Saver	125.00	4.92	7.3	3	.125
125 mm (5 in.) Pad Saver 33H	123.00	4.84	7.9	3	.125
125 mm (5 in.) Pad Saver 44H	124.50	4.90	7.5	3	.125
150 mm (6 in.) Screen Abrasive Pad Saver	145.80	5.74	10.2	3	.125
150 mm (6 in.) Screen Abrasive Pad Saver 57H	148.50	5.85	10.9	3	.125
152 mm (6 in.) Pad Saver 7H	146x98	5.75 x 3.86	7.1	3	.125
200 mm (8 in.) Screen Abrasive Pad Saver 89H	198.00	7.80	19.5	3	.125
225 mm (? In.) Pad Saver 19H	211.00	8.31	23.1	3	.125
77 mm (3 in.) Vacuum Block Disc	72.19	2.84	2.8	3	.125
125 mm (5 in.) Vacuum Block Disc	123.19	4.85	8.2	3	.125
150 mm (6 in.) Vacuum Block Disc	145.80	5.74	11.5	3	.125
75 mm x 100 mm (3 in. x 4 in.) Screen Abrasive Pad Saver	73.15 x 99.50	2.88 x 3.92	4.4	3	.125
81 mm x 133 mm (3 in. x 5 in.) Screen Abrasive Pad Saver	79.00 x 131.00	3.11 x 5.16	6.0	3	.125
93 mm x 180 mm (3 2/3 in. x 7 in.) Screen Abrasive Pad Saver	89.92 x 174.75	3.54 x 6.88	9.6	3	.125
115 mm x 230 mm (4.53 in. x 9.06 in.) Screen Abrasive Pad Saver	115.00 x 230.00	4.53 x 9.06	17.0	3	.125
70 mm x 400 mm (2.76 in. x 15.75 in.) Screen Abrasive Pad Saver	70.00 x 400.00	2.76 x 15.75	17.8	3	.125
70 mm x 198 mm (2.76 in. x 7.8 in.) Screen Abrasive Pad Saver	70.20 x 198.50	2.76 x 7.81	9.53	3	.125
90mm x 90mm Triangle Pad Saver 12H	87.35 x 92.00	3.44 x 3.62	3.3	3	.125
200 mm (8 in.) Multi Interface 89H	198.70	7.82	27.7	10	.394

