

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022
Print Date: 13-Jan-2023

Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: **Mega 206 Silikat-Grundierung**
Article number: 071360540000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product categories [PC]: PC9 - Coatings and paints, fillers, putties, thinners

1.3. Details of the supplier of the safety data sheet

Supplier: MEGA eG
Fangdieckstrasse 45
D - 22547 Hamburg
Telefon: +49 40/ 54004-0
Telefax: +49 40/ 54004-9
www.mega.de

Responsibility Statement: Department productsector paints and coatings
Telephone: 040 54004-528

E-mail address: technik@mega.de

1.4. Emergency telephone number

Emergency Telephone: +49 40 / 54004 - 528 (Mo. - Tue. 7.15 - 16.30 Uhr, Fr. bis 12.00 Uhr)

Emergency Telephone - §45 - (EC)1272/2008	
Europe	112
Austria	+43 1 406 43 43 (Giftinformationszentrale)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.3. Other hazards

Causes mild skin irritation.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022
Print Date: 13-Jan-2023

Revision Number: 1

Mega 206 Silikat-Grundierung - 071360540000

3.2 Mixtures

Chemical name	CAS No	EC No (EU Index No)	REACH registration number	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Weight-%
Potassium silicate (MR > 2.6)	1312-76-1	215-199-1	01-2119456888-17	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	5 - < 10

Acute Toxicity Estimate:

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE_{mix}) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Potassium silicate (MR > 2.6) 1312-76-1	5700	5000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	Remove to fresh air.
Eye contact:	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact:	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Ingestion:	Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Prolonged contact may cause redness and irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians: Treat symptomatically.

SECTION 5: Firefighting measures

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022
Print Date: 13-Jan-2023

Revision Number: 1

Mega 206 Silikat-Grundierung - 071360540000

5.1. Extinguishing media

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Large Fire: CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media: Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical: No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters: Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Ensure adequate ventilation.

For emergency responders: Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions: See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards: Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections: See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022

Print Date: 13-Jan-2023

Revision Number: 1

Mega 206 Silikat-Grundierung - 071360540000

Advice on safe handling: Ensure adequate ventilation.

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions: Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Other information: No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Biological occupational exposure limits: This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL):

component information:

Worker - inhalative:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Potassium silicate (MR > 2.6)	5.61 mg/m ³			

Worker - dermal:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Potassium silicate (MR > 2.6)	1.49 mg/kg bw/day			

Consumer - inhalative:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Potassium silicate (MR > 2.6)	1.38 mg/m ³			

Consumer - dermal:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Potassium silicate (MR > 2.6)	0.74 mg/kg bw/day			

consumer - oral:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Potassium silicate (MR > 2.6)	0.74 mg/kg bw/day			

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022
Print Date: 13-Jan-2023

Revision Number: 1

Mega 206 Silikat-Grundierung - 071360540000

Predicted No Effect Concentration (PNEC):

component information:

Chemical name	Potassium silicate (MR > 2.6) CAS: 1312-76-1
Freshwater	7.5 mg/L
Marine water	1 mg/L
Freshwater (intermittent release)	7.5 mg/L
Sewage treatment	348 mg/L

8.2. Exposure controls

Engineering controls: None under normal use conditions.

Personal protective equipment: The usual precautionary measures for the handling of chemicals have to be observed.



Eye/face protection: Wear safety glasses with side shields (or goggles).

Hand protection: Wear suitable gloves.

PPE - Glove material	Glove thickness	Break through time
NBR (Nitrile rubber)	0.4 mm	>=480 min.

Skin and body protection: Wear suitable protective clothing.

Respiratory protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Recommended Filter Type: not relevant

Environmental exposure controls: No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: Liquid
Color: whitish
Odor: characteristic

	Conditions	Method	Remarks
Melting point / melting range			Not established
Boiling point / boiling range	> 107 °C		
Flammability			Not established
Decomposition temperature			not relevant
Flash point			None known
Autoignition temperature			None known
Lower explosive limit			not relevant

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022
Print Date: 13-Jan-2023

Revision Number: 1

Mega 206 Silikat-Grundierung - 071360540000

Upper explosion limit				not relevant
Vapor pressure				Not established
Density	~ 1.058	g/cm ³	20 °C	
Water solubility				Miscible
pH	~ 10.5		20 °C	
pH (as aqueous solution)				Not established
Partition coefficient				Not established
Kinematic viscosity				None known
Odor threshold				Not established
Relative density				Not established
Evaporation rate				Not established
Relative vapor density	no data available			
Particle Size	no data available			
Particle Size Distribution	no data available			

9.2. Other information

Bulk density: no data available
Softening point: No information available
Molecular weight: No information available

9.2.1. Information with regard to physical hazard classes:

Explosive properties: Not an explosive
Oxidizing properties: Not oxidising.

9.2.2. Other safety characteristics: No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity: No information available.

10.2. Chemical stability

Stability: Stable under normal conditions.

Explosion data:

Sensitivity to mechanical impact: None.
Sensitivity to static discharge: None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: None under normal processing.

10.4. Conditions to avoid

Conditions to avoid: None known based on information supplied.

10.5. Incompatible materials

Incompatible materials: None known based on information supplied.

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022
Print Date: 13-Jan-2023

Revision Number: 1

Mega 206 Silikat-Grundierung - 071360540000

10.6. Hazardous decomposition products

Hazardous decomposition products: None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure:

Product Information:	The product has not been tested
Inhalation:	Specific test data for the substance or mixture is not available.
Eye contact:	Specific test data for the substance or mixture is not available.
Skin contact:	Specific test data for the substance or mixture is not available. Causes mild skin irritation.
Ingestion:	Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics:

Symptoms:	Prolonged contact may cause redness and irritation.
-----------	---

Numerical measures of toxicity:

Acute toxicity: No information available

Component Information:

Chemical name	Parameter	Species	effektive Dosis	Method
Potassium silicate (MR > 2.6) 1312-76-1	Oral LD50	Rat	5700 mg/kg	

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Skin corrosion/irritation:	Causes mild skin irritation.
Serious eye damage/eye irritation:	No information available.
Respiratory or skin sensitization:	No information available.
Germ cell mutagenicity:	No information available.
Carcinogenicity:	No information available.
Reproductive toxicity:	No information available.
STOT - single exposure:	No information available.
STOT - repeated exposure:	No information available.
Aspiration hazard:	No information available.

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022

Print Date: 13-Jan-2023

Revision Number: 1

Mega 206 Silikat-Grundierung - 071360540000

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No information available.

11.2.2. Other information

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity:

fish toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Potassium silicate (MR > 2.6) 1312-76-1	LC50	Lepomis macrochirus	3185 mg/L	96 h	

toxicity to crustacea:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Potassium silicate (MR > 2.6) 1312-76-1	EC50	Daphnia magna	216 mg/L	96 h	

12.2. Persistence and degradability

Persistence and degradability: No information available

12.3. Bioaccumulative potential

Bioaccumulation: No information available

12.4. Mobility in soil

Mobility in soil: No information available.

Mobility: No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment:

Chemical name	PBT and vPvB assessment
Potassium silicate (MR > 2.6) 1312-76-1	The substance is not PBT / vPvB PBT assessment does not apply

12.6. Endocrine disrupting properties.

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022

Print Date: 13-Jan-2023

Revision Number: 1

Mega 206 Silikat-Grundierung - 071360540000

No information available.

12.7. Other adverse effects.

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products: Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging: Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV: 08 01 12 (waste paint and varnish other than those mentioned in 08 01 11)

SECTION 14: Transport information

14.1. UN number

ADR:	Not regulated
RID:	Not regulated
IMDG:	Not regulated
IATA:	Not regulated

14.2 UN proper shipping name

ADR:	Not regulated
RID:	Not regulated
IMDG:	Not regulated
IATA:	Not regulated

14.3. Transport hazard class(es)

ADR:	Not regulated
RID:	Not regulated
IMDG:	Not regulated
IATA:	Not regulated

14.4. Packing group

ADR:	Not regulated
RID:	Not regulated
IMDG:	Not regulated
IATA:	Not regulated

14.5. Environmental hazards

ADR:	
RID:	
IMDG:	Not regulated
IATA:	

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022

Print Date: 13-Jan-2023

Revision Number: 1

Mega 206 Silikat-Grundierung - 071360540000

14.6. Special precautions for user

ADR:	Not regulated
Special Provisions:	None
RID:	Not regulated
Special Provisions:	None
IMDG:	Not regulated
Special Provisions:	None
IATA:	Not regulated
Special Provisions:	None

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union:

Regulation (EC) No. 1907/2006 (Annex II - (EC) No. 2020/878) and Regulation (EC) No. 1272/2008

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work:

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken

Authorizations and/or restrictions on use:

- This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)
- This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants: Not applicable
(EC) 2019/1021

Ozone-depleting substances (ODS) regulation (EC) 1005/2009: Not applicable

volatile organic compounds (VOC) content:

acc. reg. 2010/75/EG: 0 %

acc. reg. 2004/42/EG (Decopaint): 0 g/L

National regulations:

Denmark:

Chemical name	Denmark - MAL
Potassium silicate (MR > 2.6) 1312-76-1	0 m ³ /10 g substance MAL factor >=5 % by weight [4] >=1.0 - 5.0 % by weight [3]

Germany:

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022

Revision Number: 1

Print Date: 13-Jan-2023

Mega 206 Silikat-Grundierung - 071360540000

Water hazard class (WGK): slightly hazardous to water (WGK 1) - Classification according to AwSV

Chemical name	WGK Classification (AwSV)	ID number
Potassium silicate (MR > 2.6) 1312-76-1	1	1316

TA Luft (German Air Pollution Control Regulation):
inorg. subst. dust (digit 5.2.2) class III: 5 - 10%

Storage class (TRGS 510): LGK12 - Non-combustible liquids

Netherlands:

Water contaminating class (Netherlands): B (4)

Austria:

Flammable Liquids Regulations, VbF: Not regulated

Poland:

Ordinance of the Minister of Family, Labor and Social Policy dated June 12, 2018 on the highest permissible concentrations and intensities of harmful factors for health in the work environment (Dz. U. 2018 item 1286, as amended)
Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21; as amended)
Act on chemical substances and their mixtures of February 25, 2011. (Journal of Laws No. 63, item 322; as amended)
Regulation of the Minister of Labor and Social Policy of September 26, 1997 on general regulations of safety and hygiene at work (Dz. U. of 2003, No. 169, item 1650; as amended).

Switzerland:

VOC content:: acc. VOCV CH 814.018, att. 1: 0 %

Hungary:

Decree No 44/2000 (XII.27.) of the Ministry of Economic Affairs and Labour of the Republic of Hungary on certain procedures and activities
Joint Decree No. 5/2020 ITM on Chemical Safety at Work 178/2017 (VII. 5.)
Government Decree on the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) „A“ and „B“ of the European Agreement on Road Transport

International Inventories:

TSCA	Does not comply
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
ENCS	Does not comply
IECSC	Does not comply
KECL	Does not comply
PICCS	Does not comply
AICS	Does not comply
NZIoC	Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
NZIoC - New Zealand Inventory of Chemicals
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022

Print Date: 13-Jan-2023

Revision Number: 1

Mega 206 Silikat-Grundierung - 071360540000

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report: No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet:

Full text of H-Statements referred to under section 3:

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

Legend:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

ADR: European agreement concerning the international carriage of dangerous goods by road

(Accord européen relatif transport des marchandises dangereuses par route)

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany)

BCF: Bio-Concentration Factor

BOD(5): Biochemical oxygen demand (within 5 days)

CAS: Chemical Abstract Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic, toxic for Reproduction

DIN: German Standards Institute / German industrial norm

DNEL: Derived No Effect Level

DOC: Dissolved organic carbon

EAK/ AVV: European waste catalogue/ waste directory-regulation

EC50: Effective Concentration 50%

ECHA: European Chemical Agency

EINECS: European Inventory of Existing Commercial Chemical Substances

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

IATA: International Air Transport Association

IC50: Inhibition Concentration 50%

IMDG: International Maritime Dangerous Goods Code

LC50: Lethal Concentration 50% - LD50: Lethal dose 50%

MAK: Treshold limit values Germany

NLP: No Longer Polymers

NOAEC: No Observed Adverse Effect Concentration

NOAEL: No Observed Adverse Effect Level

OECD: Organization for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic

PC: Product category

PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation and Authorization of Chemicals

RID: Regulations concerning the international carriage of dangerous goods by rail

(Règlement International concernant le transport de marchandises dangereuses par chemin de fer)

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022

Print Date: 13-Jan-2023

Revision Number: 1

Mega 206 Silikat-Grundierung - 071360540000

STEL: Short-term Exposure Limit
STP: Sewage treatment plant
SVHC: Substance of Very High Concern
TLV: Threshold Limit Value
TWA: Time Weighted Average
UN: United Nations
VOC: Volatile Organic Compounds
vPvB: very persistent, very bioaccumulative

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ceiling: Maximum limit value

* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS:

European Chemicals Agency (ECHA)

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGl(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 10-May-2022

Print Date: 13-Jan-2023

Revision Number: 1

Mega 206 Silikat-Grundierung - 071360540000

Organization for Economic Co-operation and Development Screening Information Data Set
RTECS (Registry of Toxic Effects of Chemical Substances)
World Health Organization

Revision date: 23-Jun-2021

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006:

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet