This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Nov-2021 Revision Number: 1
Print Date: 13-Jan-2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name: Mega 906 QuickEasy Werkzeugreiniger

Article number: 041990540000

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product categories [PC]: PC35 - Washing and cleaning products (including solvent based products)

### 1.3. Details of the supplier of the safety data sheet

Supplier: MEGA eG

Fangdieckstrasse 45 D - 22547 Hamburg Telefon: +49 40/ 54004-0 Telefax: +49 40/ 54004-9

www.mega.de

Responsibility Statement: Department productsector paints and coatings

Telephone: 040 54004-528

E-mail address technik@mega.de

### 1.4. Emergency telephone number

Emergency Telephone: +49 40 / 54004 - 528 (Mo. - Tue. 7.15 - 16.30 Uhr, Fr. bis 12.00 Uhr)

Emergency Telephone - §45 - (EC)1272/2008		
Europe	112	
Austria	+43 1 406 43 43 (Giftinformationszentrale)	

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2 - (H319)
-----------------------------------	---------------------

### 2.2. Label elements



Signal word: Warning

**Hazard statements:** 

H319 - Causes serious eye irritation.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Nov-2021 Revision Number: 1

Print Date: 13-Jan-2023

Mega 906 QuickEasy Werkzeugreiniger - 041990540000

#### Precautionary Statements - EU (§28, 1272/2008):

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

glycol ester

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	CAS No	EC No (EU Index No)	REACH registration number	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Weight-%
Diethylene glycol monobutyl ether	112-34-5	203-961-6	01-2119475104-44	Eye Irrit. 2 (H319)	25 - < 50

#### **Acute Toxicity Estimate:**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg		Inhalation LC50 - 4 hour - vapor - mg/L	
Diethylene glycol monobutyl	2410	2764	No data available	No data available	No data available
ether					
112-34-5					

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Full text of H- and EUH-phrases: see section 16

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

General advice: Show this safety data sheet to the doctor in attendance.

Inhalation: Remove to fresh air.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Nov-2021 Revision Number: 1

Print Date: 13-Jan-2023

Mega 906 QuickEasy Werkzeugreiniger - 041990540000

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact: Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

Ingestion: Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a physician.

Self-protection of the first aider: Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

8).

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: May cause redness and tearing of the eyes. Burning sensation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians: Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire: CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media: Do not scatter spilled material with high pressure water streams.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical:

No information available.

#### 5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters:

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Other information: Refer to protective measures listed in Sections 7 and 8.

For emergency responders: Use personal protection recommended in Section 8.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Nov-2021 Revision Number: 1

Print Date: 13-Jan-2023

Mega 906 QuickEasy Werkzeugreiniger - 041990540000

### 6.2. Environmental precautions

Environmental precautions: See Section 12 for additional Ecological Information.

### 6.3. Methods and material for containment and cleaning up

Methods for containment: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards: Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Reference to other sections: See section 8 for more information. See section 13 for more information.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling



Advice on safe handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

General hygiene considerations: Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place.

#### 7.3. Specific end use(s)

Other information: No information available.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Exposure Limits:** 

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Diethylene glycol monobutyl	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	STEL: 15 ppm	TWA: 10 ppm
ether	TWA: 67.5 mg/m <sup>3</sup>	TWA: 67.5 mg/m <sup>3</sup>	TWA: 67.5 mg/m <sup>3</sup>	STEL: 101.2 mg/m <sup>3</sup>	TWA: 67.5 mg/m <sup>3</sup>
112-34-5	· ·	STEL 15 ppm	STEL: 15 ppm	TWA: 10 ppm	STEL: 15 ppm
		STEL 101.2 mg/m <sup>3</sup>	STEL: 101.2 mg/m <sup>3</sup>	TWA: 67.5 mg/m <sup>3</sup>	STEL: 101.2 mg/m <sup>3</sup>
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Diethylene glycol monobutyl	STEL: 15 ppm	TWA: 100 mg/m <sup>3</sup>	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm
ether	STEL: 101.2 mg/m <sup>3</sup>	Ceiling: 100 mg/m <sup>3</sup>	TWA: 68 mg/m <sup>3</sup>	TWA: 67.5 mg/m <sup>3</sup>	TWA: 68 mg/m <sup>3</sup>

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Nov-2021 Revision Number: 1

Print Date: 13-Jan-2023

Mega 906 QuickEasy Werkzeugreiniger - 041990540000

112-34-5	TWA: 10 ppm TWA: 67.5 mg/m <sup>3</sup>				
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Diethylene glycol monobutyl	TWA: 10 ppm	TWA: 10 ppm	TWA: 67 mg/m <sup>3</sup>	TWA: 10 ppm	TWA: 67.5 mg/m <sup>3</sup>
ether	TWA: 68 mg/m <sup>3</sup>	TWA: 67 mg/m <sup>3</sup>	TWA: 10 ppm	TWA: 67.5 mg/m <sup>3</sup>	STEL: 101.2 mg/m <sup>3</sup>
112-34-5	STEL: 15 ppm		Peak: 15 ppm	STEL: 15 ppm	
	STEL: 101.2 mg/m <sup>3</sup>		Peak: 100.5 mg/m <sup>3</sup>	STEL: 101.2 mg/m <sup>3</sup>	
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Diethylene glycol monobutyl	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	TWA: 67.5 mg/m <sup>3</sup>
ether	TWA: 67.5 mg/m <sup>3</sup>	TWA: 67.5 mg/m <sup>3</sup>	TWA: 66 mg/m <sup>3</sup>	TWA: 67.5 mg/m <sup>3</sup>	TWA: 10 ppm
112-34-5	STEL: 15 ppm	STEL: 15 ppm		STEL: 15 ppm	STEL: 101.2 mg/m <sup>3</sup>
	STEL: 101.2 mg/m <sup>3</sup>	STEL: 101.2 mg/m <sup>3</sup>		STEL: 101.2 mg/m <sup>3</sup>	STEL: 15 ppm
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Diethylene glycol monobutyl	Peau*	STEL: 15 ppm	TWA: 50 mg/m <sup>3</sup>	TWA: 10 ppm	STEL: 100 mg/m <sup>3</sup>
ether	STEL: 15 ppm	STEL: 101.2 mg/m <sup>3</sup>	STEL: 100 mg/m <sup>3</sup>	TWA: 68 mg/m <sup>3</sup>	TWA: 67 mg/m <sup>3</sup>
112-34-5	STEL: 101.2 mg/m <sup>3</sup>	TWA: 10 ppm	H*	STEL: 20 ppm	
	TWA: 10 ppm	TWA: 67.5 mg/m <sup>3</sup>		STEL: 102 mg/m <sup>3</sup>	
	TWA: 67.5 mg/m <sup>3</sup>				
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Diethylene glycol monobutyl	TWA: 10 ppm	TWA: 67.5 mg/m <sup>3</sup>	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm
ether	TWA: 67.5 mg/m <sup>3</sup>	TWA: 10 ppm	TWA: 67.5 mg/m <sup>3</sup>	TWA: 67.5 mg/m <sup>3</sup>	TWA: 67.5 mg/m <sup>3</sup>
112-34-5	STEL: 101.2 mg/m <sup>3</sup>	STEL: 15 ppm	Ceiling: 101.2 mg/m <sup>3</sup>	STEL: 15 ppm	STEL: 15 ppm
	STEL: 15 ppm	STEL: 101.2 mg/m <sup>3</sup>		STEL: 101.2 mg/m <sup>3</sup>	STEL: 101.2 mg/m <sup>3</sup>
Chemical name	Sweden	Switzerland	United Kingdom	Russia	Turkey
Diethylene glycol monobutyl	NGV: 10 ppm	TWA: 10 ppm	TWA: 10 ppm	MAC: 10 mg/m <sup>3</sup>	TWA: 10 ppm
ether	NGV: 68 mg/m <sup>3</sup>	TWA: 67 mg/m <sup>3</sup>	TWA: 67.5 mg/m <sup>3</sup>		TWA: 67.5 mg/m <sup>3</sup>
112-34-5	Bindande KGV: 15	STEL: 15 ppm	STEL: 15 ppm		STEL: 15 ppm
	ppm	STEL: 101 mg/m <sup>3</sup>	STEL: 101.2 mg/m <sup>3</sup>		STEL: 101.2 mg/m <sup>3</sup>
	Bindande KGV: 101				
	mg/m³				

Biological occupational exposure limits:

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL):

component information:

Worker - inhalative:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Diethylene glycol monobutyl	67.5 mg/m <sup>3</sup>		67.5 mg/m <sup>3</sup>	101.2 mg/m <sup>3</sup>
ether			· ·	

Worker - dermal:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Diethylene glycol monobutyl	83 mg/kg bw/day			
ether				

Consumer - inhalative:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Diethylene glycol monobutyl	40.5 mg/m <sup>3</sup>		40.5 mg/m <sup>3</sup>	60.7 mg/m <sup>3</sup>
ether	_		-	

Consumer - dermal:

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Nov-2021 Revision Number: 1

Print Date: 13-Jan-2023

Mega 906 QuickEasy Werkzeugreiniger - 041990540000

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Diethylene glycol monobutyl	50 mg/kg bw/day			
ether				

consumer - oral:

Chemical name	long term, systemic	short term, systemic	long term, local	short term, local
Diethylene glycol monobutyl	5 mg/kg bw/day			
ether				

Predicted No Effect Concentration (PNEC):

component information:

Chemical name	Diethylene glycol monobutyl ether CAS: 112-34-5
Freshwater	1.1 mg/L
Marine water	0.11 mg/L
Freshwater (intermittent release)	11 mg/L
Sewage treatment	200 mg/L
Freshwater sediment	4.4 mg/kg sediment dw
Marine sediment	0.44 mg/kg sediment dw
Soil	0.32 mg/kg soil dw
Food chain	56 mg/kg food

### 8.2. Exposure controls

Engineering controls: None under normal use conditions.

Personal protective equipment: The usual precautionary measures for the handling of chemicals have to be observed.



Eye/face protection: If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection: Wear suitable gloves.

PPE - Glove material	Glove thickness	Break through time
Butyl caoutchouc (butyl rubber)	0.5 mm	>=480 min.

Skin and body protection: Wear suitable protective clothing.

Respiratory protection: No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Recommended Filter Type: Filtering device (full mask or mouthpiec) with filter: AP-2

Environmental exposure controls: No information available.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Miscible Not applicable

Not established

Not established

Not established

Not established

Not applicable Not established

Revision date: 02-Nov-2021 Revision Number: 1

Print Date: 13-Jan-2023

Mega 906 QuickEasy Werkzeugreiniger - 041990540000

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Liquid
Color colorless
Odor characteristic

Conditions Method Remarks Melting point / melting range Not established Boiling point / boiling range °C 195 - 245 **Flammability** Not established **Decomposition temperature** not relevant Flash point 105 **Autoignition temperature** 210 Lower explosive limit not relevant **Upper explosion limit** not relevant

Vapor pressure

Not established

Pensity

Not established

Water solubility
pH
pH (as aqueous solution)
Partition coefficient
Kinematic viscosity
Odor threshold
Relative density

Evaporation rate
Relative vapor density
Particle Size
Particle Size Distribution
no data available
no data available

#### 9.2. Other information

Bulk density:no data availableSoftening pointNo information availableMolecular weightNo information available

#### 9.2.1. Information with regard to physical hazard classes:

Explosive properties Not an explosive Oxidizing properties Not oxidising.

9.2.2. Other safety characteristics: No information available

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: No information available.

#### 10.2. Chemical stability

Stability: Stable under normal conditions.

Page 7/16

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Nov-2021 Revision Number: 1

Print Date: 13-Jan-2023

Mega 906 QuickEasy Werkzeugreiniger - 041990540000

Explosion data:

Sensitivity to mechanical impact: None. Sensitivity to static discharge: None.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions: None under normal processing.

10.4. Conditions to avoid

Conditions to avoid: None known based on information supplied.

10.5. Incompatible materials

Incompatible materials: None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products: None known based on information supplied.

### SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Information on likely routes of exposure:

Product Information:

Inhalation: Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact: Specific test data for the substance or mixture is not available. Causes serious eye

irritation. (based on components). May cause redness, itching, and pain.

Skin contact: Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Ingestion: Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics:

Symptoms: May cause redness and tearing of the eyes.

Numerical measures of toxicity:

Acute toxicity: The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral): 3,959.90 mg/kg
ATEmix (dermal): 8,011.60 mg/kg

Component Information:

Chemical name	Parameter	Species	effektive Dosis	Method
---------------	-----------	---------	-----------------	--------

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Nov-2021 Revision Number: 1

Print Date: 13-Jan-2023

Mega 906 QuickEasy Werkzeugreiniger - 041990540000

Chemical name	Parameter	Species	effektive Dosis	Method
Diethylene glycol monobutyl ether 112-34-5	Oral LD50	Mouse	2410 mg/kg	OECD 401

Chemical name	Parameters	Species	Effective dose	Method
Diethylene glycol monobutyl ether	Dermal LD50	Rabbit	2764 mg/kg	OECD 402
112-34-5				

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Skin corrosion/irritation:

May cause skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Respiratory or skin sensitization: No information available.

Germ cell mutagenicity: No information available.

Carcinogenicity: No information available.

Reproductive toxicity: No information available.

STOT - single exposure: No information available.

STOT - repeated exposure: No information available.

Aspiration hazard: No information available.

#### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No information available.

#### 11.2.2. Other information

No information available.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecotoxicity:

fish toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Diethylene glycol monobutyl	LC50	Lepomis macrochirus	1300 mg/L	96 h	OECD 203
ether					
112-34-5					

toxicity to crustacea:

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Nov-2021 Revision Number: 1

Print Date: 13-Jan-2023

Mega 906 QuickEasy Werkzeugreiniger - 041990540000

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Diethylene glycol monobutyl	EC50	Daphnia magna	2850 mg/L	48 h	
ether					
112-34-5					

Algae Toxicity:

Chemical name	Parameter	Species	Effective dose	Exposure time	Method
Diethylene glycol monobutyl	EC50	Desmodesmus	> 100 mg/L	96 h	OECD 201
ether		subspicatus			
112-34-5					

### 12.2. Persistence and degradability

Persistence and degradability:

Chemical name	degradation rate	test duration	Rapidly biodegradable	Remarks	Method
Diethylene glycol monobutyl ether 112-34-5	89-93 %	28 d	Yes	Aerobic biological treatment	

### 12.3. Bioaccumulative potential

Bioaccumulation:

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Diethylene glycol monobutyl ether	1	99.9
112-34-5		

### 12.4. Mobility in soil

Mobility in soil: No information available.

Mobility: No information available.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment:

Chemical name	PBT and vPvB assessment
1 . ,	The substance is not PBT / vPvB
112-34-5	

### 12.6. Endocrine disrupting properties.

No information available.

#### 12.7. Other adverse effects.

No information available.

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Nov-2021 Revision Number: 1

Print Date: 13-Jan-2023

Mega 906 QuickEasy Werkzeugreiniger - 041990540000

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused Dispose of in accordance with local regulations. Dispose of waste in accordance with

products: environmental legislation.

Contaminated packaging: Do not reuse empty containers.

Waste codes / waste designations according to EWC / AVV: 07 06 04\* (other organic solvents, washing liquids and mother

liquors)

### **SECTION 14: Transport information**

#### 14.1. UN number

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated

### 14.2 UN proper shipping name

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated

#### 14.3. Transport hazard class(es)

ADR: Not regulated RID: Not regulated IMDG: Not regulated Not regulated Not regulated Not regulated Not regulated

#### 14.4. Packing group

ADR: Not regulated RID: Not regulated IMDG: Not regulated IATA: Not regulated Not regulated Not regulated

### 14.5. Environmental hazards

ADR: RID:

IMDG: Not regulated

IATA:

#### 14.6. Special precautions for user

ADR: Not regulated Special Provisions: None RID: Not regulated

Special Provisions: None

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Nov-2021 Revision Number: 1

Print Date: 13-Jan-2023

Mega 906 QuickEasy Werkzeugreiniger - 041990540000

IMDG: Not regulated Special Provisions: None

IATA: Not regulated

Special Provisions: None

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

No information available

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union:**

Regulation (EC) No. 1907/2006 (Annex II - (EC) No. 2020/878) and Regulation (EC) No. 1272/2008

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work:

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken

Authorizations and/or restrictions on use:

• This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Substance subject to authorization per REACH Annex XIV	Restricted substance per REACH Annex XVII
Diethylene glycol monobutyl ether 112-34-5		55. 75

Persistent Organic Pollutants: Not applicable

(EC) 2019/1021

Ozone-depleting substances (ODS) regulation (EC) 1005/2009: Not applicable

volatile organic compounds (VOC) content:

acc. reg. 2010/75/EG: < 0.5 % acc. reg. 2004/42/EG (Decopaint): 100 %

### National regulations:

#### Denmark:

Chemical name	Denmark - MAL
Diethylene glycol monobutyl ether	0 m3/10 g substance MAL factor
112-34-5	>=10.0 % by weight [3]

#### Germany:

Water hazard class (WGK): slightly hazardous to water (WGK 1) - Classification according to AwSV

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Nov-2021 Revision Number: 1

Print Date: 13-Jan-2023

Mega 906 QuickEasy Werkzeugreiniger - 041990540000

Chemical name	WGK Classification (AwSV)	ID number
Diethylene glycol monobutyl ether	1	46
112-34-5		

TA Luft (German Air Pollution Control Regulation):

org. substances (Ziffer 5.2.5): 65 - 70% org. subst. (digit 5.2.5) class I: 30 - 35%

Storage class (TRGS 510): LGK10 - Combustible liquids unless storage class 3

#### France:

Occupational Illnesses (R-463-3, France):

Chemical name	French RG number	
Diethylene glycol monobutyl ether 112-34-5	RG 84	

RG 84 - Occupational conditions caused by liquid organic solvents

#### Netherlands:

Water contaminating class (Netherlands): B (4)

Austria:

Flammable Liquids Regulations, VbF: Not regulated

#### Poland:

Ordinance of the Minister of Family, Labor and Social Policy dated June 12, 2018 on the highest permissible concentrations and intensities of harmful factors for health in the work environment (Dz. U. 2018 item 1286, as amended)

Act of December 14, 2012 on waste (Journal of Laws of 2013, item 21; as amended)

Act on chemical substances and their mixtures of February 25, 2011. (Journal of Laws No. 63, item 322; as amended)

Regulation of the Minister of Labor and Social Policy of September 26, 1997 on general regulations of safety and hygiene at work (Dz. U. of 2003, No. 169, item 1650; as amended).

#### Switzerland:

VOC content:: acc. VOCV CH 814.018, att. 1: 35 %

Does not comply

#### Hungary:

**PICCS** 

Decree No 44/2000 (XII.27.) of the Ministry of Economic Affairs and Labour of the Republic of Hungary on certain procedures and activities Joint Decree No. 5/2020 ITM on Chemical Safety at Work 178/2017 (VII. 5.) Government Decree on the European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

"A" and "B" of the European Agreement on Road Transport

#### **International Inventories:**

TSCA Does not comply
DSL/NDSL Does not comply
EINECS/ELINCS Complies
ENCS Does not comply
IECSC Does not comply
KECL Does not comply

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Nov-2021 Revision Number: 1

Print Date: 13-Jan-2023

Mega 906 QuickEasy Werkzeugreiniger - 041990540000

AICS Does not comply NZIoC Does not comply

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**NZIoC** - New Zealand Inventory of Chemicals

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### 15.2. Chemical safety assessment

Chemical Safety Report: No information available

### **SECTION 16: Other information**

Key or legend to abbreviations and acronyms used in the safety data sheet:

Full text of H-Statements referred to under section 3:

H319 - Causes serious eye irritation

#### Legend:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

ADR: European agreement concerning the international carriage of dangerous goods by road

(Accord européen relatif transport des merchandises dangereuses par route) AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany)

**BCF: Bio-Concentration Factor** 

BOD(5): Biochemical oxygen demand (within 5 days)

CAS: Chemical Abstract Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic, toxic for Reproduction DIN: German Standards Institute / German industrial norm

DNEL: Derived No Effect Level DOC: Dissolved organic carbon

EAK/ AVV: European waste catalogue/ waste directory-regulation

EC50: Effective Concentration 50% ECHA: European Chemical Agency

EINECS: European Inventory of Existing Commercial Chemical Substances

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

IATA: International Air Transport Association

IC50: Inhibition Concentration 50%

IMDG: International Maritime Dangerous Goods Code LC50: Lethal Concentration 50% - LD50: Lethal dose 50%

MAK: Treshold limit values Germany

NLP: No Longer Polymers

NOAEC: No Observed Adverse Effect Concentration

NOAEL: No Observed Adverse Effect Level

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Nov-2021 Revision Number: 1

Print Date: 13-Jan-2023

Mega 906 QuickEasy Werkzeugreiniger - 041990540000

OECD: Organization for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic

PC: Product category

PNEC: Predicted No Effect Concentration

REACh: Registration, Evaluation and Authorization of Chemicals

RID:Regulations concerning the international carriage of dangerous goods by rail

(Règlement International concernant le transport de marchandises dangereuses par chemin de fer)

STEL: Short-term Exposure Limit STP: Sewage treatment plant

SVHC: Substance of Very High Concern

TLV: Threshold Limit Value TWA: Time Weighted Average

**UN: United Nations** 

VOC: Volatile Organic Compounds

vPvB: very persistent, very bioaccumulative

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ceiling: Maximum limit value

\* Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS:

European Chemicals Agency (ECHA)

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008



Revision date: 02-Nov-2021 **Revision Number: 1** 

Print Date: 13-Jan-2023

Mega 906 QuickEasy Werkzeugreiniger - 041990540000

NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Revision date:

02-Nov-2021

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**