Printing date 07/21/2021 Reviewed on 07/21/2021

## 1 Identification

· Product identifier

· Trade name: LOBADUR Viva

· Article number: 11519-250

· Application of the substance / the mixture

Dispersion paint/Latex paint

Paint Coating

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Loba Wakol LLC 2732 Hwy 74 West Wadesboro, NC 28170 Phone: (800) 230-6456 Email: info@loba-wakol.com

· Emergency telephone number:

Emergency CONTACT (24-Hour-Number)

GBK/Infotrac ID 112404 : (USA domestic) 1 800 535 5053

## 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



 $0 \quad Health = 0$ Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

. 1	Dangerous	components:
-----	-----------	-------------

CAS: 34590-94-8 Dipropylene glycol monomethyl ether 2.5-5% Flam. Liq. 4, H227 EINECS: 252-104-2

Additional information: For the wording of the listed hazard phrases refer to section 16.

Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: LOBADUR Viva

(Contd. of page 1)

## 4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

<i>PAC-1</i> :		
34590-94-8	Dipropylene glycol monomethyl ether	150 ppm
63148-62-9	Polydimethylsiloxane	65 mg/m³
9009-54-5	polyrethane without free isocyanate	12 mg/m³
	Pyrogene hochdisperse Kieselsäure synthetisches röntgenamorphes Siliciumdioxid	18 mg/m³
111-76-2	2-butoxyethanol	60 ppm
67-68-5	dimethyl sulfoxide	150 ppm
67-63-0	propan-2-ol	400 ppm
7447-41-8	lithium chloride	2.3 mg/m
556-67-2	octamethylcyclotetrasiloxane	30 ppm
<i>PAC-2:</i>		
34590-94-8	Dipropylene glycol monomethyl ether	1700* ppn
63148-62-9	Polydimethylsiloxane	720 mg/m <sup>-</sup>
9009-54-5	polyrethane without free isocyanate	130 mg/m
	Pyrogene hochdisperse Kieselsäure synthetisches röntgenamorphes Siliciumdioxid	100 mg/m <sup>-</sup>
111-76-2	2-butoxyethanol	120 ppm
67 69 5	dimethyl sulfoxide	290 ppm

-US

Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: LOBADUR Viva

67-63-0	propan-2-ol	(Contd. of page 2000* ppm
	lithium chloride	25 mg/m <sup>3</sup>
556-67-2	octamethylcyclotetrasiloxane	68 ppm
<i>PAC-3</i> :		
34590-94-8	Dipropylene glycol monomethyl ether	9900** ppm
63148-62-9	Polydimethylsiloxane	$4,300 \text{ mg/m}^3$
9009-54-5	polyrethane without free isocyanate	790 mg/m³
	Pyrogene hochdisperse Kieselsäure synthetisches röntgenamorphes Siliciumdioxid	630 mg/m³
111-76-2	2-butoxyethanol	700 ppm
67-68-5	dimethyl sulfoxide	1,800 ppm
67-63-0	propan-2-ol	12000** ppn
7447-41-8	lithium chloride	150 mg/m³
556-67-2	octamethylcyclotetrasiloxane	130 ppm

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 12
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace	:
34590-94-8 Dipropylene glycol monomethyl ether	

PEL Long-term value: 600 mg/m³, 100 ppm

Skin

REL Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm

Skir

TLV Short-term value: NIC-606 (909) mg/m³, NIC-100 (150) ppm Long-term value: NIC-303 (606) mg/m³, NIC-50 (100) ppm (Skin)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

· Breathing equipment: Not required.

(Contd. on page 4)

Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: LOBADUR Viva

(Contd. of page 3)

#### · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material:  $\geq 0.4$  mm

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

*Value for the permeation:* Level  $\leq 6$ 

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties			
· Information on basic physical and chemical properties			
· General Information			
· Appearance:			
Form:	Fluid		
Color:	According to product specification		
· Odor:	Recognizable		
· Odor threshold:	Not determined.		
· pH-value:	Not determined.		
· Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	100 °C (212 °F)		
· Flash point:	Not applicable.		
· Flammability (solid, gaseous):	Not applicable.		
· Decomposition temperature:	Not determined.		
· Auto igniting:	Product is not selfigniting.		
Danger of explosion:	Product does not present an explosion hazard.		
· Lower:	Not determined.		
· Upper:	Not determined.		
· Vapor pressure:	Not determined.		
Density at 20 °C (68 °F):	1.038 g/cm³ (8.66211 lbs/gal)		
· Relative density	Not determined.		
· Vapor density	Not determined.		
Evaporation rate	Not determined.		
· Solubility in / Miscibility with	Solubility in / Miscibility with		
Water:	Fully miscible.		
· Partition coefficient (n-octanol/wat	er): Not determined.		
· Viscosity:			
Dynamic:	Not determined.		
Kinematic at 20 °C (68 °F):	19 s (DIN 53211/4)		

(Contd. on page 5)

Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: LOBADUR Viva

(Contd. of page 4) Solids content: 31.0 % · Other information No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

### 34590-94-8 Dipropylene glycol monomethyl ether

LD50 5,135 mg/kg (rat) Oral Dermal LD50 9,500 mg/kg (rat)

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Carcinogenic categories

· IARC (Inte	ernational Agency for Research on Cancer)	
9009-54-5	polyrethane without free isocyanate	3
111-76-2	2-butoxyethanol	3
67-63-0	propan-2-ol	3
. NTD (Nati	onal Taxioology Program	_

#### NTP (National Toxicology Program)

None of the ingredients is listed.

## OSHA (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 6)

Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: LOBADUR Viva

(Contd. of page 5)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

After prior treatment product has to be landfilled or incinerated adhering to the regulations pertaining to the disposal of especially hazardous waste.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, ADR, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	x <b>II of</b> Not applicable.
· UN "Model Regulation":	not regulated

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · TSCA (Toxic Substances Control Act): All components are on the TSCA inventory
- · Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 7)

Printing date 07/21/2021 Reviewed on 07/21/2021

Trade name: LOBADUR Viva

(Contd. of page 6)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H227 Combustible liquid.

- · Department issuing SDS: Productmanagement.
- · Contact:
- · Date of preparation / last revision 07/21/2021 / 5
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4

· \* Data compared to the previous version altered.

US ·