

# Primer Concentrate

## Product description:

MEGA 203 Primer Concentrate is a water-based special primer for dispersion paints indoors and outdoors.

## Application:

To level solid, mineral surfaces and old dispersion paint coatings with strong and/or irregular absorptivity.

## Properties:

- weather-resistant
- odourless and environmentally compatible
- easy to use
- quick drying
- highly diffusible

## Binding agent basis:

Acrylic copolymer dispersion

## Spec. weight:

Approx. 1 - 1.02 kg/l

## Gloss level:

Satin-gloss, depending on addition of water to silk matt

## Shade of colour:

Colourless

## Packaging size:

10 l

## Application:

Application using brush, paint roller and airless sprayer. Avoid uncoated remaining film formation.

## Surface:

The surface must be clean, dry and viable. Please observe the guidelines of the VOB, Part C, DIN 18 363, sec. 3.1.1 to 3.2.11. Freshly applied plaster must have sufficiently hardened.

## Coatings:

With all commercially available dispersion paints and synthetic resin plasters indoors and outdoors.

## Cleaning the tools:

Clean immediately after use using water.

## Technical specifications

### Dilution:

Max. of 1 : 4 with water  
(1 parts by volume concentrate to 4 parts by volume water)

### Consumption:

Approx. 80 - 150 ml/m<sup>2</sup> depending on absorptivity of the surface for one coat, prepared at a ratio of 1 : 4. Exact consumption data for the calculation must be determined on the object.

### Drying process:

Paintable at 20 °C and 65 % rel. humidity after approx. 8 h. Please observe respectively longer drying time in the case of cooler, more humid air.

### Airless spraying:

Nozzle: 0.007 - 0.009 inch = 0.18 - 0.23 mm  
Spraying angle: 50°

## General information

### Processing temperature:

At least + 5 °C for air and surface

### Storage:

Cool however, frost-free. Use opened or diluted material as soon as possible.

### Declaration of the substances of content:

Acrylic copolymer dispersion (hydrosol), water, additives, preservative: isothiazolinone derivatives

### Information on disposal:

For disposal, please observe the legal regulations.

### EU threshold value for this product:

Product category: A/h  
30 g/l VOC (2010)  
This product contains a max. of < 1 g/l VOC.

## Product code:

BSW20

## Hazard warnings and safety instructions:

Attention! Contains: 2-methyl-2H-isothiazol-3-one; 1.2-benzisothiazol-3(2H)-one. Mixture of: 5-chlorine-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).

Can cause allergic skin reactions. Keep out of the reach of children. If a physician needs to be consulted, have packaging or identification label at hand. Wear safety gloves/protective clothing/protective goggles/face shield. If skin irritations or rashes occur: consult a physician /seek medical attention.

## Observe the safety data sheet!

