

## Thomsit R 790 Filling Primer PART A

Version 2.0      Revision Date: 24.02.2023      SDS Number: 000000823152      Date of last issue: 09.07.2021  
Date of first issue: 09.07.2021

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Thomsit R 790 Filling Primer PART A

Product code : 000000000050507627

#### Manufacturer or supplier's details

Company : PCI Augsburg GmbH

Address : PICCARDSTR. 11  
86159 AUGSBURG

Telephone : +4982159010

Emergency telephone : ChemTel: +1-813-248-0585

Telefax : +498215901372

#### Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
Chemical nature : acrylate copolymer

#### Components

No hazardous ingredients

---

### 4. FIRST AID MEASURES

General advice : First aid personnel should pay attention to their own safety.  
Immediately remove contaminated clothing.

If inhaled : Keep patient calm, remove to fresh air.  
If symptoms persist, seek medical advice.

In case of skin contact : After contact with skin, wash immediately with plenty of water  
and soap.

---

## Thomsit R 790 Filling Primer PART A

Version	Revision Date:	SDS Number:	Date of last issue: 09.07.2021
2.0	24.02.2023	000000823152	Date of first issue: 09.07.2021

---

Under no circumstances should organic solvent be used.  
 If irritation develops, seek medical attention.

In case of eye contact : Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed : Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.  
 Do not induce vomiting unless told to by a poison control center or doctor.

Most important symptoms and effects, both acute and delayed : Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Notes to physician : Treat symptomatically.

---

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Foam  
 Water spray  
 Dry powder  
 Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media : water jet

Hazardous combustion products : fumes/smoke  
 harmful vapours  
 Carbon oxides  
 nitrogen oxides  
 carbon black

Specific extinguishing methods : The degree of risk is governed by the burning substance and the fire conditions.  
 If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.  
 Contaminated extinguishing water must be disposed of in accordance with official regulations.

Special protective equipment for fire-fighters : Wear a self-contained breathing apparatus.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
 Wear eye/face protection.  
 Use personal protective clothing.  
 Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions : Contain contaminated water/firefighting water.  
 Do not discharge into drains/surface waters/groundwater.

Methods and materials for containment and cleaning up : Pick up with suitable appliance and dispose of.  
 Dispose of absorbed material in accordance with regulations.

---

### 7. HANDLING AND STORAGE

Advice on protection against : The product is neither self-ignitable, nor an explosion hazard,

## Thomsit R 790 Filling Primer PART A

Version	Revision Date:	SDS Number:	Date of last issue: 09.07.2021
2.0	24.02.2023	000000823152	Date of first issue: 09.07.2021

fire and explosion	nor does it promote fires.
Advice on safe handling	: Avoid inhalation of dusts/mists/vapours. Avoid skin contact. Ensure adequate ventilation. No special measures necessary provided product is used correctly.
Further information on storage conditions	: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Personal protective equipment

Respiratory protection	: Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).
Hand protection	
Remarks	: impermeable gloves Synthetic rubber gloves Manufacturer's directions for use should be observed because of great diversity of types.
Eye protection	: Safety glasses with side-shields (frame goggles) (e.g. EN 166)
Skin and body protection	: Body protection must be chosen based on level of activity and exposure.
Protective measures	: Do not inhale dust/fumes/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.
Hygiene measures	: When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: white
Odor	: characteristic
Odor Threshold	: not determined
pH	: 5,5 - 6,5 (20 °C)

**Thomsit R 790 Filling Primer PART A**

Version	Revision Date:	SDS Number:	Date of last issue: 09.07.2021
2.0	24.02.2023	000000823152	Date of first issue: 09.07.2021

---

Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	does not flash
Evaporation rate	:	No data available
Self-ignition	:	not self-igniting
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1,05 g/cm <sup>3</sup> (20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No decomposition if stored and handled as prescribed/indicated.
Viscosity		
Viscosity, dynamic	:	200 - 400 mPa.s ( 20 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	not determined

---

**10. STABILITY AND REACTIVITY**

Reactivity	:	No hazardous reactions if stored and handled as prescribed/indicated.
Chemical stability	:	The product is stable if stored and handled as prescribed/indicated.
Possibility of hazardous reac-	:	The product is stable if stored and handled as pre-

## Thomsit R 790 Filling Primer PART A

Version	Revision Date:	SDS Number:	Date of last issue: 09.07.2021
2.0	24.02.2023	000000823152	Date of first issue: 09.07.2021

tions	scribed/indicated.
Conditions to avoid	: See SDS section 7 - Handling and storage.
Incompatible materials	: Strong acids Strong bases Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	: No hazardous decomposition products if stored and handled as prescribed/indicated.

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

##### Skin sensitization

Not classified based on available information.

##### Respiratory sensitization

Not classified based on available information.

##### Germ cell mutagenicity

Not classified based on available information.

##### Carcinogenicity

Not classified based on available information.

##### Reproductive toxicity

Not classified based on available information.

##### STOT-single exposure

Not classified based on available information.

##### STOT-repeated exposure

Not classified based on available information.

##### Aspiration toxicity

Not classified based on available information.

##### Further information

##### Product:

Remarks : Health injuries are not known or expected under normal use. No data is available on the product itself. Information given is based on data on the ingredients and the toxicology of similar products.

## Thomsit R 790 Filling Primer PART A

Version      Revision Date:      SDS Number:      Date of last issue: 09.07.2021  
2.0          24.02.2023          000000823152      Date of first issue: 09.07.2021

---

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Product:

#### Ecotoxicology Assessment

Acute aquatic toxicity      :    This product has no known ecotoxicological effects.

Chronic aquatic toxicity    :    This product has no known ecotoxicological effects.

#### Persistence and degradability

##### Product:

Biodegradability            :    Remarks: Taking into consideration the properties of several ingredients, the product is estimated not to be readily biodegradable according to OECD classification.

#### Bioaccumulative potential

##### Product:

Bioaccumulation            :    Remarks: No data available.  
Discharge into the environment must be avoided.

#### Mobility in soil

No data available

#### Other adverse effects

##### Product:

Additional ecological information      :    Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

---

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues        :    Observe national and local legal requirements.  
Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging    :    Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.  
Packs that cannot be cleaned should be disposed of in the same manner as the contents.

---

### 14. TRANSPORT INFORMATION

#### International Regulations

**Thomsit R 790 Filling Primer PART A**

Version	Revision Date:	SDS Number:	Date of last issue: 09.07.2021
2.0	24.02.2023	000000823152	Date of first issue: 09.07.2021

---

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

---

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

---

**16. OTHER INFORMATION**

Revision Date : 24.02.2023

**Full text of other abbreviations**

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-

# SAFETY DATA SHEET



## Thomsit R 790 Filling Primer PART A

Version	Revision Date:	SDS Number:	Date of last issue: 09.07.2021
2.0	24.02.2023	000000823152	Date of first issue: 09.07.2021

---

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

UN / EN



## Thomsit R 790 Part B

Version 2.0      Revision Date: 12.07.2021      SDS Number: 000000823421      Date of last issue: 07.08.2020  
Date of first issue: 07.08.2020

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Thomsit R 790 Part B  
Product code : 000000000050672182

#### Manufacturer or supplier's details

Company : PCI Augsburg GmbH  
Address : PICCARDSTR. 11  
86159 AUGSBURG  
Telephone : +4982159010  
Emergency telephone : ChemTel: +1-813-248-0585  
Telefax : +498215901372

#### Recommended use of the chemical and restrictions on use

Recommended use : Product for construction chemicals


---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin irritation : Category 2  
Serious eye damage : Category 1

#### GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.  
H315 Causes skin irritation.

Precautionary Statements : **Prevention:**  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P264 Wash face, hands and any exposed skin thoroughly after handling.  
**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/ doctor/ .?.  
P302 + P352 IF ON SKIN: Wash with plenty of water.

# SAFETY DATA SHEET

## Thomsit R 790 Part B

Version 2.0      Revision Date: 12.07.2021      SDS Number: 000000823421      Date of last issue: 07.08.2020  
Date of first issue: 07.08.2020

P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
Chemical nature : modified cement mortar

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1	>= 3 - <= 10

## 4. FIRST AID MEASURES

General advice : First aid personnel should pay attention to their own safety.  
Remove contaminated clothing.

If inhaled : After inhalation of dust.  
Keep patient calm, remove to fresh air.  
If difficulties occur:  
Seek medical attention.

In case of skin contact : After contact with skin, wash immediately with plenty of water and soap.  
Under no circumstances should organic solvent be used.  
If irritation develops, seek medical attention.

In case of eye contact : Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed : Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.  
Do not induce vomiting unless told to by a poison control center or doctor.

Most important symptoms and effects, both acute and delayed : Causes skin irritation.  
Causes serious eye damage.

Notes to physician : Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Foam  
Water spray  
Dry powder  
Carbon dioxide (CO<sub>2</sub>)  
Product itself is non-combustible. Only the packaging materials can catch fire. The extinguishing agents normally used are

# SAFETY DATA SHEET

## Thomsit R 790 Part B

Version 2.0      Revision Date: 12.07.2021      SDS Number: 000000823421      Date of last issue: 07.08.2020  
Date of first issue: 07.08.2020

---

- Unsuitable extinguishing media : sufficient.  
water jet
- Specific hazards during fire fighting : Product is not combustible or explosive.  
No particular hazards known.
- Specific extinguishing methods : Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.  
The degree of risk is governed by the burning substance and the fire conditions.  
Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.
- Special protective equipment for fire-fighters : Wear a self-contained breathing apparatus.
- 

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Avoid dust formation.  
Avoid contact with skin and eyes.  
Use personal protective clothing.  
Handle in accordance with good building materials hygiene and safety practice.
- Environmental precautions : Do not discharge into drains/surface waters/groundwater.
- Methods and materials for containment and cleaning up : Sweep/shovel up.  
Keep in suitable, closed containers for disposal.
- 

### 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : No special precautions necessary.
- Advice on safe handling : Avoid dust formation.  
Avoid inhalation of dusts.  
Avoid contact with skin and eyes.  
The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Pour downwind and allow as little free fall as possible while emptying bags into equipment.  
Breathing must be protected when large quantities are decanted without local exhaust ventilation.
- Further information on storage conditions : Containers should be stored tightly sealed in a dry place.
- 

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

## Thomsit R 790 Part B

Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2020
2.0	12.07.2021	000000823421	Date of first issue: 07.08.2020

**Personal protective equipment**

- |                          |   |   |
|--------------------------|---|---|
| Respiratory protection   | : | Breathing protection if dusts are formed.   |
| Filter type              | : | Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)   |
| Hand protection          | : |   |
| Remarks                  | : | nitrile coated cotton gloves (e.g. EN 388, 374)   |
| Eye protection           | : | Tightly fitting safety goggles (splash goggles) (e.g. EN 166)   |
| Skin and body protection | : | Body protection must be chosen based on level of activity and exposure.   |
| Protective measures      | : | light protective clothing<br>Avoid contact with the skin, eyes and clothing.<br>Avoid inhalation of dusts.<br>In order to prevent contamination while handling, closed working clothes and working gloves should be used.<br>Handle in accordance with good building materials hygiene and safety practice.   |
| Hygiene measures         | : | When using, do not eat, drink or smoke.<br>Hands and/or face should be washed before breaks and at the end of the shift.<br>At the end of the shift the skin should be cleaned and skin-care agents applied.<br>Gloves must be inspected regularly and prior to each use.<br>Replace if necessary (e.g. pinhole leaks).<br>Remove contaminated clothing immediately and clean before re-use or dispose it if necessary. |

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- |  |   |  |
|--|---|--|
| Appearance                                       | : | powder   |
| Color  | : | gray   |
| Odor   | : | characteristic   |
| Odor Threshold                                   | : | Not determined due to potential health hazard by inhalation.   |
| pH   | : | 12 - 13  |
| Flash point                                      | : | does not flash   |
| Flammability (solid, gas)                        | : | not flammable  |
| Self-ignition                                    | : | not self-igniting  |
| Upper explosion limit / Upper flammability limit | : | As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. |
| Lower explosion limit / Lower flammability limit | : | As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. |

# SAFETY DATA SHEET

## Thomsit R 790 Part B

Version 2.0      Revision Date: 12.07.2021      SDS Number: 000000823421      Date of last issue: 07.08.2020  
Date of first issue: 07.08.2020

---

Vapor pressure : No data available

Density : 1,15 - 1,25 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Water solubility : No data available

Autoignition temperature : not determined

Decomposition temperature : No decomposition if stored and handled as prescribed/indicated.

Viscosity  
Viscosity, dynamic : 10.000 - 16.000 mPa.s ( 20 °C)

Explosive properties : Not explosive

Oxidizing properties : not determined

---

### 10. STABILITY AND REACTIVITY

Reactivity : No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability : The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions : The product is stable if stored and handled as prescribed/indicated.

Conditions to avoid : See SDS section 7 - Handling and storage.

Incompatible materials : Strong bases  
Strong acids

Hazardous decomposition products : No hazardous decomposition products if stored and handled as prescribed/indicated.

---

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitization

##### Skin sensitization

Not classified based on available information.

##### Respiratory sensitization

Not classified based on available information.

## Thomsit R 790 Part B

Version 2.0      Revision Date: 12.07.2021      SDS Number: 000000823421      Date of last issue: 07.08.2020  
Date of first issue: 07.08.2020

---

**Product:**

Remarks : Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-life is unlikely.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information**

**Product:**

Remarks : Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

---

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

**Product:**

**Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

**Persistence and degradability**

**Product:**

Biodegradability : Remarks: Not applicable for inorganic substances.

**Bioaccumulative potential**

**Product:**

Bioaccumulation : Remarks: The product will not be readily bioavailable due to its consistency and insolubility in water.

## Thomsit R 790 Part B

Version 2.0      Revision Date: 12.07.2021      SDS Number: 000000823421      Date of last issue: 07.08.2020  
Date of first issue: 07.08.2020

---

### Mobility in soil

**Product:**

Distribution among environmental compartments : Remarks: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.  
The substance will not evaporate into the atmosphere from the water surface.

### Other adverse effects

**Product:**

Additional ecological information : Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Observe national and local legal requirements. Residues should be disposed of in the same manner as the substance/product.  
Contaminated packaging : Completely emptied packagings can be given for recycling.

---

## 14. TRANSPORT INFORMATION

### International Regulations

**UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

**Thomsit R 790 Part B**

Version	Revision Date:	SDS Number:	Date of last issue: 07.08.2020
2.0	12.07.2021	000000823421	Date of first issue: 07.08.2020

---

**16. OTHER INFORMATION****Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

UN / EN